

Graded Fabric Program

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and offer a larger selection of fabrics. For fabric grades and availability, check our website at www.nucraft.com.

Net price per yard	Nucraft Grade
\$ 0.00 - \$ 20.00	A
\$ 20.01 - \$ 35.00	B
\$ 35.01 - \$ 50.00	C
\$ 50.01 - \$ 65.00	D
\$ 65.01 - \$ 80.00	E
\$ 80.01 - \$ 95.00	F
\$ 95.01 - \$110.00	G
\$110.01 - \$125.00	H

\$125.00 and above: contact Nucraft Customer Service

Fire Resistance

All Nucraft benches incorporating upholstery fabrics meet California Technical Bulletin 116/117 and BIFMA X5.7 - Voluntary Upholstered Furniture Flammability Standard for Non-Residential, Non-Live-In Occupancies.

All Nucraft benches incorporating upholstery fabrics can be made to meet California Technical Bulletin 133 through the use of flame barrier fabric between the upholstery foam and the outer fabric. There is a \$482 up charge for this service.

If specific certification is required, the customer will be charged for the cost of sampling, testing and freight. Call for quotation.

Due to the fact that the barrier fabric is an additional layer of material between the upholstery foam and the outer fabric, a style constructed to meet California Technical Bulletin 133 may feel differently when in use than that same style without the barrier.

COM Leather Specifics

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

- 48" benches will require 1/2 domestic hide or 1 full calf hide
- 60" benches will require 1 domestic hide or 2 calf hides
- 72" benches will require approximately 1 full domestic hide or 3 full calf hides

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.