

ATIVA[®]

GSA Planning Guide + Price List

QUICK LINKS

PLANNING GUIDE

ATIVA PRICING

GENERAL INFORMATION

FINISH INFORMATION


SURFACE MATERIALS



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi
Statement of Line	3
Specification Overview	4
Planning Guide	5-19
Enclosed Square and Rectangle Tables	20-27
U-Shape Tables	28-35







STATEMENT OF LINE

TABLES


Pages 20-35




Square



Rectangle



Wide U-shape



Narrow U-shape



SPECIFICATION OVERVIEW

1. Select the Table Shape

Ativa is available in four shapes; Square, Rectangle, Narrow U-shape and Wide U-shape.

2. Select the Size (Length and Width)

Ativa is available in 12" increments from 96" to 240" and 24" increments from 240" to 360".

3. Select Power Option (if desired)

Power Matrix provides easy table top accessibility and voice/data connections in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum.

4. Select the Surface Material Finishes

DETAIL OVERVIEW

METAL TRIM

1/8"-wide metal trim pieces, recessed 1/8", are located at all corners, both in the table tops and the modesty panels, creating a subtle yet elegant design detail.

MODESTY PANEL

Located on the inside of the table, these full-height veneer panels feature a sequentially matched, full cut veneer layup for an enhanced aesthetic.

ACCESS PANELS



These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall (see page 7) for easy technology installation and wiring. Access Panels feature quarter cut veneers, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user's side).

ACCESS DOOR

Provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area.

SEQUENTIALLY MATCHED VENEERS
















The full cut veneer cathedrals on Ativa tops point toward the center of the table and the veneer is sequentially matched around the entire perimeter of the table. This veneer layup design, where each leaf is used in a sequential manner from the same tree, results in a consistent veneer pattern around the entire table top surface, regardless of the overall size of the table. This layup method is used on the table tops as well as the modesty panels. Table tops are 1-1/4" thick, 30" deep and feature a 1/8" hardwood double bevel edge.



ACCESS DOOR

This innovative feature provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area. It includes a hinged table top section (pneumatic cylinder assisted), a hinged Access Panel and a hinged Modesty Panel (all 24" wide). A 4"-high metal shroud at the floor covers a wire management trough that allows cables to pass through the Access Door opening.

The Access Door is standard on enclosed Ativa tables and is located on one of the four sides of a square table and on one of the short ends of a rectangle table, as illustrated in the drawings below.



MODESTY WALL

AESTHETICS

The Modesty Wall is the only component of the table that makes contact with the floor. Once attached to the table top, this combination of vertical and horizontal elements provides all the structural integrity the table needs without the need for keels or additional legs.

Modesty Walls are angled away from the user's feet for increased leg room on the user's side and an enhanced aesthetic from across the table.

WIRE MANAGEMENT

The interior of the Modesty Wall is a hollow cavity, much like an architectural wall, offering storage and wire management capabilities.

Power and data cabling is easily accommodated in the spacious area within the Modesty Wall.




Power and data each run in their own area of the Modesty Wall, with power running horizontally in the lower portion of the Wall and data running horizontally in the upper portion of the wall.

UNDER SHROUD

This veneered surface conceals structural elements to offer a clean aesthetic regardless of viewpoint.

SUPPORT STUDS

These metal studs within the Modesty Wall act like studs in an architectural wall, forming a frame and providing rigidity to the structure. Support studs are spaced 30" apart. Corner sections come in numerous sizes to accommodate the wide range of table sizes available as standard on Ativa. Adjustable glides in the bottom of the Modesty Wall studs offer 1-1/4" of adjustability for leveling.



MODESTY PANEL

Located on the interior side of the table, these full height panels are attached to the Support Studs and table top to create a rigid structure. Modesty Panels feature the same sequentially matched veneer layup as the tops for an enhanced aesthetic. Individual lengths up to 120" result in minimal seams. The inside of the Modesty Panel provides a mounting surface for electronic equipment inside the cavity of the Modesty Wall.

REMOVABLE ACCESS PANEL

These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall for easy technology installation and wiring. Access Panels are veneered with quarters, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user's side).


See page 19 for Access Panel dimensions.



RECOMMENDED SEATING CAPACITY

ENCLOSED SQUARE AND RECTANGLE TABLES

Note: Seating capacity is based on 27" per person



96"-192" LONG

MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	12	12-14	14	14	14-16	16	16-18	18	18-20
ATEN-108-[]	108		12-16	14-16	14-16	14-18	16-18	16-20	18-20	18-22
ATEN-120-[]	120			16	16	16-18	18	18-20	20	20-22
ATEN-132-[]	132				16	16-18	18	18-20	20	20-22
ATEN-144-[]	144					16-20	18-20	18-22	20-22	20-24
ATEN-156-[]	156						20	20-22	22	22-24
ATEN-168-[]	168							20-24	22-24	22-26
ATEN-180-[]	180								24	24-26
ATEN-192-[]	192									24-28


204"-360" LONG

MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	18-20	20-22	20-22	22	22-24	24-26	26-28	28-30	30-32
ATEN-108-[]	108	18-22	20-24	20-24	22-24	22-26	24-28	26-30	28-32	30-34
ATEN-120-[]	120	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATEN-132-[]	132	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATEN-144-[]	144	20-24	22-26	22-26	24-26	24-28	26-30	28-32	30-34	32-36
ATEN-156-[]	156	22-24	24-26	24-26	26	26-28	28-30	30-32	32-34	34-36
ATEN-168-[]	168	22-26	24-28	24-28	26-28	26-30	28-32	30-34	32-36	34-38
ATEN-180-[]	180	24-26	26-28	26-28	28	28-30	30-32	32-34	34-36	36-38
ATEN-192-[]	192	24-28	26-30	26-30	28-30	28-32	30-34	32-36	34-38	36-40
ATEN-204-[]	204	24-28	26-30	26-30	28-30	28-32	30-34	32-36	34-38	36-40
ATEN-216-[]	216		28-32	28-32	30-32	30-34	32-36	34-38	36-40	38-42
ATEN-228-[]	228			28-32	30-32	30-34	32-36	34-38	36-40	38-42
ATEN-240-[]	240				32	32-34	34-36	36-38	38-40	40-42
ATEN-264-[]	264					32-36	34-38	36-40	38-42	40-44
ATEN-288-[]	288						36-40	38-42	40-44	42-46
ATEN-312-[]	312							40-44	42-46	44-48
ATEN-336-[]	336								44-48	46-50
ATEN-360-[]	360									48-52

RECOMMENDED SEATING CAPACITY

U-SHAPE TABLES

Note: Seating capacity is based on 27" per person



96"-192" LONG

MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	9	9-11	11	11	11-13	13	13-15	15	15-17
ATUS-108-[]	108	9-10	9-12	11-12	11-12	11-14	13-14	13-16	15-16	15-18
ATUS-120-[]	120	10	10-12	12	12	12-14	14	14-16	16	16-18
ATUS-132-[]	132	10	10-12	12	12	12-14	14	14-16	16	16-18
ATUS-144-[]	144	10-11	10-13	12-13	12-13	12-15	14-15	14-17	16-17	16-19
ATUS-156-[]	156	11	11-13	13	13	13-15	15	15-17	17	17-19
ATUS-168-[]	168	11-12	11-14	13-14	13-14	13-16	15-16	15-18	17-18	17-20
ATUS-180-[]	180	12	12-14	14	14	14-16	16	16-18	18	18-20
ATUS-192-[]	192	12-13	12-15	14-15	14-15	14-17	16-17	16-19	18-19	18-21
ATUS-204-[]	204	12-13	12-15	14-15	14-15	14-17	16-17	16-19	18-19	18-21
ATUS-216-[]	216	13-14	13-16	15-16	15-16	15-18	17-18	17-20	21-22	19-22
ATUS-228-[]	228	13-14	13-16	15-16	15-16	15-18	17-18	17-20	21-22	19-22
ATUS-240-[]	240	14	14-16	16	16	16-18	18	18-20	20	20-22
ATUS-264-[]	264	14-15	14-17	16-17	16-17	16-19	18-19	18-21	20-21	20-23
ATUS-288-[]	288	15-16	15-18	17-18	17-18	17-20	21-22	19-22	21-22	21-24
ATUS-312-[]	312	16-17	16-19	18-19	18-19	18-21	20-21	20-23	22-23	22-25
ATUS-336-[]	336	17-18	17-20	21-22	21-22	19-22	21-22	21-24	23-24	23-26
ATUS-360-[]	360	18-19	18-21	20-21	20-21	20-23	22-23	22-25	24-25	24-27

204"-360" LONG

MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	15-17	17-19	17-19	19	19-21	21-23	23-25	25-27	27-29
ATUS-108-[]	108	15-18	17-20	17-20	21-22	19-22	21-24	23-26	25-28	27-30
ATUS-120-[]	120	16-18	18-20	18-20	20	20-22	22-24	24-26	26-28	28-30
ATUS-132-[]	132	16-18	18-20	18-20	20	20-22	22-24	24-26	26-28	28-30
ATUS-144-[]	144	16-19	18-21	18-21	20-21	20-23	22-25	24-27	26-29	28-31
ATUS-156-[]	156	17-19	19-21	19-21	21	21-23	23-25	25-27	27-29	29-31
ATUS-168-[]	168	17-20	19-22	19-22	21-22	21-24	23-26	25-28	27-30	29-32
ATUS-180-[]	180	18-20	20-22	20-22	22	22-24	24-26	26-28	28-30	30-32
ATUS-192-[]	192	18-21	20-23	20-23	22-23	22-25	24-27	26-29	28-31	30-33
ATUS-204-[]	204	18-21	20-23	20-23	22-23	22-25	24-27	26-29	28-31	30-33
ATUS-216-[]	216	19-22	21-24	21-24	23-24	23-26	25-28	27-30	29-32	31-34
ATUS-228-[]	228	19-22	21-24	21-24	23-24	23-26	25-28	27-30	29-32	31-34
ATUS-240-[]	240	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATUS-264-[]	264	20-23	22-25	22-25	24-25	24-27	26-29	28-31	30-33	32-35
ATUS-288-[]	288	21-24	23-26	23-26	25-26	25-28	27-30	29-32	31-34	33-36
ATUS-312-[]	312	22-25	24-27	24-27	26-27	26-29	28-31	30-33	32-35	34-37
ATUS-336-[]	336	23-26	25-28	25-28	27-28	27-30	29-32	31-34	33-36	35-38
ATUS-360-[]	360	24-27	26-29	26-29	28-29	28-31	30-33	32-35	34-37	36-39

Note:

The width (A) is always the single side of the table (regardless of table dimensions) while the length (B) refers to the two tops running perpendicular to the width.

Examples:





TABLE TOP POWER OPTION: POWER MATRIX SMALL


POWER MATRIX

Power and data connectivity on Ativa tables is provided via Power Matrix units located on the table top in pre-determined locations and quantities based on the size of the table (see charts on pages 17-18 and illustrations on page 16).

Power Matrix provides easy table top accessibility and voice/data connectivity in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum. When specified on tables with laminate tops, each Power Matrix includes a 3/8"-wide metal bezel. The wood door version is not available on tables with laminate tops.

Power Matrix units are plugged into a two-circuit electrical system located in the base of the Ativa modesty wall. The charts on pages 17-18 identify the quantity of Power Matrix units based on table size, as well as the number of circuits required to adequately power the table.


Plugged into two-circuit electrical system.



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system
- Only present on tables specified with the Single In-Feed option
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

Electrical Diagram — Hardwire Power Infeed Only



VOICE/DATA PLANNING

Consult a local electrical contractor for proper code compliance information.

Nucraft recommends consulting an audio/visual (AV) integrator for specific assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

TABLE TOP POWER OPTION: POWER MATRIX SMALL

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

POWER

Power Matrix features two simplex receptacles for power connectivity. An optional dual USB-A charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.

DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

DESIGN

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

Power Matrix is equipped with the following components:

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord







TABLE TOP POWER OPTION: POWER MATRIX SMALL


DIMENSIONS

Each Power Matrix unit includes a low-rofile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables.

End Elevation View



Plan View




FIELD-WIRED

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.




RETRACTORS FOR POWER MATRIX


Cable retractors mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side.




Retractor Wire Management




CAT6 Retractor



HDMI Retractor



Data USB Retractor




FREESTANDING POWER: CHARGING CUBE AND TECH ZONE

CHARGING CUBE

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Two 4 amp USB-A fast charging ports
- One 4 amp USB-C smart charging port
- 11,600 mAh battery capacity
- Charges completely in 4 hours



Charging Cube - Top View




Charging Cube - Side View




TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.



Tech Zone - Side View



ZONE-USB

Includes two simplex receptacles, one data port and one dual charging USB-A charging port

ZONE-DATA

Includes two simplex receptacles and two open data ports

ZONE-USB



ZONE-DATA




FREESTANDING POWER: CHARGING STAND

BATTERY-POWERED CHARGING STAND

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.

- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



CORDED CHARGING STAND

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C

Four simplex receptacles, two USB-A ports and one USB-C port



Base Plate Configuration Options






POWER MATRIX LOCATION OPTIONS

The following illustrations show the Power Matrix locations based on the length of each table side.

■ Power Matrix



POWER AND VOICE/DATA CAPABILITIES


The adjacent chart details the quantity of Power Matrix units provided with each table size, the resulting quantity of power and data connections and the number of circuits required to properly power the table.

Each circuit in the Power Matrix electrical system is rated for a Maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20. NOTE: The above standards are maximum amounts only. Always check your local codes for restrictions.

CODE	POWER MATRIX UNITS	SIMPLEX RECEPTACLES PROVIDED	DATA RJ-45 PROVIDED	BLANK AAP FACEPLATES PROVIDED	FLOOR CORE CIRCUITS REQUIRED	FIELD-WIRED DEDUCTION	USB-A CHARGING*	POLISHED CHROME DOOR	POLISHED CHROME BEZEL
A	3	6	6	6	2	962	331	636	906
B	4	8	8	8	2	1,285	441	848	1,208
C	5	10	10	10	2	1,605	551	1,060	1,510
D	6	12	12	12	2	1,923	661	1,272	1,812
E	7	14	14	14	2	2,247	771	1,484	2,114
F	8	16	16	16	2	2,567	882	1,696	2,416
G	9	18	18	18	2	2,886	992	1,908	2,718
H	10	20	20	20	2	3,208	1,102	2,120	3,020
I	11	22	22	22	2	3,527	1,212	2,332	3,322
J	12	24	24	24	2	3,848	1,323	2,544	3,624
K	13	26	26	26	2	4,252	1,433	2,756	3,926
L	14	28	28	28	2	4,574	1,543	2,968	4,228
M	15	30	30	30	2	4,894	1,653	3,180	4,530
N	16	32	32	32	2	5,216	1,763	3,392	4,832
O	18	36	36	36	2	5,856	1,984	3,816	5,436
P	20	40	40	40	2	6,496	2,204	4,240	6,040

*When specified, Charging USB option will replace (1) Simplex Receptacle

ENCLOSED SQUARE AND RECTANGLE TABLES



96"-192" LONG


MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	B	B	B	D	D	D	D	D	H
ATEN-108-[]	108		B	B	D	D	D	D	D	H
ATEN-120-[]	120			B	D	D	D	D	D	H
ATEN-132-[]	132				F	F	F	F	F	J
ATEN-144-[]	144					F	F	F	F	J
ATEN-156-[]	156						F	F	F	J
ATEN-168-[]	168							F	F	J
ATEN-180-[]	180								F	J
ATEN-192-[]	192									N

204"-360" LONG

MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	H	H	H	H	H	H	H	J	J
ATEN-108-[]	108	H	H	H	H	H	H	H	J	J
ATEN-120-[]	120	H	H	H	H	H	H	H	J	J
ATEN-132-[]	132	J	J	J	J	J	J	J	L	L
ATEN-144-[]	144	J	J	J	J	J	J	J	L	L
ATEN-156-[]	156	J	J	J	J	J	J	J	L	L
ATEN-168-[]	168	J	J	J	J	J	J	J	L	L
ATEN-180-[]	180	J	J	J	J	J	J	J	L	L
ATEN-192-[]	192	N	N	N	N	N	N	N	O	O
ATEN-204-[]	204	N	N	N	N	N	N	N	O	O
ATEN-216-[]	216		N	N	N	N	N	N	O	O
ATEN-228-[]	228			N	N	N	N	N	O	O
ATEN-240-[]	240				N	N	N	N	O	O
ATEN-264-[]	264					N	N	N	O	O
ATEN-288-[]	288						N	N	O	O
ATEN-312-[]	312							N	O	O
ATEN-336-[]	336								P	P
ATEN-360-[]	360									P

POWER AND VOICE/DATA CAPABILITIES

U-SHAPE TABLES



96"-192" LONG


MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	A	A	A	C	C	C	C	C	G
ATUS-108-[]	108	A	A	A	C	C	C	C	C	G
ATUS-120-[]	120	A	A	A	C	C	C	C	C	G
ATUS-132-[]	132	B	B	B	D	D	D	D	D	H
ATUS-144-[]	144	B	B	B	D	D	D	D	D	H
ATUS-156-[]	156	B	B	B	D	D	D	D	D	H
ATUS-168-[]	168	B	B	B	D	D	D	D	D	H
ATUS-180-[]	180	B	B	B	D	D	D	D	D	H
ATUS-192-[]	192	D	D	D	F	F	F	F	F	J
ATUS-204-[]	204	D	D	D	F	F	F	F	F	J
ATUS-216-[]	216	D	D	D	F	F	F	F	F	J
ATUS-228-[]	228	D	D	D	F	F	F	F	F	J
ATUS-240-[]	240	D	D	D	F	F	F	F	F	J
ATUS-264-[]	264	D	D	D	F	F	F	F	F	J
ATUS-288-[]	288	D	D	D	F	F	F	F	F	J
ATUS-312-[]	312	D	D	D	F	F	F	F	F	J
ATUS-336-[]	336	E	E	E	G	G	G	G	G	K
ATUS-360-[]	360	E	E	E	G	G	G	G	G	K

204"-360" LONG


MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	G	G	G	G	G	G	G	I	I
ATUS-108-[]	108	G	G	G	G	G	G	G	I	I
ATUS-120-[]	120	G	G	G	G	G	G	G	I	I
ATUS-132-[]	132	H	H	H	H	H	H	H	J	J
ATUS-144-[]	144	H	H	H	H	H	H	H	J	J
ATUS-156-[]	156	H	H	H	H	H	H	H	J	J
ATUS-168-[]	168	H	H	H	H	H	H	H	J	J
ATUS-180-[]	180	H	H	H	H	H	H	H	J	J
ATUS-192-[]	192	J	J	J	J	J	J	J	L	L
ATUS-204-[]	204	J	J	J	J	J	J	J	L	L
ATUS-216-[]	216	J	J	J	J	J	J	J	L	L
ATUS-228-[]	228	J	J	J	J	J	J	J	L	L
ATUS-240-[]	240	J	J	J	J	J	J	J	L	L
ATUS-264-[]	264	J	J	J	J	J	J	J	L	L
ATUS-288-[]	288	J	J	J	J	J	J	J	L	L
ATUS-312-[]	312	J	J	J	J	J	J	J	L	L
ATUS-336-[]	336	K	K	K	K	K	K	K	M	M
ATUS-360-[]	360	K	K	K	K	K	K	K	M	M

DIMENSIONS

Base Dimensions at the Floor (Plan View)




Access Panel (Shown with cutout on bottom)





VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	30,731	33,895	37,058	40,219	43,382	46,547	49,709	52,872	56,034
ATEN-108-[]	108		37,058	40,219	43,382	46,547	49,709	52,872	56,034	59,197
ATEN-120-[]	120			43,382	46,547	49,709	52,872	56,034	59,197	62,361
ATEN-132-[]	132				49,709	52,872	56,034	59,197	62,361	65,525
ATEN-144-[]	144					56,034	59,197	62,361	65,525	68,685
ATEN-156-[]	156						62,361	65,525	68,685	71,849
ATEN-168-[]	168							68,685	71,849	75,011
ATEN-180-[]	180								75,011	78,175
ATEN-192-[]	192									81,337

204"-360" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	59,197	62,361	65,525	68,685	75,011	81,337	87,663	93,989	100,315
ATEN-108-[]	108	62,361	65,525	68,685	71,849	78,175	84,501	90,828	97,152	103,479
ATEN-120-[]	120	65,525	68,685	71,849	75,011	81,337	87,663	93,989	100,315	106,640
ATEN-132-[]	132	68,685	71,849	75,011	78,175	84,501	90,828	97,152	103,479	109,803
ATEN-144-[]	144	71,849	75,011	78,175	81,337	87,663	93,989	100,315	106,640	112,966
ATEN-156-[]	156	75,011	78,175	81,337	84,501	90,828	97,152	103,479	109,803	116,129
ATEN-168-[]	168	78,175	81,337	84,501	87,663	93,989	100,315	106,640	112,966	119,291
ATEN-180-[]	180	81,337	84,501	87,663	90,828	97,152	103,479	109,803	116,129	122,456
ATEN-192-[]	192	84,501	87,663	90,828	93,989	100,315	106,640	112,966	119,291	125,617
ATEN-204-[]	204	87,663	90,828	93,989	97,152	103,479	109,803	116,129	122,456	128,781
ATEN-216-[]	216		93,989	97,152	100,315	106,640	112,966	119,291	125,617	131,944
ATEN-228-[]	228			100,315	103,479	109,803	116,129	122,456	128,781	135,106
ATEN-240-[]	240				106,640	112,966	119,291	125,617	131,944	138,270
ATEN-264-[]	264					119,291	125,617	131,944	138,270	144,594
ATEN-288-[]	288						131,944	138,270	144,594	150,920
ATEN-312-[]	312							144,594	150,920	157,248
ATEN-336-[]	336								157,248	163,571
ATEN-360-[]	360									169,900

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]-P	96	29,438	32,458	35,478	38,499	41,519	44,541	47,559	50,580	53,601
ATEN-108-[]-P	108		35,478	38,499	41,519	44,541	47,559	50,580	53,601	56,620
ATEN-120-[]-P	120			41,519	44,541	47,559	50,580	53,601	56,620	59,643
ATEN-132-[]-P	132				47,559	50,580	53,601	56,620	59,643	62,663
ATEN-144-[]-P	144					53,601	56,620	59,643	62,663	65,685
ATEN-156-[]-P	156						59,643	62,663	65,685	68,705
ATEN-168-[]-P	168							65,685	68,705	71,723
ATEN-180-[]-P	180								71,723	74,746
ATEN-192-[]-P	192									77,765

204"-360" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]-P	96	56,620	59,643	62,663	65,685	71,723	77,765	83,806	89,848	95,888
ATEN-108-[]-P	108	59,643	62,663	65,685	68,705	74,746	80,786	86,827	92,869	98,909
ATEN-120-[]-P	120	62,663	65,685	68,705	71,723	77,765	83,806	89,848	95,888	101,931
ATEN-132-[]-P	132	65,685	68,705	71,723	74,746	80,786	86,827	92,869	98,909	104,951
ATEN-144-[]-P	144	68,705	71,723	74,746	77,765	83,806	89,848	95,888	101,931	107,972
ATEN-156-[]-P	156	71,723	74,746	77,765	80,786	86,827	92,869	98,909	104,951	110,991
ATEN-168-[]-P	168	74,746	77,765	80,786	83,806	89,848	95,888	101,931	107,972	114,011
ATEN-180-[]-P	180	77,765	80,786	83,806	86,827	92,869	98,909	104,951	110,991	117,033
ATEN-192-[]-P	192	80,786	83,806	86,827	89,848	95,888	101,931	107,972	114,011	120,052
ATEN-204-[]-P	204	83,806	86,827	89,848	92,869	98,909	104,951	110,991	117,033	123,074
ATEN-216-[]-P	216		89,848	92,869	95,888	101,931	107,972	114,011	120,052	126,094
ATEN-228-[]-P	228			95,888	98,909	104,951	110,991	117,033	123,074	129,115
ATEN-240-[]-P	240				101,931	107,972	114,011	120,052	126,094	132,135
ATEN-264-[]-P	264					114,011	120,052	126,094	132,135	138,177
ATEN-288-[]-P	288						126,094	132,135	138,177	144,217
ATEN-312-[]-P	312							138,177	144,217	150,259
ATEN-336-[]-P	336								150,259	156,298
ATEN-360-[]-P	360									162,340

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Woodgrain Laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	37,354	40,512	43,672	50,063	53,223	56,384	59,543	62,704	72,325
ATEN-108-[]	108		43,672	46,834	53,223	56,384	59,543	62,704	62,704	75,483
ATEN-120-[]	120			49,993	56,384	59,543	62,704	65,865	69,024	78,644
ATEN-132-[]	132				62,774	65,933	69,093	72,254	75,415	85,035
ATEN-144-[]	144					69,093	72,254	75,415	78,574	88,197
ATEN-156-[]	156						75,415	78,574	81,735	91,356
ATEN-168-[]	168							81,735	84,894	94,515
ATEN-180-[]	180								88,054	97,673
ATEN-192-[]	192									107,378

204"-360" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	75,483	78,644	81,804	84,967	91,284	97,605	103,926	113,478	119,795
ATEN-108-[]	108	78,644	81,804	84,967	88,124	94,444	100,763	107,086	116,635	122,958
ATEN-120-[]	120	81,804	84,967	88,124	91,284	97,605	103,926	110,244	119,795	126,117
ATEN-132-[]	132	88,197	91,356	94,515	97,673	103,994	110,314	116,635	126,271	132,588
ATEN-144-[]	144	91,356	94,515	97,673	100,578	107,155	113,478	119,667	129,433	135,751
ATEN-156-[]	156	94,515	97,673	100,578	103,994	110,314	116,635	122,958	132,588	138,913
ATEN-168-[]	168	97,673	100,836	103,994	106,900	113,478	119,795	126,117	135,751	142,072
ATEN-180-[]	180	100,836	103,994	107,155	110,314	116,635	122,958	129,275	138,913	145,231
ATEN-192-[]	192	110,540	113,698	116,858	120,020	126,338	132,661	138,980	148,532	154,853
ATEN-204-[]	204	113,698	116,858	120,020	123,179	129,499	135,820	142,139	150,272	158,011
ATEN-216-[]	216		120,020	123,179	126,338	132,661	138,980	145,302	154,853	161,172
ATEN-228-[]	228			126,338	129,499	135,820	142,139	148,459	158,011	164,333
ATEN-240-[]	240				132,661	138,980	145,302	151,620	161,172	167,489
ATEN-264-[]	264					145,302	151,620	157,941	167,489	173,814
ATEN-288-[]	288						157,941	164,260	173,814	180,131
ATEN-312-[]	312							170,583	180,131	186,452
ATEN-336-[]	336								189,682	196,000
ATEN-360-[]	360									202,323




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add -THREE	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add -USB	Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 17-18 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	863
CR-HDMI	HDMI Retractor	863
CR-DISPLAY	Display Port Retractor	863
CR-USB	Data USB Retractor	863

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]-P	96	36,059	39,074	42,093	48,343	51,361	54,377	57,396	60,413	69,892
ATEN-108-[]-P	108		42,093	45,112	51,361	54,377	57,396	60,413	63,431	72,909
ATEN-120-[]-P	120			48,131	54,377	57,396	60,413	63,431	66,449	75,928
ATEN-132-[]-P	132				60,627	63,645	66,661	69,678	72,698	82,177
ATEN-144-[]-P	144					66,661	69,678	72,698	75,715	85,197
ATEN-156-[]-P	156						72,698	75,715	78,734	88,212
ATEN-168-[]-P	168							81,751	84,768	91,230
ATEN-180-[]-P	180								84,768	94,247
ATEN-192-[]-P	192									103,809


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]-P	96	72,909	75,928	78,946	81,964	71,723	94,035	100,072	109,337	115,374
ATEN-108-[]-P	108	75,928	78,946	81,964	84,982	91,369	97,053	103,089	112,354	118,392
ATEN-120-[]-P	120	78,946	81,964	84,982	87,999	94,035	100,072	106,108	115,374	121,411
ATEN-132-[]-P	132	85,197	88,212	91,230	94,247	100,283	106,319	112,354	121,707	127,744
ATEN-144-[]-P	144	88,212	91,230	94,247	97,265	103,301	109,337	115,374	124,725	130,763
ATEN-156-[]-P	156	91,230	94,247	97,265	100,283	106,319	112,354	118,392	127,744	133,778
ATEN-168-[]-P	168	94,247	97,265	100,283	103,301	109,337	115,374	121,411	130,763	136,795
ATEN-180-[]-P	180	97,265	100,283	103,301	106,319	112,354	118,392	124,428	134,416	139,815
ATEN-192-[]-P	192	106,827	109,844	112,863	115,882	121,916	127,952	133,991	143,255	149,293
ATEN-204-[]-P	204	109,844	112,863	115,882	118,897	124,933	130,969	137,071	146,270	152,309
ATEN-216-[]-P	216		115,882	118,897	121,916	127,952	133,991	140,023	149,293	155,328
ATEN-228-[]-P	228			121,916	124,933	130,969	137,007	143,042	152,309	158,344
ATEN-240-[]-P	240				127,952	133,991	140,023	146,061	155,328	161,362
ATEN-264-[]-P	264					140,023	146,061	152,096	161,362	167,397
ATEN-288-[]-P	288						152,096	158,132	167,397	173,434
ATEN-312-[]-P	312							164,170	173,434	179,468
ATEN-336-[]-P	336								182,698	188,735
ATEN-360-[]-P	360									194,770




INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add -THREE	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add -USB	Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Bezel	Add -PB	Only available on laminate top tables. Refer to pages 17-18 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge


GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS	MODEL #	DESCRIPTION	PRICE
	CR-CAT6	CAT6 Retractor	863
	CR-HDMI	HDMI Retractor	863
	CR-DISPLAY	Display Port Retractor	863
	CR-USB	Data USB Retractor	863


CR-HDMI

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	38,914	42,076	45,237	52,406	55,568	58,728	61,889	65,047	76,105
ATEN-108-[]	108		45,237	48,394	55,568	58,728	61,889	65,047	68,209	79,391
ATEN-120-[]	120			51,556	58,728	61,889	65,047	68,209	71,369	82,552
ATEN-132-[]	132				65,898	69,059	72,221	75,377	78,540	89,725
ATEN-144-[]	144					72,221	75,377	78,540	81,701	92,883
ATEN-156-[]	156						78,540	81,701	84,858	96,044
ATEN-168-[]	168							84,858	88,020	99,203
ATEN-180-[]	180								91,179	102,363
ATEN-192-[]	192									113,628


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	79,391	82,548	85,712	88,871	95,193	101,510	107,831	118,165	124,484
ATEN-108-[]	108	82,552	85,712	88,871	92,032	98,349	104,673	110,991	121,322	127,645
ATEN-120-[]	120	85,712	88,871	92,032	95,193	101,510	107,831	114,154	124,484	130,804
ATEN-132-[]	132	92,883	96,044	99,203	102,363	108,681	115,004	121,322	131,738	138,060
ATEN-144-[]	144	96,044	99,203	102,363	105,523	111,844	116,743	124,484	134,901	141,221
ATEN-156-[]	156	99,203	102,363	105,523	108,681	115,004	121,322	127,645	138,060	144,380
ATEN-168-[]	168	102,363	105,523	108,681	111,844	118,165	124,484	130,804	141,221	147,541
ATEN-180-[]	180	105,523	108,681	111,844	115,004	121,322	127,645	133,964	144,380	150,700
ATEN-192-[]	192	116,791	119,950	123,108	126,271	132,588	138,913	145,231	155,563	161,885
ATEN-204-[]	204	119,950	123,108	126,271	129,431	135,750	142,071	148,390	158,723	165,044
ATEN-216-[]	216		126,271	129,431	132,588	138,913	145,231	151,553	161,885	168,203
ATEN-228-[]	228			132,588	135,750	142,071	148,390	154,710	165,044	171,364
ATEN-240-[]	240				138,913	145,231	151,553	157,871	168,203	174,522
ATEN-264-[]	264					151,553	157,871	164,193	174,522	180,845
ATEN-288-[]	288						164,193	170,511	180,845	187,164
ATEN-312-[]	312							176,834	187,164	193,485
ATEN-336-[]	336								197,495	203,815
ATEN-360-[]	360									210,135




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS

CODE

NOTES

4 Simplex Receptacles

Add **-FOUR**

Replace AAP's with 2 additional simplex receptacles

3 Simplex Receptacles/Dual Charging USB-A

Add **-THREE**

Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A

USB-A Charging

Add **-USB**

Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.

Field-Wired

Add **-FW**

Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.


- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS

MODEL

DESCRIPTION

PRICE



CR-HDMI

CR-CAT6

CAT6 Retractor

863

CR-HDMI

HDMI Retractor

863

CR-DISPLAY

Display Port Retractor

863

CR-USB

Data USB Retractor


863

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	28,129	31,290	34,453	37,617	40,780	43,943	47,105	50,268	53,430
ATUS-108-[]	108	29,709	32,871	36,035	39,197	42,361	45,522	48,686	51,849	55,013
ATUS-120-[]	120	31,290	34,453	37,617	40,780	43,943	47,105	50,268	53,430	56,594
ATUS-132-[]	132	32,871	36,035	39,197	42,361	45,522	48,686	51,849	55,013	58,174
ATUS-144-[]	144	34,453	37,617	40,780	43,943	47,105	50,268	53,430	56,594	59,756
ATUS-156-[]	156	36,035	39,197	42,361	45,522	48,686	51,849	55,013	58,174	61,338
ATUS-168-[]	168	37,617	40,780	43,943	47,105	50,268	53,430	56,594	59,756	62,919
ATUS-180-[]	180	39,197	42,361	45,522	48,686	51,849	55,013	58,174	61,338	64,501
ATUS-192-[]	192	40,780	43,943	47,105	50,268	53,430	56,594	59,756	62,919	66,082
ATUS-204-[]	204	42,361	45,522	48,686	51,849	55,013	58,174	61,338	64,501	67,664
ATUS-216-[]	216	43,943	47,105	50,268	53,430	56,594	59,756	62,919	66,082	69,244
ATUS-228-[]	228	45,522	48,686	51,849	55,013	58,174	61,338	64,501	67,664	70,828
ATUS-240-[]	240	47,105	50,268	53,430	56,594	59,756	62,919	66,082	69,244	72,408
ATUS-264-[]	264	50,268	53,430	56,594	59,756	62,919	66,082	69,244	72,408	75,572
ATUS-288-[]	288	53,430	56,594	59,756	62,919	66,082	69,244	72,408	75,572	78,734
ATUS-312-[]	312	56,594	59,756	62,919	66,082	69,244	72,408	75,572	78,734	81,896
ATUS-336-[]	336	59,756	62,919	66,082	69,244	72,408	75,572	78,734	81,896	85,059
ATUS-360-[]	360	62,919	66,082	69,244	72,408	75,572	78,734	81,896	85,059	88,223

204"-360" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	56,594	59,756	62,919	66,082	72,408	78,734	85,059	91,385	97,709
ATUS-108-[]	108	58,174	61,338	64,501	67,664	73,989	80,315	86,639	92,967	99,291
ATUS-120-[]	120	59,756	62,919	66,082	69,244	75,572	81,896	88,223	94,548	100,874
ATUS-132-[]	132	61,338	64,501	67,664	70,828	77,151	83,479	89,803	96,131	102,455
ATUS-144-[]	144	62,919	66,082	69,244	72,408	78,734	85,059	91,385	97,709	104,038
ATUS-156-[]	156	64,501	67,664	70,828	73,989	80,315	86,639	92,967	99,291	105,618
ATUS-168-[]	168	66,082	69,244	72,408	75,572	81,896	88,223	94,548	100,874	107,199
ATUS-180-[]	180	67,664	70,828	73,989	77,151	83,479	89,803	96,131	102,455	108,783
ATUS-192-[]	192	69,244	72,408	75,572	78,734	85,059	91,385	97,709	104,038	110,362
ATUS-204-[]	204	70,828	73,989	77,151	80,315	86,639	92,967	99,291	105,618	111,943
ATUS-216-[]	216	72,408	75,572	78,734	81,896	88,223	94,548	100,874	107,199	113,526
ATUS-228-[]	228	73,989	77,151	80,315	83,479	89,803	96,131	102,455	108,783	115,105
ATUS-240-[]	240	75,572	78,734	81,896	85,059	91,385	97,709	104,038	110,362	116,689
ATUS-264-[]	264	78,734	81,896	85,059	88,223	94,548	100,874	107,199	113,526	119,851
ATUS-288-[]	288	81,896	85,059	88,223	91,385	97,709	104,038	110,362	116,689	123,015
ATUS-312-[]	312	85,059	88,223	91,385	94,548	100,874	107,199	113,526	119,851	126,177
ATUS-336-[]	336	88,223	91,385	94,548	97,709	104,038	110,362	116,689	123,015	129,341
ATUS-360-[]	360	91,385	94,548	97,709	100,874	107,199	113,526	119,851	126,177	132,503

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

		LENGTH [B]								
MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[J-P	96	26,864	29,883	32,904	35,924	38,946	41,964	44,985	48,007	51,027
ATUS-108-[J-P	108	28,372	31,396	34,415	37,434	40,456	43,475	46,498	49,516	52,537
ATUS-120-[J-P	120	29,883	32,904	35,924	38,946	41,964	44,985	48,007	51,027	54,049
ATUS-132-[J-P	132	31,396	34,415	37,434	40,456	43,475	46,498	49,516	52,537	55,559
ATUS-144-[J-P	144	32,904	35,924	38,946	41,964	44,985	48,007	51,027	54,049	57,068
ATUS-156-[J-P	156	34,415	37,434	40,456	43,475	46,498	49,516	52,537	55,559	58,578
ATUS-168-[J-P	168	35,924	38,946	41,964	44,985	48,007	51,027	54,049	57,068	60,090
ATUS-180-[J-P	180	37,434	40,456	43,475	46,498	49,516	52,537	55,559	58,578	61,599
ATUS-192-[J-P	192	38,946	41,964	44,985	48,007	51,027	54,049	57,068	60,090	63,110
ATUS-204-[J-P	204	40,456	43,475	46,498	49,516	52,537	55,559	58,578	61,599	64,621
ATUS-216-[J-P	216	41,964	44,985	48,007	51,027	54,049	57,068	60,090	63,110	66,128
ATUS-228-[J-P	228	43,475	46,498	49,516	52,537	55,559	58,578	61,599	64,621	67,641
ATUS-240-[J-P	240	44,985	48,007	51,027	54,049	57,068	60,090	63,110	66,128	69,151
ATUS-264-[J-P	264	48,007	51,027	54,049	57,068	60,090	63,110	66,128	69,151	72,170
ATUS-288-[J-P	288	51,027	54,049	57,068	60,090	63,110	66,128	69,151	72,170	75,191
ATUS-312-[J-P	312	54,049	57,068	60,090	63,110	66,128	69,151	72,170	75,191	78,211
ATUS-336-[J-P	336	57,068	60,090	63,110	66,128	69,151	72,170	75,191	78,211	81,232
ATUS-360-[J-P	360	60,090	63,110	66,128	69,151	72,170	75,191	78,211	81,232	84,254

204"-360" LONG

		LENGTH [B]								
MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[J-P	96	54,049	57,068	60,090	63,110	69,151	75,191	81,232	87,276	93,315
ATUS-108-[J-P	108	55,559	58,578	61,599	64,621	70,661	76,702	82,742	88,783	94,823
ATUS-120-[J-P	120	57,068	60,090	63,110	66,128	72,170	78,211	84,254	90,294	96,336
ATUS-132-[J-P	132	58,578	61,599	64,621	67,641	73,681	79,721	85,762	91,805	97,846
ATUS-144-[J-P	144	60,090	63,110	66,128	69,151	75,191	81,232	87,276	93,315	99,356
ATUS-156-[J-P	156	61,599	64,621	67,641	70,661	76,702	82,742	88,783	94,823	100,866
ATUS-168-[J-P	168	63,110	66,128	69,151	72,170	78,211	84,254	90,294	96,336	102,377
ATUS-180-[J-P	180	64,621	67,641	70,661	73,681	79,721	85,762	91,805	97,846	103,887
ATUS-192-[J-P	192	66,128	69,151	72,170	75,191	81,232	87,276	93,315	99,356	105,396
ATUS-204-[J-P	204	67,641	70,661	73,681	76,702	82,742	88,783	94,823	100,866	106,907
ATUS-216-[J-P	216	69,151	72,170	75,191	78,211	84,254	90,294	96,336	102,377	108,416
ATUS-228-[J-P	228	70,661	73,681	76,702	79,721	85,762	91,805	97,846	103,887	109,928
ATUS-240-[J-P	240	72,170	75,191	78,211	81,232	87,276	93,315	99,356	105,396	111,439
ATUS-264-[J-P	264	75,191	78,211	81,232	84,254	90,294	96,336	102,377	108,416	114,458
ATUS-288-[J-P	288	78,211	81,232	84,254	87,276	93,315	99,356	105,396	111,439	117,479
ATUS-312-[J-P	312	81,232	84,254	87,276	90,294	96,336	102,377	108,416	114,458	120,499
ATUS-336-[J-P	336	84,254	87,276	90,294	93,315	99,356	105,396	111,439	117,479	123,521
ATUS-360-[J-P	360	87,276	90,294	93,315	96,336	102,377	108,416	114,458	120,499	126,541

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	32,941	36,102	39,262	45,650	48,811	51,973	55,134	58,291	67,913
ATUS-108-[]	108	34,521	37,680	40,842	47,231	50,394	53,554	56,711	59,873	69,492
ATUS-120-[]	120	36,102	39,262	42,421	48,811	51,973	55,134	58,291	61,454	71,070
ATUS-132-[]	132	40,716	42,458	45,618	52,008	55,166	58,328	61,489	64,652	74,269
ATUS-144-[]	144	40,877	44,036	47,198	53,588	56,749	59,909	63,069	66,228	75,849
ATUS-156-[]	156	42,458	45,618	48,776	55,166	58,328	61,489	64,652	67,807	77,428
ATUS-168-[]	168	44,036	47,198	50,357	56,749	59,909	63,069	66,228	69,352	79,010
ATUS-180-[]	180	45,618	48,776	51,937	58,328	61,489	64,652	67,807	70,970	80,588
ATUS-192-[]	192	50,428	53,588	56,749	63,137	66,298	69,458	72,618	75,780	85,401
ATUS-204-[]	204	52,008	55,166	58,328	64,718	67,878	71,037	74,196	77,358	86,977
ATUS-216-[]	216	53,588	56,749	59,909	66,298	69,458	72,618	75,780	78,939	88,560
ATUS-228-[]	228	55,166	58,328	61,489	67,878	71,037	74,196	77,358	80,518	90,138
ATUS-240-[]	240	56,749	59,909	63,069	69,458	72,618	75,780	78,939	82,096	91,718
ATUS-264-[]	264	59,909	63,069	66,228	72,618	75,780	78,939	82,096	85,259	94,878
ATUS-288-[]	288	63,069	66,228	69,391	75,780	78,939	82,096	85,259	88,418	98,041
ATUS-312-[]	312	66,228	69,391	72,548	78,939	82,096	85,259	88,418	91,577	101,197
ATUS-336-[]	336	71,005	74,164	77,325	83,713	86,873	90,032	93,193	96,354	106,058
ATUS-360-[]	360	74,164	77,325	80,484	86,873	90,032	93,193	96,354	99,513	109,218


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	71,070	74,234	77,393	80,553	86,873	93,193	99,513	109,064	115,386
ATUS-108-[]	108	72,654	75,813	78,971	82,133	88,452	94,774	101,093	110,645	116,964
ATUS-120-[]	120	74,234	77,393	80,553	83,713	90,032	96,354	102,674	112,225	118,544
ATUS-132-[]	132	77,428	80,588	83,748	86,909	93,227	99,549	105,871	112,191	121,740
ATUS-144-[]	144	79,010	82,170	85,327	88,487	94,811	101,128	107,447	116,999	123,323
ATUS-156-[]	156	80,588	83,748	86,909	90,067	96,390	102,708	109,029	118,582	124,901
ATUS-168-[]	168	82,170	85,327	88,487	91,648	97,967	104,291	110,608	120,160	126,479
ATUS-180-[]	180	83,748	86,909	90,067	93,227	99,549	105,871	112,191	121,740	128,062
ATUS-192-[]	192	88,560	91,718	94,878	98,041	104,359	110,680	116,999	126,636	132,954
ATUS-204-[]	204	90,138	93,299	96,457	99,619	105,941	112,259	118,582	128,216	134,536
ATUS-216-[]	216	91,718	94,878	98,041	101,197	107,521	113,841	120,160	129,794	136,116
ATUS-228-[]	228	93,299	96,457	99,619	102,780	109,099	115,422	121,740	131,375	137,696
ATUS-240-[]	240	94,878	98,041	101,197	104,359	110,680	116,999	123,323	132,954	139,275
ATUS-264-[]	264	98,041	101,197	104,359	107,521	113,841	120,160	126,479	136,116	142,435
ATUS-288-[]	288	101,197	104,359	107,521	110,680	116,999	123,323	129,641	139,275	145,598
ATUS-312-[]	312	104,359	107,521	110,680	113,841	121,439	126,479	132,802	142,435	148,756
ATUS-336-[]	336	109,218	112,380	115,538	118,699	125,018	131,340	137,661	147,208	153,531
ATUS-360-[]	360	112,428	115,592	118,753	121,910	128,234	134,556	140,876	150,433	156,754




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add -THREE	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add -USB	Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 17-18 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	863
CR-HDMI	HDMI Retractor	863
CR-DISPLAY	Display Port Retractor	863
CR-USB	Data USB Retractor	863

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #		WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]-P		96	31,676	34,696	37,714	43,963	46,980	49,999	53,017	56,034	65,511
ATUS-108-[]-P		108	33,184	36,202	39,223	45,471	48,489	51,507	54,525	57,542	67,019
ATUS-120-[]-P		120	34,696	37,714	40,731	46,980	49,999	53,017	56,034	59,051	68,529
ATUS-132-[]-P		132	37,819	40,839	43,855	50,103	53,121	56,141	59,158	62,174	71,654
ATUS-144-[]-P		144	39,329	42,347	45,366	51,611	54,633	57,649	60,668	63,685	73,161
ATUS-156-[]-P		156	40,455	43,855	46,872	53,121	56,141	59,158	62,174	65,192	74,672
ATUS-168-[]-P		168	42,347	45,366	48,384	54,633	57,649	60,668	63,685	66,704	76,180
ATUS-180-[]-P		180	43,855	46,872	49,891	56,141	59,158	62,174	65,192	68,211	77,689
ATUS-192-[]-P		192	48,594	51,611	54,633	60,879	63,894	66,911	69,932	72,949	82,429
ATUS-204-[]-P		204	50,103	53,121	56,141	62,388	65,406	68,421	71,440	74,458	83,937
ATUS-216-[]-P		216	51,611	54,633	57,649	63,894	66,911	69,932	72,949	75,968	85,445
ATUS-228-[]-P		228	53,121	56,141	59,158	65,406	68,421	71,440	74,458	77,474	86,955
ATUS-240-[]-P		240	54,633	57,649	60,668	66,911	69,932	72,949	75,968	78,984	88,464
ATUS-264-[]-P		264	57,649	60,668	63,685	69,932	72,949	80,230	78,984	82,003	91,481
ATUS-288-[]-P		288	60,668	63,685	66,704	72,949	75,968	78,984	82,003	85,020	94,500
ATUS-312-[]-P		312	63,685	66,704	69,721	75,968	78,984	82,003	85,020	88,041	97,519
ATUS-336-[]-P		336	68,317	71,335	74,356	80,599	83,618	86,636	89,653	92,672	102,233
ATUS-360-[]-P		360	71,335	74,356	77,370	83,618	86,636	89,653	92,672	95,689	105,253


204"-360" LONG

LENGTH [B]


MODEL #		WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]-P		96	68,529	71,548	74,564	77,582	83,618	89,653	95,689	104,955	110,992
ATUS-108-[]-P		108	70,036	73,055	76,075	79,092	85,128	91,165	97,200	106,466	112,502
ATUS-120-[]-P		120	71,548	74,564	77,582	80,599	86,636	92,672	98,706	107,975	114,009
ATUS-132-[]-P		132	74,672	77,689	80,707	83,723	89,761	95,796	101,832	111,100	117,135
ATUS-144-[]-P		144	76,180	79,199	82,217	85,234	91,270	97,305	103,340	112,608	118,645
ATUS-156-[]-P		156	77,689	80,707	83,723	86,743	92,779	98,813	104,850	114,118	120,154
ATUS-168-[]-P		168	79,199	82,217	85,234	88,251	94,289	100,322	106,358	115,625	121,663
ATUS-180-[]-P		180	80,707	83,723	86,743	89,761	95,796	101,832	107,868	117,135	123,171
ATUS-192-[]-P		192	85,445	88,464	91,481	94,500	100,536	106,571	112,608	121,960	127,994
ATUS-204-[]-P		204	86,955	89,973	92,992	96,010	102,044	108,081	114,118	123,467	129,503
ATUS-216-[]-P		216	88,464	91,481	94,500	97,519	103,554	109,590	115,625	124,977	131,013
ATUS-228-[]-P		228	89,973	92,992	96,010	99,029	105,063	111,100	117,135	126,486	132,522
ATUS-240-[]-P		240	91,481	94,500	97,519	100,536	106,571	112,608	118,645	127,994	134,029
ATUS-264-[]-P		264	94,500	97,519	100,536	103,554	109,590	115,625	121,663	131,013	137,047
ATUS-288-[]-P		288	97,519	100,536	103,554	106,571	112,608	118,645	124,679	134,029	140,065
ATUS-312-[]-P		312	100,536	103,554	106,571	109,590	115,625	121,663	127,696	137,047	143,084
ATUS-336-[]-P		336	105,253	108,271	111,289	114,307	120,343	126,381	132,416	141,679	147,716
ATUS-360-[]-P		360	108,271	111,289	114,307	117,326	123,360	129,398	135,433	144,781	150,818




INSET LAMINATE TOP TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add -THREE	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add -USB	Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 17-18 to determine how much to add based on table size.
Polished Chrome Bezel	Add -PB	Only available on laminate top tables. Refer to pages 17-18 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	863
CR-HDMI	HDMI Retractor	863
CR-DISPLAY	Display Port Retractor	863
CR-USB	Data USB Retractor	863

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	34,115	37,273	40,433	47,606	50,765	53,926	57,087	60,247	71,429
ATUS-108-[]	108	35,695	38,853	42,014	49,184	52,345	55,507	58,665	61,826	73,009
ATUS-120-[]	120	37,273	40,433	43,595	50,765	53,926	57,087	60,247	63,406	74,590
ATUS-132-[]	132	40,859	44,019	47,180	54,352	57,513	57,830	63,831	66,993	78,175
ATUS-144-[]	144	42,440	45,599	48,762	55,932	59,093	62,250	65,413	68,572	79,757
ATUS-156-[]	156	44,019	47,180	50,340	57,513	60,673	63,831	66,993	70,151	81,335
ATUS-168-[]	168	45,599	48,762	51,920	59,093	62,250	65,413	68,572	71,734	82,914
ATUS-180-[]	180	47,180	50,340	53,499	60,673	63,831	66,993	70,151	73,313	84,494
ATUS-192-[]	192	52,771	55,932	59,093	66,262	69,423	72,583	75,742	78,905	90,088
ATUS-204-[]	204	54,352	57,513	60,673	67,842	71,004	74,163	77,322	80,484	91,666
ATUS-216-[]	216	55,932	59,093	62,250	69,423	72,583	75,742	78,905	82,064	93,246
ATUS-228-[]	228	57,513	60,673	63,831	71,004	74,163	77,322	80,484	83,643	94,828
ATUS-240-[]	240	59,093	62,250	65,413	72,583	75,742	78,905	82,064	85,221	96,407
ATUS-264-[]	264	62,250	65,413	68,572	75,742	78,905	82,064	85,221	88,383	99,567
ATUS-288-[]	288	65,413	68,572	71,734	78,905	82,064	85,221	88,383	91,543	102,729
ATUS-312-[]	312	68,572	71,734	74,893	82,064	85,221	88,383	91,543	94,702	105,886
ATUS-336-[]	336	73,740	76,899	80,060	87,226	90,388	93,550	96,710	99,870	111,137
ATUS-360-[]	360	76,899	80,060	83,216	90,388	93,550	96,710	99,870	103,029	114,295


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	74,590	77,749	80,398	84,072	90,388	96,710	103,029	113,361	119,684
ATUS-108-[]	108	76,169	79,329	82,491	85,649	91,970	98,289	104,609	114,944	121,261
ATUS-120-[]	120	77,749	80,398	84,072	87,226	93,550	99,870	106,190	116,522	122,841
ATUS-132-[]	132	81,335	84,494	87,654	90,814	97,135	103,457	109,777	120,110	126,427
ATUS-144-[]	144	82,914	86,076	89,235	92,395	98,717	105,035	111,357	121,689	128,009
ATUS-156-[]	156	84,494	87,642	90,814	93,974	100,294	106,616	112,937	123,268	129,590
ATUS-168-[]	168	86,076	89,235	92,395	95,554	101,875	108,193	114,516	124,849	131,169
ATUS-180-[]	180	87,654	90,814	93,974	97,135	103,457	109,777	116,096	126,427	132,750
ATUS-192-[]	192	93,246	96,407	99,567	102,729	109,047	115,368	121,689	132,104	138,426
ATUS-204-[]	204	94,828	97,986	101,146	104,306	110,629	116,947	123,268	133,684	140,005
ATUS-216-[]	216	96,407	99,567	102,729	105,886	112,208	118,526	124,849	135,263	141,583
ATUS-228-[]	228	97,986	101,146	104,306	107,469	113,787	120,110	126,427	136,846	143,165
ATUS-240-[]	240	99,567	102,729	105,886	109,047	115,368	121,689	128,009	138,426	144,745
ATUS-264-[]	264	102,729	105,886	109,047	112,208	118,526	124,849	131,169	141,583	147,906
ATUS-288-[]	288	105,886	109,047	112,208	115,368	121,689	128,009	134,329	144,745	151,066
ATUS-312-[]	312	109,047	112,208	115,368	118,526	124,849	131,169	137,489	147,906	154,226
ATUS-336-[]	336	114,295	117,458	120,618	123,779	130,097	136,420	142,741	153,072	159,389
ATUS-360-[]	360	117,458	120,618	123,779	126,938	133,259	139,577	145,898	156,230	162,547




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE



-USB

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add -THREE	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add -USB	Dual USB-A charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 17-18 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 17-18 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 17-18 for more information.
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS	MODEL #	DESCRIPTION	PRICE
<p>CR-HDMI</p>	CR-CAT6	CAT6 Retractor	863
	CR-HDMI	HDMI Retractor	863
	CR-DISPLAY	Display Port Retractor	863
	CR-USB	Data USB Retractor	863

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



DATA FACEPLATES


DATA FACEPLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	70
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	246
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	193
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	193
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	158
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	212
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	300
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	300
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	300
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	335
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	87
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	212
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	370
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	246

GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black




FREESTANDING POWER OPTIONS

CHARGING STAND (BATTERY-POWERED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-B-W	Battery-Powered White Unit	-	3	1	2,196
	STAND-B-B	Battery-Powered Black Unit	-	3	1	2,196


GENERAL INFORMATION

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs

CHARGING STAND (CORDED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-1C-W	Corded White Unit	1	2	1	967
	STAND-3C-W	Corded White Unit	3	2	1	976
	STAND-4C-W	Corded White Unit	4	2	1	996
	STAND-1C-B	Corded Black Unit	1	2	1	967
	STAND-3C-B	Corded Black Unit	3	2	1	976
	STAND-4C-B	Corded Black Unit	4	2	1	996

GENERAL INFORMATION

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	DUAL CHARGING USB	PRICE
 ZONE-USB	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	324
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	388

GENERAL INFORMATION


- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



ZONE-DATA



ZONE-USB

CHARGING CUBE	MODEL #	DESCRIPTION	PRICE
	CUBE-W	White Power Cube	379
	CUBE-B	Black Power Cube	379

GENERAL INFORMATION

- Includes (2) 4 Amp USB-A fast charging ports and (1) 4Amp USB-C smart charging port
- The Cube can be recharged completely in 4 hours



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,700 net will be assessed a \$425 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,875 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1750.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Blanco	M44	G44
Char	M50	G50
Rift Cut Oak		
Carbon	M03	G03
Flat Cut Oak		
Dune	M05	G05
Portobello	M7413	G7413
Flaky Oak		
Sahara	M61	G61
Cherry		
Cognac	M21	G21
Auburn	M93	G93
Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Maple		
Natural Maple	M60	G60
Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Euro Birch Linea	M09	G09
Silver Birch Linea	M10	G10
Paldao		
Thicket	M75	G75
Paldao	M76	G76
Canyon	M77	G77

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Clear Anodized	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Up-Charge applies. See specific product line pages for availability and details.

GLASS (SATIN OR GLOSS)

Power Matrix glass doors only

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

	Code
Solid Laminates	
Formica Brite White	459-58
Formica Dover White	7197-58
Formica Pearl	934-58
Formica Graystone	464-58
Formica Folkstone	927-58
Formica Graphite	837-58
Patterned Laminates	
Nevamar Cool Chic	VA7002T
Nevamar Serene Stardom	VA5001T
Nevamar Calm Distinction	VA6001T
Nevamar Easy Elegance	VA5002T
Wilsonart Sheer Mesh	4876-38
Wilsonart Grey Mesh	4877-38
Wilsonart Pewter Mesh	4878-38