

ATIVA[®]

Planning Guide + Price List

QUICK LINKS


[PLANNING GUIDE](#)[ATIVA PRICING](#)[GENERAL INFORMATION](#)[FINISH INFORMATION](#)[SURFACE MATERIALS](#)



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

| | |
|--------------------------------------|--------|
| General Information | ii-iii |
| Finish Information | iv-v |
| Surface Materials | vi |
| | |
| Statement of Line | 3 |
| Specification Overview | 4 |
| Planning Guide | 5-18 |
| | |
| Enclosed Square and Rectangle Tables | 19-26 |
| U-Shape Tables | 27-34 |







STATEMENT OF LINE

TABLES


Pages 19-34




Square



Rectangle



Wide U-shape



Narrow U-shape



SPECIFICATION OVERVIEW

1. Select the Table Shape

Ativa is available in four shapes; Square, Rectangle, Narrow U-shape and Wide U-shape.

2. Select the Size (Length and Width)

Ativa is available in 12" increments from 96" to 240" and 24" increments from 240" to 360".

3. Select Power Option (if desired)

Power Matrix provides easy table top accessibility and voice/data connections in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum.

4. Select the Surface Material Finishes

DETAIL OVERVIEW

METAL TRIM

1/8"-wide metal trim pieces, recessed 1/8", are located at all corners, both in the table tops and the modesty panels, creating a subtle yet elegant design detail.

MODESTY PANEL

Located on the inside of the table, these full-height veneer panels feature a sequentially matched, full cut veneer layup for an enhanced aesthetic.

ACCESS PANELS



These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall (see page 7) for easy technology installation and wiring. Access Panels feature quarter cut veneers, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user's side).

ACCESS DOOR

Provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area.

SEQUENTIALLY MATCHED VENEERS


















The full cut veneer cathedrals on Ativa tops point toward the center of the table and the veneer is sequentially matched around the entire perimeter of the table. This veneer layup design, where each leaf is used in a sequential manner from the same tree, results in a consistent veneer pattern around the entire table top surface, regardless of the overall size of the table. This layup method is used on the table tops as well as the modesty panels. Table tops are 1-1/4" thick, 30" deep and feature a 1/8" hardwood double bevel edge.



ACCESS DOOR

This innovative feature provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area. It includes a hinged table top section (pneumatic cylinder assisted), a hinged Access Panel and a hinged Modesty Panel (all 24" wide). A 4"-high metal shroud at the floor covers a wire management trough that allows cables to pass through the Access Door opening.

The Access Door is standard on enclosed Ativa tables and is located on one of the four sides of a square table and on one of the short ends of a rectangle table, as illustrated in the drawings below.



MODESTY WALL

AESTHETICS

The Modesty Wall is the only component of the table that makes contact with the floor. Once attached to the table top, this combination of vertical and horizontal elements provides all the structural integrity the table needs without the need for keels or additional legs.

Modesty Walls are angled away from the user's feet for increased leg room on the user's side and an enhanced aesthetic from across the table.

WIRE MANAGEMENT

The interior of the Modesty Wall is a hollow cavity, much like an architectural wall, offering storage and wire management capabilities.

Power and data cabling is easily accommodated in the spacious area within the Modesty Wall.




Power and data each run in their own area of the Modesty Wall, with power running horizontally in the lower portion of the Wall and data running horizontally in the upper portion of the wall.

UNDER SHROUD

This veneered surface conceals structural elements to offer a clean aesthetic regardless of viewpoint.

SUPPORT STUDS

These metal studs within the Modesty Wall act like studs in an architectural wall, forming a frame and providing rigidity to the structure. Support studs are spaced 30" apart. Corner sections come in numerous sizes to accommodate the wide range of table sizes available as standard on Ativa. Adjustable glides in the bottom of the Modesty Wall studs offer 1-1/4" of adjustability for leveling.



MODESTY PANEL

Located on the interior side of the table, these full height panels are attached to the Support Studs and table top to create a rigid structure. Modesty Panels feature the same sequentially matched veneer layup as the tops for an enhanced aesthetic. Individual lengths up to 120" result in minimal seams. The inside of the Modesty Panel provides a mounting surface for electronic equipment inside the cavity of the Modesty Wall.

REMOVABLE ACCESS PANEL


These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall for easy technology installation and wiring. Access Panels are veneered with quarters, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user's side).

See page 18 for Access Panel dimensions.

RECOMMENDED SEATING CAPACITY

ENCLOSED SQUARE AND RECTANGLE TABLES

Note: Seating capacity is based on 27" per person



96"-192" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATEN-96-[] | 96 | 12 | 12-14 | 14 | 14 | 14-16 | 16 | 16-18 | 18 | 18-20 |
| ATEN-108-[] | 108 | | 12-16 | 14-16 | 14-16 | 14-18 | 16-18 | 16-20 | 18-20 | 18-22 |
| ATEN-120-[] | 120 | | | 16 | 16 | 16-18 | 18 | 18-20 | 20 | 20-22 |
| ATEN-132-[] | 132 | | | | 16 | 16-18 | 18 | 18-20 | 20 | 20-22 |
| ATEN-144-[] | 144 | | | | | 16-20 | 18-20 | 18-22 | 20-22 | 20-24 |
| ATEN-156-[] | 156 | | | | | | 20 | 20-22 | 22 | 22-24 |
| ATEN-168-[] | 168 | | | | | | | 20-24 | 22-24 | 22-26 |
| ATEN-180-[] | 180 | | | | | | | | 24 | 24-26 |
| ATEN-192-[] | 192 | | | | | | | | | 24-28 |


204"-360" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATEN-96-[] | 96 | 18-20 | 20-22 | 20-22 | 22 | 22-24 | 24-26 | 26-28 | 28-30 | 30-32 |
| ATEN-108-[] | 108 | 18-22 | 20-24 | 20-24 | 22-24 | 22-26 | 24-28 | 26-30 | 28-32 | 30-34 |
| ATEN-120-[] | 120 | 20-22 | 22-24 | 22-24 | 24 | 24-26 | 26-28 | 28-30 | 30-32 | 32-34 |
| ATEN-132-[] | 132 | 20-22 | 22-24 | 22-24 | 24 | 24-26 | 26-28 | 28-30 | 30-32 | 32-34 |
| ATEN-144-[] | 144 | 20-24 | 22-26 | 22-26 | 24-26 | 24-28 | 26-30 | 28-32 | 30-34 | 32-36 |
| ATEN-156-[] | 156 | 22-24 | 24-26 | 24-26 | 26 | 26-28 | 28-30 | 30-32 | 32-34 | 34-36 |
| ATEN-168-[] | 168 | 22-26 | 24-28 | 24-28 | 26-28 | 26-30 | 28-32 | 30-34 | 32-36 | 34-38 |
| ATEN-180-[] | 180 | 24-26 | 26-28 | 26-28 | 28 | 28-30 | 30-32 | 32-34 | 34-36 | 36-38 |
| ATEN-192-[] | 192 | 24-28 | 26-30 | 26-30 | 28-30 | 28-32 | 30-34 | 32-36 | 34-38 | 36-40 |
| ATEN-204-[] | 204 | 24-28 | 26-30 | 26-30 | 28-30 | 28-32 | 30-34 | 32-36 | 34-38 | 36-40 |
| ATEN-216-[] | 216 | | 28-32 | 28-32 | 30-32 | 30-34 | 32-36 | 34-38 | 36-40 | 38-42 |
| ATEN-228-[] | 228 | | | 28-32 | 30-32 | 30-34 | 32-36 | 34-38 | 36-40 | 38-42 |
| ATEN-240-[] | 240 | | | | 32 | 32-34 | 34-36 | 36-38 | 38-40 | 40-42 |
| ATEN-264-[] | 264 | | | | | 32-36 | 34-38 | 36-40 | 38-42 | 40-44 |
| ATEN-288-[] | 288 | | | | | | 36-40 | 38-42 | 40-44 | 42-46 |
| ATEN-312-[] | 312 | | | | | | | 40-44 | 42-46 | 44-48 |
| ATEN-336-[] | 336 | | | | | | | | 44-48 | 46-50 |
| ATEN-360-[] | 360 | | | | | | | | | 48-52 |

RECOMMENDED SEATING CAPACITY

U-SHAPE TABLES

Note: Seating capacity is based on 27" per person



96"-192" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[] | 96 | 9 | 9-11 | 11 | 11 | 11-13 | 13 | 13-15 | 15 | 15-17 |
| ATUS-108-[] | 108 | 9-10 | 9-12 | 11-12 | 11-12 | 11-14 | 13-14 | 13-16 | 15-16 | 15-18 |
| ATUS-120-[] | 120 | 10 | 10-12 | 12 | 12 | 12-14 | 14 | 14-16 | 16 | 16-18 |
| ATUS-132-[] | 132 | 10 | 10-12 | 12 | 12 | 12-14 | 14 | 14-16 | 16 | 16-18 |
| ATUS-144-[] | 144 | 10-11 | 10-13 | 12-13 | 12-13 | 12-15 | 14-15 | 14-17 | 16-17 | 16-19 |
| ATUS-156-[] | 156 | 11 | 11-13 | 13 | 13 | 13-15 | 15 | 15-17 | 17 | 17-19 |
| ATUS-168-[] | 168 | 11-12 | 11-14 | 13-14 | 13-14 | 13-16 | 15-16 | 15-18 | 17-18 | 17-20 |
| ATUS-180-[] | 180 | 12 | 12-14 | 14 | 14 | 14-16 | 16 | 16-18 | 18 | 18-20 |
| ATUS-192-[] | 192 | 12-13 | 12-15 | 14-15 | 14-15 | 14-17 | 16-17 | 16-19 | 18-19 | 18-21 |
| ATUS-204-[] | 204 | 12-13 | 12-15 | 14-15 | 14-15 | 14-17 | 16-17 | 16-19 | 18-19 | 18-21 |
| ATUS-216-[] | 216 | 13-14 | 13-16 | 15-16 | 15-16 | 15-18 | 17-18 | 17-20 | 21-22 | 19-22 |
| ATUS-228-[] | 228 | 13-14 | 13-16 | 15-16 | 15-16 | 15-18 | 17-18 | 17-20 | 21-22 | 19-22 |
| ATUS-240-[] | 240 | 14 | 14-16 | 16 | 16 | 16-18 | 18 | 18-20 | 20 | 20-22 |
| ATUS-264-[] | 264 | 14-15 | 14-17 | 16-17 | 16-17 | 16-19 | 18-19 | 18-21 | 20-21 | 20-23 |
| ATUS-288-[] | 288 | 15-16 | 15-18 | 17-18 | 17-18 | 17-20 | 21-22 | 19-22 | 21-22 | 21-24 |
| ATUS-312-[] | 312 | 16-17 | 16-19 | 18-19 | 18-19 | 18-21 | 20-21 | 20-23 | 22-23 | 22-25 |
| ATUS-336-[] | 336 | 17-18 | 17-20 | 21-22 | 21-22 | 19-22 | 21-22 | 21-24 | 23-24 | 23-26 |
| ATUS-360-[] | 360 | 18-19 | 18-21 | 20-21 | 20-21 | 20-23 | 22-23 | 22-25 | 24-25 | 24-27 |

204"-360" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[] | 96 | 15-17 | 17-19 | 17-19 | 19 | 19-21 | 21-23 | 23-25 | 25-27 | 27-29 |
| ATUS-108-[] | 108 | 15-18 | 17-20 | 17-20 | 21-22 | 19-22 | 21-24 | 23-26 | 25-28 | 27-30 |
| ATUS-120-[] | 120 | 16-18 | 18-20 | 18-20 | 20 | 20-22 | 22-24 | 24-26 | 26-28 | 28-30 |
| ATUS-132-[] | 132 | 16-18 | 18-20 | 18-20 | 20 | 20-22 | 22-24 | 24-26 | 26-28 | 28-30 |
| ATUS-144-[] | 144 | 16-19 | 18-21 | 18-21 | 20-21 | 20-23 | 22-25 | 24-27 | 26-29 | 28-31 |
| ATUS-156-[] | 156 | 17-19 | 19-21 | 19-21 | 21 | 21-23 | 23-25 | 25-27 | 27-29 | 29-31 |
| ATUS-168-[] | 168 | 17-20 | 19-22 | 19-22 | 21-22 | 21-24 | 23-26 | 25-28 | 27-30 | 29-32 |
| ATUS-180-[] | 180 | 18-20 | 20-22 | 20-22 | 22 | 22-24 | 24-26 | 26-28 | 28-30 | 30-32 |
| ATUS-192-[] | 192 | 18-21 | 20-23 | 20-23 | 22-23 | 22-25 | 24-27 | 26-29 | 28-31 | 30-33 |
| ATUS-204-[] | 204 | 18-21 | 20-23 | 20-23 | 22-23 | 22-25 | 24-27 | 26-29 | 28-31 | 30-33 |
| ATUS-216-[] | 216 | 19-22 | 21-24 | 21-24 | 23-24 | 23-26 | 25-28 | 27-30 | 29-32 | 31-34 |
| ATUS-228-[] | 228 | 19-22 | 21-24 | 21-24 | 23-24 | 23-26 | 25-28 | 27-30 | 29-32 | 31-34 |
| ATUS-240-[] | 240 | 20-22 | 22-24 | 22-24 | 24 | 24-26 | 26-28 | 28-30 | 30-32 | 32-34 |
| ATUS-264-[] | 264 | 20-23 | 22-25 | 22-25 | 24-25 | 24-27 | 26-29 | 28-31 | 30-33 | 32-35 |
| ATUS-288-[] | 288 | 21-24 | 23-26 | 23-26 | 25-26 | 25-28 | 27-30 | 29-32 | 31-34 | 33-36 |
| ATUS-312-[] | 312 | 22-25 | 24-27 | 24-27 | 26-27 | 26-29 | 28-31 | 30-33 | 32-35 | 34-37 |
| ATUS-336-[] | 336 | 23-26 | 25-28 | 25-28 | 27-28 | 27-30 | 29-32 | 31-34 | 33-36 | 35-38 |
| ATUS-360-[] | 360 | 24-27 | 26-29 | 26-29 | 28-29 | 28-31 | 30-33 | 32-35 | 34-37 | 36-39 |

Note:

The width (A) is always the single side of the table (regardless of table dimensions) while the length (B) refers to the two tops running perpendicular to the width.

Examples:





TABLE TOP POWER OPTION: POWER MATRIX SMALL


POWER MATRIX

Power and data connectivity on Ativa tables is provided via Power Matrix units located on the table top in pre-determined locations and quantities based on the size of the table (see charts on pages 16-17 and illustrations on page 15).

Power Matrix provides easy table top accessibility and voice/data connectivity in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum. When specified on tables with laminate tops, each Power Matrix includes a 3/8"-wide metal bezel. The wood door version is not available on tables with laminate tops.

Power Matrix units are plugged into a two-circuit electrical system located in the base of the Ativa modesty wall. The charts on pages 16-17 identify the quantity of Power Matrix units based on table size, as well as the number of circuits required to adequately power the table.


Plugged into two-circuit electrical system.



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system
- Only present on tables specified with the Single In-Feed option
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

Electrical Diagram — Hardwire Power Infeed Only



VOICE/DATA PLANNING

Consult a local electrical contractor for proper code compliance information.

Nucraft recommends consulting an audio/visual (AV) integrator for specific assistance with voice/data planning.

Voice/Data Product Manufacturers

| Manufacturer | Phone Number | Web Site |
|--------------|----------------|--|
| AMP | 1-800-522-6752 | www.tycoelectronics.com |
| Avaya | 1-866-462-8292 | www.avaya.com |
| Leviton | 1-800-722-2082 | www.leviton.com |
| Panduit | 1-800-777-3300 | www.panduit.com |
| Siemon | 1-860-945-4200 | www.siemon.com |

TABLE TOP POWER OPTION: POWER MATRIX SMALL

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

POWER

Power Matrix features two simplex receptacles for power connectivity. An optional USB-A+C charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.

DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

DESIGN


Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.



Power Matrix is equipped with the following components:

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord





TABLE TOP POWER OPTION: POWER MATRIX SMALL


DIMENSIONS

Each Power Matrix unit includes a low-rofile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables.

End Elevation View



Plan View




FIELD-WIRED

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.




RETRACTORS FOR POWER MATRIX


Cable retractors mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side.




Retractor Wire Management




CAT6 Retractor



HDMI Retractor



Data USB Retractor






FREESTANDING POWER OPTION: TECH ZONE


TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.




Tech Zone - Side View




ZONE-USB-C

Includes two simplex receptacles, one data port and one charging USB-A+C charging port



ZONE-DATA

Includes two simplex receptacles and two open data ports






POWER MATRIX LOCATION OPTIONS

The following illustrations show the Power Matrix locations based on the length of each table side.

■ Power Matrix



POWER AND VOICE/DATA CAPABILITIES


The adjacent chart details the quantity of Power Matrix units provided with each table size, the resulting quantity of power and data connections and the number of circuits required to properly power the table.

Each circuit in the Power Matrix electrical system is rated for a Maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20. NOTE: The above standards are maximum amounts only. Always check your local codes for restrictions.

| CODE | POWER MATRIX UNITS | SIMPLEX RECEPTACLES PROVIDED | DATA RJ-45 PROVIDED | BLANK AAP FACEPLATES PROVIDED | FLOOR CORE CIRCUITS REQUIRED | FIELD-WIRED DEDUCTION | USB-A+C CHARGING* | POLISHED CHROME DOOR | POLISHED CHROME BEZEL |
|------|--------------------|------------------------------|---------------------|-------------------------------|------------------------------|-----------------------|-------------------|----------------------|-----------------------|
| A | 3 | 6 | 6 | 6 | 2 | 1,011 | 348 | 669 | 951 |
| B | 4 | 8 | 8 | 8 | 2 | 1,350 | 464 | 892 | 1,268 |
| C | 5 | 10 | 10 | 10 | 2 | 1,686 | 580 | 1,115 | 1,585 |
| D | 6 | 12 | 12 | 12 | 2 | 2,019 | 696 | 1,338 | 1,902 |
| E | 7 | 14 | 14 | 14 | 2 | 2,360 | 812 | 1,561 | 2,219 |
| F | 8 | 16 | 16 | 16 | 2 | 2,696 | 928 | 1,784 | 2,536 |
| G | 9 | 18 | 18 | 18 | 2 | 3,031 | 1,044 | 2,007 | 2,853 |
| H | 10 | 20 | 20 | 20 | 2 | 3,369 | 1,160 | 2,230 | 3,170 |
| I | 11 | 22 | 22 | 22 | 2 | 3,704 | 1,276 | 2,453 | 3,487 |
| J | 12 | 24 | 24 | 24 | 2 | 4,041 | 1,392 | 2,676 | 3,804 |
| K | 13 | 26 | 26 | 26 | 2 | 4,465 | 1,508 | 2,899 | 4,121 |
| L | 14 | 28 | 28 | 28 | 2 | 4,803 | 1,624 | 3,122 | 4,438 |
| M | 15 | 30 | 30 | 30 | 2 | 5,139 | 1,740 | 3,345 | 4,755 |
| N | 16 | 32 | 32 | 32 | 2 | 5,478 | 1,856 | 3,568 | 5,072 |
| O | 18 | 36 | 36 | 36 | 2 | 6,149 | 2,088 | 4,014 | 5,706 |
| P | 20 | 40 | 40 | 40 | 2 | 6,821 | 2,320 | 4,460 | 6,340 |

*When specified, Charging USB-A+C option will replace (1) Simplex Receptacle

ENCLOSED SQUARE AND RECTANGLE TABLES



96"-192" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|----------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATEN-96-[] | 96 | B | B | B | D | D | D | D | D | H |
| ATEN-108-[] | 108 | | B | B | D | D | D | D | D | H |
| ATEN-120-[] | 120 | | | B | D | D | D | D | D | H |
| ATEN-132-[] | 132 | | | | F | F | F | F | F | J |
| ATEN-144-[] | 144 | | | | | F | F | F | F | J |
| ATEN-156-[] | 156 | | | | | | F | F | F | J |
| ATEN-168-[] | 168 | | | | | | | F | F | J |
| ATEN-180-[] | 180 | | | | | | | | F | J |
| ATEN-192-[] | 192 | | | | | | | | | N |


204"-360" LONG

| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATEN-96-[] | 96 | H | H | H | H | H | H | H | J | J |
| ATEN-108-[] | 108 | H | H | H | H | H | H | H | J | J |
| ATEN-120-[] | 120 | H | H | H | H | H | H | H | J | J |
| ATEN-132-[] | 132 | J | J | J | J | J | J | J | L | L |
| ATEN-144-[] | 144 | J | J | J | J | J | J | J | L | L |
| ATEN-156-[] | 156 | J | J | J | J | J | J | J | L | L |
| ATEN-168-[] | 168 | J | J | J | J | J | J | J | L | L |
| ATEN-180-[] | 180 | J | J | J | J | J | J | J | L | L |
| ATEN-192-[] | 192 | N | N | N | N | N | N | N | O | O |
| ATEN-204-[] | 204 | N | N | N | N | N | N | N | O | O |
| ATEN-216-[] | 216 | | N | N | N | N | N | N | O | O |
| ATEN-228-[] | 228 | | | N | N | N | N | N | O | O |
| ATEN-240-[] | 240 | | | | N | N | N | N | O | O |
| ATEN-264-[] | 264 | | | | | N | N | N | O | O |
| ATEN-288-[] | 288 | | | | | | N | N | O | O |
| ATEN-312-[] | 312 | | | | | | | N | O | O |
| ATEN-336-[] | 336 | | | | | | | | P | P |
| ATEN-360-[] | 360 | | | | | | | | | P |



POWER AND VOICE/DATA CAPABILITIES

U-SHAPE TABLES



96"-192" LONG


| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[] | 96 | A | A | A | C | C | C | C | C | G |
| ATUS-108-[] | 108 | A | A | A | C | C | C | C | C | G |
| ATUS-120-[] | 120 | A | A | A | C | C | C | C | C | G |
| ATUS-132-[] | 132 | B | B | B | D | D | D | D | D | H |
| ATUS-144-[] | 144 | B | B | B | D | D | D | D | D | H |
| ATUS-156-[] | 156 | B | B | B | D | D | D | D | D | H |
| ATUS-168-[] | 168 | B | B | B | D | D | D | D | D | H |
| ATUS-180-[] | 180 | B | B | B | D | D | D | D | D | H |
| ATUS-192-[] | 192 | D | D | D | F | F | F | F | F | J |
| ATUS-204-[] | 204 | D | D | D | F | F | F | F | F | J |
| ATUS-216-[] | 216 | D | D | D | F | F | F | F | F | J |
| ATUS-228-[] | 228 | D | D | D | F | F | F | F | F | J |
| ATUS-240-[] | 240 | D | D | D | F | F | F | F | F | J |
| ATUS-264-[] | 264 | D | D | D | F | F | F | F | F | J |
| ATUS-288-[] | 288 | D | D | D | F | F | F | F | F | J |
| ATUS-312-[] | 312 | D | D | D | F | F | F | F | F | J |
| ATUS-336-[] | 336 | E | E | E | G | G | G | G | G | K |
| ATUS-360-[] | 360 | E | E | E | G | G | G | G | G | K |

204"-360" LONG


| MODEL # | WIDTH | LENGTH | | | | | | | | |
|--------------|-------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[] | 96 | G | G | G | G | G | G | G | I | I |
| ATUS-108-[] | 108 | G | G | G | G | G | G | G | I | I |
| ATUS-120-[] | 120 | G | G | G | G | G | G | G | I | I |
| ATUS-132-[] | 132 | H | H | H | H | H | H | H | J | J |
| ATUS-144-[] | 144 | H | H | H | H | H | H | H | J | J |
| ATUS-156-[] | 156 | H | H | H | H | H | H | H | J | J |
| ATUS-168-[] | 168 | H | H | H | H | H | H | H | J | J |
| ATUS-180-[] | 180 | H | H | H | H | H | H | H | J | J |
| ATUS-192-[] | 192 | J | J | J | J | J | J | J | L | L |
| ATUS-204-[] | 204 | J | J | J | J | J | J | J | L | L |
| ATUS-216-[] | 216 | J | J | J | J | J | J | J | L | L |
| ATUS-228-[] | 228 | J | J | J | J | J | J | J | L | L |
| ATUS-240-[] | 240 | J | J | J | J | J | J | J | L | L |
| ATUS-264-[] | 264 | J | J | J | J | J | J | J | L | L |
| ATUS-288-[] | 288 | J | J | J | J | J | J | J | L | L |
| ATUS-312-[] | 312 | J | J | J | J | J | J | J | L | L |
| ATUS-336-[] | 336 | K | K | K | K | K | K | K | M | M |
| ATUS-360-[] | 360 | K | K | K | K | K | K | K | M | M |

DIMENSIONS

Base Dimensions at the Floor (Plan View)




Access Panel (Shown with cutout on bottom)





VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATEN-96-[] | 96 | 32,268 | 35,590 | 38,911 | 42,230 | 45,552 | 48,875 | 52,195 | 55,516 | 58,836 |
| ATEN-108-[] | 108 | | 38,911 | 42,230 | 45,552 | 48,875 | 52,195 | 55,516 | 58,836 | 62,157 |
| ATEN-120-[] | 120 | | | 45,552 | 48,875 | 52,195 | 55,516 | 58,836 | 62,157 | 65,480 |
| ATEN-132-[] | 132 | | | | 52,195 | 55,516 | 58,836 | 62,157 | 65,480 | 68,802 |
| ATEN-144-[] | 144 | | | | | 58,836 | 62,157 | 65,480 | 68,802 | 72,120 |
| ATEN-156-[] | 156 | | | | | | 65,480 | 68,802 | 72,120 | 75,442 |
| ATEN-168-[] | 168 | | | | | | | 72,120 | 75,442 | 78,762 |
| ATEN-180-[] | 180 | | | | | | | | 78,762 | 82,084 |
| ATEN-192-[] | 192 | | | | | | | | | 85,404 |

204"-360" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATEN-96-[] | 96 | 62,157 | 65,480 | 68,802 | 72,120 | 78,762 | 85,404 | 92,047 | 98,689 | 105,331 |
| ATEN-108-[] | 108 | 65,480 | 68,802 | 72,120 | 75,442 | 82,084 | 88,727 | 95,370 | 102,010 | 108,653 |
| ATEN-120-[] | 120 | 68,802 | 72,120 | 75,442 | 78,762 | 85,404 | 92,047 | 98,689 | 105,331 | 111,972 |
| ATEN-132-[] | 132 | 72,120 | 75,442 | 78,762 | 82,084 | 88,727 | 95,370 | 102,010 | 108,653 | 115,294 |
| ATEN-144-[] | 144 | 75,442 | 78,762 | 82,084 | 85,404 | 92,047 | 98,689 | 105,331 | 111,972 | 118,615 |
| ATEN-156-[] | 156 | 78,762 | 82,084 | 85,404 | 88,727 | 95,370 | 102,010 | 108,653 | 115,294 | 121,936 |
| ATEN-168-[] | 168 | 82,084 | 85,404 | 88,727 | 92,047 | 98,689 | 105,331 | 111,972 | 118,615 | 125,256 |
| ATEN-180-[] | 180 | 85,404 | 88,727 | 92,047 | 95,370 | 102,010 | 108,653 | 115,294 | 121,936 | 128,579 |
| ATEN-192-[] | 192 | 88,727 | 92,047 | 95,370 | 98,689 | 105,331 | 111,972 | 118,615 | 125,256 | 131,898 |
| ATEN-204-[] | 204 | 92,047 | 95,370 | 98,689 | 102,010 | 108,653 | 115,294 | 121,936 | 128,579 | 135,221 |
| ATEN-216-[] | 216 | | 98,689 | 102,010 | 105,331 | 111,972 | 118,615 | 125,256 | 131,898 | 138,542 |
| ATEN-228-[] | 228 | | | 105,331 | 108,653 | 115,294 | 121,936 | 128,579 | 135,221 | 141,862 |
| ATEN-240-[] | 240 | | | | 111,972 | 118,615 | 125,256 | 131,898 | 138,542 | 145,184 |
| ATEN-264-[] | 264 | | | | | 125,256 | 131,898 | 138,542 | 145,184 | 151,824 |
| ATEN-288-[] | 288 | | | | | | 138,542 | 145,184 | 151,824 | 158,466 |
| ATEN-312-[] | 312 | | | | | | | 151,824 | 158,466 | 165,111 |
| ATEN-336-[] | 336 | | | | | | | | 165,111 | 171,750 |
| ATEN-360-[] | 360 | | | | | | | | | 178,395 |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|----------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATEN-96-[]-P | 96 | 30,910 | 34,081 | 37,252 | 40,424 | 43,595 | 46,769 | 49,937 | 53,109 | 56,282 |
| ATEN-108-[]-P | 108 | | 37,252 | 40,424 | 43,595 | 46,769 | 49,937 | 53,109 | 56,282 | 59,451 |
| ATEN-120-[]-P | 120 | | | 43,595 | 46,769 | 49,937 | 53,109 | 56,282 | 59,451 | 62,626 |
| ATEN-132-[]-P | 132 | | | | 49,937 | 53,109 | 56,282 | 59,451 | 62,626 | 65,797 |
| ATEN-144-[]-P | 144 | | | | | 56,282 | 59,451 | 62,626 | 65,797 | 68,970 |
| ATEN-156-[]-P | 156 | | | | | | 62,626 | 65,797 | 68,970 | 72,141 |
| ATEN-168-[]-P | 168 | | | | | | | 68,970 | 72,141 | 75,310 |
| ATEN-180-[]-P | 180 | | | | | | | | 75,310 | 78,484 |
| ATEN-192-[]-P | 192 | | | | | | | | | 81,654 |

204"-360" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|----------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATEN-96-[]-P | 96 | 59,451 | 62,626 | 65,797 | 68,970 | 75,310 | 81,654 | 87,997 | 94,341 | 100,683 |
| ATEN-108-[]-P | 108 | 62,626 | 65,797 | 68,970 | 72,141 | 78,484 | 84,826 | 91,169 | 97,513 | 103,855 |
| ATEN-120-[]-P | 120 | 65,797 | 68,970 | 72,141 | 75,310 | 81,654 | 87,997 | 94,341 | 100,683 | 107,028 |
| ATEN-132-[]-P | 132 | 68,970 | 72,141 | 75,310 | 78,484 | 84,826 | 91,169 | 97,513 | 103,855 | 110,199 |
| ATEN-144-[]-P | 144 | 72,141 | 75,310 | 78,484 | 81,654 | 87,997 | 94,341 | 100,683 | 107,028 | 113,371 |
| ATEN-156-[]-P | 156 | 75,310 | 78,484 | 81,654 | 84,826 | 91,169 | 97,513 | 103,855 | 110,199 | 116,541 |
| ATEN-168-[]-P | 168 | 78,484 | 81,654 | 84,826 | 87,997 | 94,341 | 100,683 | 107,028 | 113,371 | 119,712 |
| ATEN-180-[]-P | 180 | 81,654 | 84,826 | 87,997 | 91,169 | 97,513 | 103,855 | 110,199 | 116,541 | 122,885 |
| ATEN-192-[]-P | 192 | 84,826 | 87,997 | 91,169 | 94,341 | 100,683 | 107,028 | 113,371 | 119,712 | 126,055 |
| ATEN-204-[]-P | 204 | 87,997 | 91,169 | 94,341 | 97,513 | 103,855 | 110,199 | 116,541 | 122,885 | 129,228 |
| ATEN-216-[]-P | 216 | | 94,341 | 97,513 | 100,683 | 107,028 | 113,371 | 119,712 | 126,055 | 132,399 |
| ATEN-228-[]-P | 228 | | | 100,683 | 103,855 | 110,199 | 116,541 | 122,885 | 129,228 | 135,571 |
| ATEN-240-[]-P | 240 | | | | 107,028 | 113,371 | 119,712 | 126,055 | 132,399 | 138,742 |
| ATEN-264-[]-P | 264 | | | | | 119,712 | 126,055 | 132,399 | 138,742 | 145,086 |
| ATEN-288-[]-P | 288 | | | | | | 132,399 | 138,742 | 145,086 | 151,428 |
| ATEN-312-[]-P | 312 | | | | | | | 145,086 | 151,428 | 157,772 |
| ATEN-336-[]-P | 336 | | | | | | | | 157,772 | 164,113 |
| ATEN-360-[]-P | 360 | | | | | | | | | 170,457 |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Woodgrain Laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

| MODEL # | WIDTH [A] | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
|--------------|-----------|----------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[] | 96 | 39,222 | 42,538 | 45,856 | 52,567 | 55,885 | 59,204 | 62,521 | 65,840 | 75,942 |
| ATEN-108-[] | 108 | | 45,856 | 49,176 | 55,885 | 59,204 | 62,521 | 65,840 | 65,840 | 79,258 |
| ATEN-120-[] | 120 | | | 52,493 | 59,204 | 62,521 | 65,840 | 69,159 | 72,476 | 82,577 |
| ATEN-132-[] | 132 | | | | 65,913 | 69,230 | 72,548 | 75,867 | 79,186 | 89,287 |
| ATEN-144-[] | 144 | | | | | 72,548 | 75,867 | 79,186 | 82,503 | 92,607 |
| ATEN-156-[] | 156 | | | | | | 79,186 | 82,503 | 85,822 | 95,924 |
| ATEN-168-[] | 168 | | | | | | | 85,822 | 89,139 | 99,241 |
| ATEN-180-[] | 180 | | | | | | | | 92,457 | 102,557 |
| ATEN-192-[] | 192 | | | | | | | | | 112,747 |


204"-360" LONG

LENGTH [B]


| MODEL # | WIDTH [A] | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
|--------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[] | 96 | 79,258 | 82,577 | 85,895 | 89,216 | 95,849 | 102,486 | 109,123 | 119,152 | 125,785 |
| ATEN-108-[] | 108 | 82,577 | 85,895 | 89,216 | 92,531 | 99,167 | 105,802 | 112,441 | 122,467 | 129,106 |
| ATEN-120-[] | 120 | 85,895 | 89,216 | 92,531 | 95,849 | 102,486 | 109,123 | 115,757 | 125,785 | 132,423 |
| ATEN-132-[] | 132 | 92,607 | 95,924 | 99,241 | 102,557 | 109,194 | 115,830 | 122,467 | 132,585 | 139,218 |
| ATEN-144-[] | 144 | 95,924 | 99,241 | 102,557 | 105,607 | 112,513 | 119,152 | 125,651 | 135,905 | 142,539 |
| ATEN-156-[] | 156 | 99,241 | 102,557 | 105,607 | 109,194 | 115,830 | 122,467 | 129,106 | 139,218 | 145,859 |
| ATEN-168-[] | 168 | 102,557 | 105,878 | 109,194 | 112,245 | 119,152 | 125,785 | 132,423 | 142,539 | 149,176 |
| ATEN-180-[] | 180 | 105,878 | 109,194 | 112,513 | 115,830 | 122,467 | 129,106 | 135,739 | 145,859 | 152,493 |
| ATEN-192-[] | 192 | 116,067 | 119,383 | 122,701 | 126,021 | 132,655 | 139,295 | 145,929 | 155,959 | 162,596 |
| ATEN-204-[] | 204 | 119,383 | 122,701 | 126,021 | 129,338 | 135,974 | 142,611 | 149,246 | 157,786 | 165,912 |
| ATEN-216-[] | 216 | | 126,021 | 129,338 | 132,655 | 139,295 | 145,929 | 152,568 | 162,596 | 169,231 |
| ATEN-228-[] | 228 | | | 132,655 | 135,974 | 142,611 | 149,246 | 155,882 | 165,912 | 172,550 |
| ATEN-240-[] | 240 | | | | 139,295 | 145,929 | 152,568 | 159,201 | 169,231 | 175,864 |
| ATEN-264-[] | 264 | | | | | 152,568 | 159,201 | 165,839 | 175,864 | 182,505 |
| ATEN-288-[] | 288 | | | | | | 165,839 | 172,473 | 182,505 | 189,138 |
| ATEN-312-[] | 312 | | | | | | | 179,113 | 189,138 | 195,775 |
| ATEN-336-[] | 336 | | | | | | | | 199,167 | 205,800 |
| ATEN-360-[] | 360 | | | | | | | | | 212,440 |




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

| OPTIONS | CODE | NOTES |
|--|---------------------|---|
| 4 Simplex Receptacles | Add -FOUR | Replace AAP's with 2 additional simplex receptacles |
| 3 Simplex Receptacles/Charging USB-A+C | Add -THREE-C | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C |
| USB-A+C Charging | Add -USB-C | USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Door | Add -PD | Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size. |
| Field-Wired | Add -FW | Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option. |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


| MODEL # | DESCRIPTION | PRICE |
|------------|------------------------|-------|
| CR-CAT6 | CAT6 Retractor | 907 |
| CR-HDMI | HDMI Retractor | 907 |
| CR-DISPLAY | Display Port Retractor | 907 |
| CR-USB | Data USB Retractor | 907 |

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

| MODEL # | WIDTH [A] | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
|----------------|-----------|----------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[]-P | 96 | 37,862 | 41,028 | 44,198 | 50,761 | 53,930 | 57,096 | 60,266 | 63,434 | 73,387 |
| ATEN-108-[]-P | 108 | | 44,198 | 47,368 | 53,930 | 57,096 | 60,266 | 63,434 | 66,603 | 76,555 |
| ATEN-120-[]-P | 120 | | | 50,538 | 57,096 | 60,266 | 63,434 | 66,603 | 69,772 | 79,725 |
| ATEN-132-[]-P | 132 | | | | 63,659 | 66,828 | 69,995 | 73,162 | 76,333 | 86,286 |
| ATEN-144-[]-P | 144 | | | | | 69,995 | 73,162 | 76,333 | 79,501 | 89,457 |
| ATEN-156-[]-P | 156 | | | | | | 76,333 | 79,501 | 82,671 | 92,623 |
| ATEN-168-[]-P | 168 | | | | | | | 85,839 | 89,007 | 95,792 |
| ATEN-180-[]-P | 180 | | | | | | | | 89,007 | 98,960 |
| ATEN-192-[]-P | 192 | | | | | | | | | 109,000 |


204"-360" LONG

LENGTH [B]


| MODEL # | WIDTH [A] | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
|----------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[]-P | 96 | 76,555 | 79,725 | 82,894 | 86,063 | 75,310 | 98,737 | 105,076 | 114,804 | 121,143 |
| ATEN-108-[]-P | 108 | 79,725 | 82,894 | 86,063 | 89,232 | 95,938 | 101,906 | 108,244 | 117,972 | 124,312 |
| ATEN-120-[]-P | 120 | 82,894 | 86,063 | 89,232 | 92,399 | 98,737 | 105,076 | 111,414 | 121,143 | 127,482 |
| ATEN-132-[]-P | 132 | 89,457 | 92,623 | 95,792 | 98,960 | 105,298 | 111,635 | 117,972 | 127,793 | 134,132 |
| ATEN-144-[]-P | 144 | 92,623 | 95,792 | 98,960 | 102,129 | 108,467 | 114,804 | 121,143 | 130,962 | 137,302 |
| ATEN-156-[]-P | 156 | 95,792 | 98,960 | 102,129 | 105,298 | 111,635 | 117,972 | 124,312 | 134,132 | 140,467 |
| ATEN-168-[]-P | 168 | 98,960 | 102,129 | 105,298 | 108,467 | 114,804 | 121,143 | 127,482 | 137,302 | 143,635 |
| ATEN-180-[]-P | 180 | 102,129 | 105,298 | 108,467 | 111,635 | 117,972 | 124,312 | 130,650 | 141,137 | 146,806 |
| ATEN-192-[]-P | 192 | 112,169 | 115,337 | 118,507 | 121,677 | 128,012 | 134,350 | 140,691 | 150,418 | 156,758 |
| ATEN-204-[]-P | 204 | 115,337 | 118,507 | 121,677 | 124,842 | 131,180 | 137,518 | 143,925 | 153,584 | 159,925 |
| ATEN-216-[]-P | 216 | | 121,677 | 124,842 | 128,012 | 134,350 | 140,691 | 147,025 | 156,758 | 163,095 |
| ATEN-228-[]-P | 228 | | | 128,012 | 131,180 | 137,518 | 143,858 | 150,195 | 159,925 | 166,262 |
| ATEN-240-[]-P | 240 | | | | 134,350 | 140,691 | 147,025 | 153,365 | 163,095 | 169,431 |
| ATEN-264-[]-P | 264 | | | | | 147,025 | 153,365 | 159,701 | 169,431 | 175,767 |
| ATEN-288-[]-P | 288 | | | | | | 159,701 | 166,039 | 175,767 | 182,106 |
| ATEN-312-[]-P | 312 | | | | | | | 172,379 | 182,106 | 188,442 |
| ATEN-336-[]-P | 336 | | | | | | | | 191,833 | 198,172 |
| ATEN-360-[]-P | 360 | | | | | | | | | 204,509 |




INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

| OPTIONS | CODE | NOTES |
|--|---------------------|---|
| 4 Simplex Receptacles | Add -FOUR | Replace AAP's with 2 additional simplex receptacles |
| 3 Simplex Receptacles/Charging USB-A+C | Add -THREE-C | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C |
| USB-A+C Charging | Add -USB-C | USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Door | Add -PD | Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Bezel | Add -PB | Only available on laminate top tables. Refer to pages 16-17 to determine how much to add based on table size. |
| Field-Wired | Add -FW | Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option. |

EDGE PROFILE



Double Bevel Edge


GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

| RETRACTORS | MODEL # | DESCRIPTION | PRICE |
|---|------------|------------------------|-------|
|  | CR-CAT6 | CAT6 Retractor | 907 |
| | CR-HDMI | HDMI Retractor | 907 |
| | CR-DISPLAY | Display Port Retractor | 907 |
| | CR-USB | Data USB Retractor | 907 |


CR-HDMI

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

| MODEL # | WIDTH [A] | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
|--------------|-----------|----------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[] | 96 | 40,860 | 44,180 | 47,499 | 55,027 | 58,347 | 61,665 | 64,984 | 68,300 | 79,911 |
| ATEN-108-[] | 108 | | 47,499 | 50,814 | 58,347 | 61,665 | 64,984 | 68,300 | 71,620 | 83,361 |
| ATEN-120-[] | 120 | | | 54,134 | 61,665 | 64,984 | 68,300 | 71,620 | 74,938 | 86,680 |
| ATEN-132-[] | 132 | | | | 69,193 | 72,512 | 75,833 | 79,146 | 82,467 | 94,212 |
| ATEN-144-[] | 144 | | | | | 75,833 | 79,146 | 82,467 | 85,787 | 97,528 |
| ATEN-156-[] | 156 | | | | | | 82,467 | 85,787 | 89,101 | 100,847 |
| ATEN-168-[] | 168 | | | | | | | 89,101 | 92,421 | 104,164 |
| ATEN-180-[] | 180 | | | | | | | | 95,738 | 107,482 |
| ATEN-192-[] | 192 | | | | | | | | | 119,310 |


204"-360" LONG

LENGTH [B]


| MODEL # | WIDTH [A] | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
|--------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATEN-96-[] | 96 | 83,361 | 86,676 | 89,998 | 93,315 | 99,953 | 106,586 | 113,223 | 124,074 | 130,709 |
| ATEN-108-[] | 108 | 86,680 | 89,998 | 93,315 | 96,634 | 103,267 | 109,907 | 116,541 | 127,389 | 134,028 |
| ATEN-120-[] | 120 | 89,998 | 93,315 | 96,634 | 99,953 | 106,586 | 113,223 | 119,862 | 130,709 | 137,345 |
| ATEN-132-[] | 132 | 97,528 | 100,847 | 104,164 | 107,482 | 114,116 | 120,755 | 127,389 | 138,325 | 144,963 |
| ATEN-144-[] | 144 | 100,847 | 104,164 | 107,482 | 110,800 | 117,437 | 122,581 | 130,709 | 141,647 | 148,283 |
| ATEN-156-[] | 156 | 104,164 | 107,482 | 110,800 | 114,116 | 120,755 | 127,389 | 134,028 | 144,963 | 151,599 |
| ATEN-168-[] | 168 | 107,482 | 110,800 | 114,116 | 117,437 | 124,074 | 130,709 | 137,345 | 148,283 | 154,919 |
| ATEN-180-[] | 180 | 110,800 | 114,116 | 117,437 | 120,755 | 127,389 | 134,028 | 140,663 | 151,599 | 158,235 |
| ATEN-192-[] | 192 | 122,631 | 125,948 | 129,264 | 132,585 | 139,218 | 145,859 | 152,493 | 163,342 | 169,980 |
| ATEN-204-[] | 204 | 125,948 | 129,264 | 132,585 | 135,903 | 142,538 | 149,175 | 155,810 | 166,660 | 173,297 |
| ATEN-216-[] | 216 | | 132,585 | 135,903 | 139,218 | 145,859 | 152,493 | 159,131 | 169,980 | 176,614 |
| ATEN-228-[] | 228 | | | 139,218 | 142,538 | 149,175 | 155,810 | 162,446 | 173,297 | 179,933 |
| ATEN-240-[] | 240 | | | | 145,859 | 152,493 | 159,131 | 165,765 | 176,614 | 183,249 |
| ATEN-264-[] | 264 | | | | | 159,131 | 165,765 | 172,403 | 183,249 | 189,888 |
| ATEN-288-[] | 288 | | | | | | 172,403 | 179,037 | 189,888 | 196,523 |
| ATEN-312-[] | 312 | | | | | | | 185,676 | 196,523 | 203,160 |
| ATEN-336-[] | 336 | | | | | | | | 207,370 | 214,006 |
| ATEN-360-[] | 360 | | | | | | | | | 220,642 |




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS

CODE

NOTES

4 Simplex Receptacles

Add **-FOUR**

Replace AAP's with 2 additional simplex receptacles

3 Simplex Receptacles/Charging USB-A+C

Add **-THREE-C**

Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C

USB-A+C Charging

Add **-USB-C**

USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.

Field-Wired

Add **-FW**

Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.


- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS

MODEL

DESCRIPTION

PRICE



CR-HDMI

CR-CAT6

CAT6 Retractor

907

CR-HDMI

HDMI Retractor

907

CR-DISPLAY

Display Port Retractor

907

CR-USB

Data USB Retractor


907

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[] | 96 | 29,536 | 32,855 | 36,176 | 39,498 | 42,819 | 46,141 | 49,461 | 52,782 | 56,102 |
| ATUS-108-[] | 108 | 31,195 | 34,515 | 37,837 | 41,157 | 44,480 | 47,799 | 51,121 | 54,442 | 57,764 |
| ATUS-120-[] | 120 | 32,855 | 36,176 | 39,498 | 42,819 | 46,141 | 49,461 | 52,782 | 56,102 | 59,424 |
| ATUS-132-[] | 132 | 34,515 | 37,837 | 41,157 | 44,480 | 47,799 | 51,121 | 54,442 | 57,764 | 61,083 |
| ATUS-144-[] | 144 | 36,176 | 39,498 | 42,819 | 46,141 | 49,461 | 52,782 | 56,102 | 59,424 | 62,744 |
| ATUS-156-[] | 156 | 37,837 | 41,157 | 44,480 | 47,799 | 51,121 | 54,442 | 57,764 | 61,083 | 64,405 |
| ATUS-168-[] | 168 | 39,498 | 42,819 | 46,141 | 49,461 | 52,782 | 56,102 | 59,424 | 62,744 | 66,065 |
| ATUS-180-[] | 180 | 41,157 | 44,480 | 47,799 | 51,121 | 54,442 | 57,764 | 61,083 | 64,405 | 67,727 |
| ATUS-192-[] | 192 | 42,819 | 46,141 | 49,461 | 52,782 | 56,102 | 59,424 | 62,744 | 66,065 | 69,387 |
| ATUS-204-[] | 204 | 44,480 | 47,799 | 51,121 | 54,442 | 57,764 | 61,083 | 64,405 | 67,727 | 71,048 |
| ATUS-216-[] | 216 | 46,141 | 49,461 | 52,782 | 56,102 | 59,424 | 62,744 | 66,065 | 69,387 | 72,707 |
| ATUS-228-[] | 228 | 47,799 | 51,121 | 54,442 | 57,764 | 61,083 | 64,405 | 67,727 | 71,048 | 74,370 |
| ATUS-240-[] | 240 | 49,461 | 52,782 | 56,102 | 59,424 | 62,744 | 66,065 | 69,387 | 72,707 | 76,029 |
| ATUS-264-[] | 264 | 52,782 | 56,102 | 59,424 | 62,744 | 66,065 | 69,387 | 72,707 | 76,029 | 79,351 |
| ATUS-288-[] | 288 | 56,102 | 59,424 | 62,744 | 66,065 | 69,387 | 72,707 | 76,029 | 79,351 | 82,671 |
| ATUS-312-[] | 312 | 59,424 | 62,744 | 66,065 | 69,387 | 72,707 | 76,029 | 79,351 | 82,671 | 85,991 |
| ATUS-336-[] | 336 | 62,744 | 66,065 | 69,387 | 72,707 | 76,029 | 79,351 | 82,671 | 85,991 | 89,312 |
| ATUS-360-[] | 360 | 66,065 | 69,387 | 72,707 | 76,029 | 79,351 | 82,671 | 85,991 | 89,312 | 92,635 |

204"-360" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[] | 96 | 59,424 | 62,744 | 66,065 | 69,387 | 76,029 | 82,671 | 89,312 | 95,955 | 102,595 |
| ATUS-108-[] | 108 | 61,083 | 64,405 | 67,727 | 71,048 | 77,689 | 84,331 | 90,971 | 97,616 | 104,256 |
| ATUS-120-[] | 120 | 62,744 | 66,065 | 69,387 | 72,707 | 79,351 | 85,991 | 92,635 | 99,276 | 105,918 |
| ATUS-132-[] | 132 | 64,405 | 67,727 | 71,048 | 74,370 | 81,009 | 87,653 | 94,294 | 100,938 | 107,578 |
| ATUS-144-[] | 144 | 66,065 | 69,387 | 72,707 | 76,029 | 82,671 | 89,312 | 95,955 | 102,595 | 109,240 |
| ATUS-156-[] | 156 | 67,727 | 71,048 | 74,370 | 77,689 | 84,331 | 90,971 | 97,616 | 104,256 | 110,899 |
| ATUS-168-[] | 168 | 69,387 | 72,707 | 76,029 | 79,351 | 85,991 | 92,635 | 99,276 | 105,918 | 112,559 |
| ATUS-180-[] | 180 | 71,048 | 74,370 | 77,689 | 81,009 | 87,653 | 94,294 | 100,938 | 107,578 | 114,223 |
| ATUS-192-[] | 192 | 72,707 | 76,029 | 79,351 | 82,671 | 89,312 | 95,955 | 102,595 | 109,240 | 115,881 |
| ATUS-204-[] | 204 | 74,370 | 77,689 | 81,009 | 84,331 | 90,971 | 97,616 | 104,256 | 110,899 | 117,541 |
| ATUS-216-[] | 216 | 76,029 | 79,351 | 82,671 | 85,991 | 92,635 | 99,276 | 105,918 | 112,559 | 119,203 |
| ATUS-228-[] | 228 | 77,689 | 81,009 | 84,331 | 87,653 | 94,294 | 100,938 | 107,578 | 114,223 | 120,861 |
| ATUS-240-[] | 240 | 79,351 | 82,671 | 85,991 | 89,312 | 95,955 | 102,595 | 109,240 | 115,881 | 122,524 |
| ATUS-264-[] | 264 | 82,671 | 85,991 | 89,312 | 92,635 | 99,276 | 105,918 | 112,559 | 119,203 | 125,844 |
| ATUS-288-[] | 288 | 85,991 | 89,312 | 92,635 | 95,955 | 102,595 | 109,240 | 115,881 | 122,524 | 129,166 |
| ATUS-312-[] | 312 | 89,312 | 92,635 | 95,955 | 99,276 | 105,918 | 112,559 | 119,203 | 125,844 | 132,486 |
| ATUS-336-[] | 336 | 92,635 | 95,955 | 99,276 | 102,595 | 109,240 | 115,881 | 122,524 | 129,166 | 135,809 |
| ATUS-360-[] | 360 | 95,955 | 99,276 | 102,595 | 105,918 | 112,559 | 119,203 | 125,844 | 132,486 | 139,129 |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|----------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[J-P | 96 | 28,208 | 31,378 | 34,550 | 37,721 | 40,894 | 44,063 | 47,235 | 50,408 | 53,579 |
| ATUS-108-[J-P | 108 | 29,791 | 32,966 | 36,136 | 39,306 | 42,479 | 45,649 | 48,823 | 51,992 | 55,164 |
| ATUS-120-[J-P | 120 | 31,378 | 34,550 | 37,721 | 40,894 | 44,063 | 47,235 | 50,408 | 53,579 | 56,752 |
| ATUS-132-[J-P | 132 | 32,966 | 36,136 | 39,306 | 42,479 | 45,649 | 48,823 | 51,992 | 55,164 | 58,337 |
| ATUS-144-[J-P | 144 | 34,550 | 37,721 | 40,894 | 44,063 | 47,235 | 50,408 | 53,579 | 56,752 | 59,922 |
| ATUS-156-[J-P | 156 | 36,136 | 39,306 | 42,479 | 45,649 | 48,823 | 51,992 | 55,164 | 58,337 | 61,507 |
| ATUS-168-[J-P | 168 | 37,721 | 40,894 | 44,063 | 47,235 | 50,408 | 53,579 | 56,752 | 59,922 | 63,095 |
| ATUS-180-[J-P | 180 | 39,306 | 42,479 | 45,649 | 48,823 | 51,992 | 55,164 | 58,337 | 61,507 | 64,679 |
| ATUS-192-[J-P | 192 | 40,894 | 44,063 | 47,235 | 50,408 | 53,579 | 56,752 | 59,922 | 63,095 | 66,266 |
| ATUS-204-[J-P | 204 | 42,479 | 45,649 | 48,823 | 51,992 | 55,164 | 58,337 | 61,507 | 64,679 | 67,853 |
| ATUS-216-[J-P | 216 | 44,063 | 47,235 | 50,408 | 53,579 | 56,752 | 59,922 | 63,095 | 66,266 | 69,435 |
| ATUS-228-[J-P | 228 | 45,649 | 48,823 | 51,992 | 55,164 | 58,337 | 61,507 | 64,679 | 67,853 | 71,024 |
| ATUS-240-[J-P | 240 | 47,235 | 50,408 | 53,579 | 56,752 | 59,922 | 63,095 | 66,266 | 69,435 | 72,609 |
| ATUS-264-[J-P | 264 | 50,408 | 53,579 | 56,752 | 59,922 | 63,095 | 66,266 | 69,435 | 72,609 | 75,779 |
| ATUS-288-[J-P | 288 | 53,579 | 56,752 | 59,922 | 63,095 | 66,266 | 69,435 | 72,609 | 75,779 | 78,951 |
| ATUS-312-[J-P | 312 | 56,752 | 59,922 | 63,095 | 66,266 | 69,435 | 72,609 | 75,779 | 78,951 | 82,122 |
| ATUS-336-[J-P | 336 | 59,922 | 63,095 | 66,266 | 69,435 | 72,609 | 75,779 | 78,951 | 82,122 | 85,294 |
| ATUS-360-[J-P | 360 | 63,095 | 66,266 | 69,435 | 72,609 | 75,779 | 78,951 | 82,122 | 85,294 | 88,467 |

204"-360" LONG

| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|----------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[J-P | 96 | 56,752 | 59,922 | 63,095 | 66,266 | 72,609 | 78,951 | 85,294 | 91,640 | 97,981 |
| ATUS-108-[J-P | 108 | 58,337 | 61,507 | 64,679 | 67,853 | 74,195 | 80,538 | 86,880 | 93,223 | 99,565 |
| ATUS-120-[J-P | 120 | 59,922 | 63,095 | 66,266 | 69,435 | 75,779 | 82,122 | 88,467 | 94,809 | 101,153 |
| ATUS-132-[J-P | 132 | 61,507 | 64,679 | 67,853 | 71,024 | 77,366 | 83,708 | 90,051 | 96,396 | 102,739 |
| ATUS-144-[J-P | 144 | 63,095 | 66,266 | 69,435 | 72,609 | 78,951 | 85,294 | 91,640 | 97,981 | 104,324 |
| ATUS-156-[J-P | 156 | 64,679 | 67,853 | 71,024 | 74,195 | 80,538 | 86,880 | 93,223 | 99,565 | 105,910 |
| ATUS-168-[J-P | 168 | 66,266 | 69,435 | 72,609 | 75,779 | 82,122 | 88,467 | 94,809 | 101,153 | 107,496 |
| ATUS-180-[J-P | 180 | 67,853 | 71,024 | 74,195 | 77,366 | 83,708 | 90,051 | 96,396 | 102,739 | 109,082 |
| ATUS-192-[J-P | 192 | 69,435 | 72,609 | 75,779 | 78,951 | 85,294 | 91,640 | 97,981 | 104,324 | 110,666 |
| ATUS-204-[J-P | 204 | 71,024 | 74,195 | 77,366 | 80,538 | 86,880 | 93,223 | 99,565 | 105,910 | 112,253 |
| ATUS-216-[J-P | 216 | 72,609 | 75,779 | 78,951 | 82,122 | 88,467 | 94,809 | 101,153 | 107,496 | 113,837 |
| ATUS-228-[J-P | 228 | 74,195 | 77,366 | 80,538 | 83,708 | 90,051 | 96,396 | 102,739 | 109,082 | 115,425 |
| ATUS-240-[J-P | 240 | 75,779 | 78,951 | 82,122 | 85,294 | 91,640 | 97,981 | 104,324 | 110,666 | 117,011 |
| ATUS-264-[J-P | 264 | 78,951 | 82,122 | 85,294 | 88,467 | 94,809 | 101,153 | 107,496 | 113,837 | 120,181 |
| ATUS-288-[J-P | 288 | 82,122 | 85,294 | 88,467 | 91,640 | 97,981 | 104,324 | 110,666 | 117,011 | 123,353 |
| ATUS-312-[J-P | 312 | 85,294 | 88,467 | 91,640 | 94,809 | 101,153 | 107,496 | 113,837 | 120,181 | 126,524 |
| ATUS-336-[J-P | 336 | 88,467 | 91,640 | 94,809 | 97,981 | 104,324 | 110,666 | 117,011 | 123,353 | 129,698 |
| ATUS-360-[J-P | 360 | 91,640 | 94,809 | 97,981 | 101,153 | 107,496 | 113,837 | 120,181 | 126,524 | 132,869 |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG


| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[] | 96 | 34,589 | 37,908 | 41,226 | 47,933 | 51,252 | 54,572 | 57,891 | 61,206 | 71,309 |
| ATUS-108-[] | 108 | 36,248 | 39,564 | 42,885 | 49,593 | 52,914 | 56,232 | 59,547 | 62,867 | 72,967 |
| ATUS-120-[] | 120 | 37,908 | 41,226 | 44,543 | 51,252 | 54,572 | 57,891 | 61,206 | 64,527 | 74,624 |
| ATUS-132-[] | 132 | 42,752 | 44,581 | 47,899 | 54,609 | 57,925 | 61,245 | 64,564 | 67,885 | 77,983 |
| ATUS-144-[] | 144 | 42,921 | 46,238 | 49,558 | 56,268 | 59,587 | 62,905 | 66,223 | 69,540 | 79,642 |
| ATUS-156-[] | 156 | 44,581 | 47,899 | 51,215 | 57,925 | 61,245 | 64,564 | 67,885 | 71,198 | 81,300 |
| ATUS-168-[] | 168 | 46,238 | 49,558 | 52,875 | 59,587 | 62,905 | 66,223 | 69,540 | 72,820 | 82,961 |
| ATUS-180-[] | 180 | 47,899 | 51,215 | 54,534 | 61,245 | 64,564 | 67,885 | 71,198 | 74,519 | 84,618 |
| ATUS-192-[] | 192 | 52,950 | 56,268 | 59,587 | 66,294 | 69,613 | 72,931 | 76,249 | 79,569 | 89,672 |
| ATUS-204-[] | 204 | 54,609 | 57,925 | 61,245 | 67,954 | 71,272 | 74,589 | 77,906 | 81,226 | 91,326 |
| ATUS-216-[] | 216 | 56,268 | 59,587 | 62,905 | 69,613 | 72,931 | 76,249 | 79,569 | 82,886 | 92,988 |
| ATUS-228-[] | 228 | 57,925 | 61,245 | 64,564 | 71,272 | 74,589 | 77,906 | 81,226 | 84,544 | 94,645 |
| ATUS-240-[] | 240 | 59,587 | 62,905 | 66,223 | 72,931 | 76,249 | 79,569 | 82,886 | 86,201 | 96,304 |
| ATUS-264-[] | 264 | 62,905 | 66,223 | 69,540 | 76,249 | 79,569 | 82,886 | 86,201 | 89,522 | 99,622 |
| ATUS-288-[] | 288 | 66,223 | 69,540 | 72,861 | 79,569 | 82,886 | 86,201 | 89,522 | 92,839 | 102,944 |
| ATUS-312-[] | 312 | 69,540 | 72,861 | 76,176 | 82,886 | 86,201 | 89,522 | 92,839 | 96,156 | 106,257 |
| ATUS-336-[] | 336 | 74,556 | 77,873 | 81,192 | 87,899 | 91,217 | 94,534 | 97,853 | 101,172 | 111,361 |
| ATUS-360-[] | 360 | 77,873 | 81,192 | 84,509 | 91,217 | 94,534 | 97,853 | 101,172 | 104,489 | 114,679 |

204"-360" LONG


| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[] | 96 | 74,624 | 77,946 | 81,263 | 84,581 | 91,217 | 97,853 | 104,489 | 114,518 | 121,156 |
| ATUS-108-[] | 108 | 76,287 | 79,604 | 82,920 | 86,240 | 92,875 | 99,513 | 106,148 | 116,178 | 122,813 |
| ATUS-120-[] | 120 | 77,946 | 81,263 | 84,581 | 87,899 | 94,534 | 101,172 | 107,808 | 117,837 | 124,472 |
| ATUS-132-[] | 132 | 81,300 | 84,618 | 87,936 | 91,255 | 97,889 | 104,527 | 111,165 | 76,443 | 127,827 |
| ATUS-144-[] | 144 | 82,961 | 86,279 | 89,594 | 92,912 | 99,552 | 106,185 | 112,820 | 122,849 | 129,490 |
| ATUS-156-[] | 156 | 84,618 | 87,936 | 91,255 | 94,571 | 101,210 | 107,844 | 114,481 | 124,512 | 131,147 |
| ATUS-168-[] | 168 | 86,279 | 89,594 | 92,912 | 96,231 | 102,866 | 109,506 | 116,139 | 126,168 | 132,803 |
| ATUS-180-[] | 180 | 87,936 | 91,255 | 94,571 | 97,889 | 104,527 | 111,165 | 117,801 | 127,827 | 134,466 |
| ATUS-192-[] | 192 | 92,988 | 96,304 | 99,622 | 102,944 | 109,577 | 116,214 | 122,849 | 132,968 | 139,602 |
| ATUS-204-[] | 204 | 94,645 | 97,964 | 101,280 | 104,600 | 111,239 | 117,872 | 124,512 | 134,627 | 141,263 |
| ATUS-216-[] | 216 | 96,304 | 99,622 | 102,944 | 106,257 | 112,898 | 119,534 | 126,168 | 136,284 | 142,922 |
| ATUS-228-[] | 228 | 97,964 | 101,280 | 104,600 | 107,919 | 114,554 | 121,194 | 127,827 | 137,944 | 144,581 |
| ATUS-240-[] | 240 | 99,622 | 102,944 | 106,257 | 109,577 | 116,214 | 122,849 | 129,490 | 139,602 | 146,239 |
| ATUS-264-[] | 264 | 102,944 | 106,257 | 109,577 | 112,898 | 119,534 | 126,168 | 132,803 | 142,922 | 149,557 |
| ATUS-288-[] | 288 | 106,257 | 109,577 | 112,898 | 116,214 | 122,849 | 129,490 | 136,124 | 146,239 | 152,878 |
| ATUS-312-[] | 312 | 109,577 | 112,898 | 116,214 | 119,534 | 127,511 | 132,803 | 139,443 | 149,557 | 156,194 |
| ATUS-336-[] | 336 | 114,679 | 117,999 | 121,315 | 124,634 | 131,269 | 137,907 | 144,545 | 154,569 | 161,208 |
| ATUS-360-[] | 360 | 118,050 | 121,372 | 124,691 | 128,006 | 134,646 | 141,284 | 147,920 | 157,955 | 164,592 |




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

| OPTIONS | CODE | NOTES |
|--|---------------------|---|
| 4 Simplex Receptacles | Add -FOUR | Replace AAP's with 2 additional simplex receptacles |
| 3 Simplex Receptacles/Charging USB-A+C | Add -THREE-C | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C |
| USB-A+C Charging | Add -USB-C | USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Door | Add -PD | Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size. |
| Field-Wired | Add -FW | Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option. |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.


- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS

MODEL

DESCRIPTION

PRICE



CR-HDMI


| | | |
|------------|------------------------|-----|
| CR-CAT6 | CAT6 Retractor | 907 |
| CR-HDMI | HDMI Retractor | 907 |
| CR-DISPLAY | Display Port Retractor | 907 |
| CR-USB | Data USB Retractor | 907 |

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

| MODEL # | WIDTH [A] | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
|----------------|-----------|----------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATUS-96-[]-P | 96 | 33,260 | 36,431 | 39,600 | 46,162 | 49,329 | 52,499 | 55,668 | 58,836 | 68,787 |
| ATUS-108-[]-P | 108 | 34,844 | 38,013 | 41,185 | 47,745 | 50,914 | 54,083 | 57,252 | 60,420 | 70,370 |
| ATUS-120-[]-P | 120 | 36,431 | 39,600 | 42,768 | 49,329 | 52,499 | 55,668 | 58,836 | 62,004 | 71,956 |
| ATUS-132-[]-P | 132 | 39,710 | 42,881 | 46,048 | 52,609 | 55,778 | 58,949 | 62,116 | 65,283 | 75,237 |
| ATUS-144-[]-P | 144 | 41,296 | 44,465 | 47,635 | 54,192 | 57,365 | 60,532 | 63,702 | 66,870 | 76,820 |
| ATUS-156-[]-P | 156 | 42,478 | 46,048 | 49,216 | 55,778 | 58,949 | 62,116 | 65,283 | 68,452 | 78,406 |
| ATUS-168-[]-P | 168 | 44,465 | 47,635 | 50,804 | 57,365 | 60,532 | 63,702 | 66,870 | 70,040 | 79,989 |
| ATUS-180-[]-P | 180 | 46,048 | 49,216 | 52,386 | 58,949 | 62,116 | 65,283 | 68,452 | 71,622 | 81,574 |
| ATUS-192-[]-P | 192 | 51,024 | 54,192 | 57,365 | 63,923 | 67,089 | 70,257 | 73,429 | 76,597 | 86,551 |
| ATUS-204-[]-P | 204 | 52,609 | 55,778 | 58,949 | 65,508 | 68,677 | 71,843 | 75,012 | 78,181 | 88,134 |
| ATUS-216-[]-P | 216 | 54,192 | 57,365 | 60,532 | 67,089 | 70,257 | 73,429 | 76,597 | 79,767 | 89,718 |
| ATUS-228-[]-P | 228 | 55,778 | 58,949 | 62,116 | 68,677 | 71,843 | 75,012 | 78,181 | 81,348 | 91,303 |
| ATUS-240-[]-P | 240 | 57,365 | 60,532 | 63,702 | 70,257 | 73,429 | 76,597 | 79,767 | 82,934 | 92,888 |
| ATUS-264-[]-P | 264 | 60,532 | 63,702 | 66,870 | 73,429 | 76,597 | 84,242 | 82,934 | 86,104 | 96,056 |
| ATUS-288-[]-P | 288 | 63,702 | 66,870 | 70,040 | 76,597 | 79,767 | 82,934 | 86,104 | 89,271 | 99,225 |
| ATUS-312-[]-P | 312 | 66,870 | 70,040 | 73,208 | 79,767 | 82,934 | 86,104 | 89,271 | 92,444 | 102,395 |
| ATUS-336-[]-P | 336 | 71,733 | 74,902 | 78,074 | 84,629 | 87,799 | 90,968 | 94,136 | 97,306 | 107,345 |
| ATUS-360-[]-P | 360 | 74,902 | 78,074 | 81,239 | 87,799 | 90,968 | 94,136 | 97,306 | 100,474 | 110,516 |


204"-360" LONG

LENGTH [B]


| MODEL # | WIDTH [A] | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
|----------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| ATUS-96-[]-P | 96 | 71,956 | 75,126 | 78,293 | 81,462 | 87,799 | 94,136 | 100,474 | 110,203 | 116,542 |
| ATUS-108-[]-P | 108 | 73,538 | 76,708 | 79,879 | 83,047 | 89,385 | 95,724 | 102,060 | 111,790 | 118,128 |
| ATUS-120-[]-P | 120 | 75,126 | 78,293 | 81,462 | 84,629 | 90,968 | 97,306 | 103,642 | 113,374 | 119,710 |
| ATUS-132-[]-P | 132 | 78,406 | 81,574 | 84,743 | 87,910 | 94,250 | 100,586 | 106,924 | 116,655 | 122,992 |
| ATUS-144-[]-P | 144 | 79,989 | 83,159 | 86,328 | 89,496 | 95,834 | 102,171 | 108,507 | 118,239 | 124,578 |
| ATUS-156-[]-P | 156 | 81,574 | 84,743 | 87,910 | 91,081 | 97,418 | 103,754 | 110,093 | 119,824 | 126,162 |
| ATUS-168-[]-P | 168 | 83,159 | 86,328 | 89,496 | 92,664 | 99,004 | 105,339 | 111,676 | 121,407 | 127,747 |
| ATUS-180-[]-P | 180 | 84,743 | 87,910 | 91,081 | 94,250 | 100,586 | 106,924 | 113,262 | 122,992 | 129,330 |
| ATUS-192-[]-P | 192 | 89,718 | 92,888 | 96,056 | 99,225 | 105,563 | 111,900 | 118,239 | 128,058 | 134,394 |
| ATUS-204-[]-P | 204 | 91,303 | 94,472 | 97,642 | 100,811 | 107,147 | 113,486 | 119,824 | 129,641 | 135,979 |
| ATUS-216-[]-P | 216 | 92,888 | 96,056 | 99,225 | 102,395 | 108,732 | 115,070 | 121,407 | 131,226 | 137,564 |
| ATUS-228-[]-P | 228 | 94,472 | 97,642 | 100,811 | 103,981 | 110,317 | 116,655 | 122,992 | 132,811 | 139,149 |
| ATUS-240-[]-P | 240 | 96,056 | 99,225 | 102,395 | 105,563 | 111,900 | 118,239 | 124,578 | 134,394 | 140,731 |
| ATUS-264-[]-P | 264 | 99,225 | 102,395 | 105,563 | 108,732 | 115,070 | 121,407 | 127,747 | 137,564 | 143,900 |
| ATUS-288-[]-P | 288 | 102,395 | 105,563 | 108,732 | 111,900 | 118,239 | 124,578 | 130,913 | 140,731 | 152,353 |
| ATUS-312-[]-P | 312 | 105,563 | 108,732 | 111,900 | 115,070 | 121,407 | 127,747 | 134,081 | 143,900 | 150,239 |
| ATUS-336-[]-P | 336 | 110,516 | 113,685 | 116,854 | 120,023 | 126,361 | 132,701 | 139,037 | 148,763 | 155,102 |
| ATUS-360-[]-P | 360 | 113,685 | 116,854 | 120,023 | 123,193 | 129,528 | 135,868 | 142,205 | 152,021 | 158,359 |




INSET LAMINATE TOP TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

| OPTIONS | CODE | NOTES |
|--|---------------------|---|
| 4 Simplex Receptacles | Add -FOUR | Replace AAP's with 2 additional simplex receptacles |
| 3 Simplex Receptacles/Charging USB-A+C | Add -THREE-C | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C |
| USB-A+C Charging | Add -USB-C | USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Door | Add -PD | Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size. |
| Polished Chrome Bezel | Add -PB | Only available on laminate top tables. Refer to pages 16-17 to determine how much to add based on table size. |
| Field-Wired | Add -FW | Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option. |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


| MODEL # | DESCRIPTION | PRICE |
|------------|------------------------|-------|
| CR-CAT6 | CAT6 Retractor | 907 |
| CR-HDMI | HDMI Retractor | 907 |
| CR-DISPLAY | Display Port Retractor | 907 |
| CR-USB | Data USB Retractor | 907 |

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG


| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 96" [96] | 108" [108] | 120" [120] | 132" [132] | 144" [144] | 156" [156] | 168" [168] | 180" [180] | 192" [192] |
| ATUS-96-[] | 96 | 35,821 | 39,137 | 42,455 | 49,987 | 53,304 | 56,623 | 59,942 | 63,260 | 75,001 |
| ATUS-108-[] | 108 | 37,480 | 40,796 | 44,115 | 51,644 | 54,963 | 58,283 | 61,599 | 64,918 | 76,660 |
| ATUS-120-[] | 120 | 39,137 | 42,455 | 45,775 | 53,304 | 56,623 | 59,942 | 63,260 | 66,577 | 78,320 |
| ATUS-132-[] | 132 | 42,902 | 46,220 | 49,539 | 57,070 | 60,389 | 60,722 | 67,023 | 70,343 | 82,084 |
| ATUS-144-[] | 144 | 44,562 | 47,879 | 51,201 | 58,729 | 62,048 | 65,363 | 68,684 | 72,001 | 83,745 |
| ATUS-156-[] | 156 | 46,220 | 49,539 | 52,857 | 60,389 | 63,707 | 67,023 | 70,343 | 73,659 | 85,402 |
| ATUS-168-[] | 168 | 47,879 | 51,201 | 54,516 | 62,048 | 65,363 | 68,684 | 72,001 | 75,321 | 87,060 |
| ATUS-180-[] | 180 | 49,539 | 52,857 | 56,174 | 63,707 | 67,023 | 70,343 | 73,659 | 76,979 | 88,719 |
| ATUS-192-[] | 192 | 55,410 | 58,729 | 62,048 | 69,576 | 72,895 | 76,213 | 79,530 | 82,851 | 94,593 |
| ATUS-204-[] | 204 | 57,070 | 60,389 | 63,707 | 71,235 | 74,555 | 77,872 | 81,189 | 84,509 | 96,250 |
| ATUS-216-[] | 216 | 58,729 | 62,048 | 65,363 | 72,895 | 76,213 | 79,530 | 82,851 | 86,168 | 97,909 |
| ATUS-228-[] | 228 | 60,389 | 63,707 | 67,023 | 74,555 | 77,872 | 81,189 | 84,509 | 87,826 | 99,570 |
| ATUS-240-[] | 240 | 62,048 | 65,363 | 68,684 | 76,213 | 79,530 | 82,851 | 86,168 | 89,483 | 101,228 |
| ATUS-264-[] | 264 | 65,363 | 68,684 | 72,001 | 79,530 | 82,851 | 86,168 | 89,483 | 92,803 | 104,546 |
| ATUS-288-[] | 288 | 68,684 | 72,001 | 75,321 | 82,851 | 86,130 | 89,483 | 92,803 | 96,121 | 107,866 |
| ATUS-312-[] | 312 | 72,001 | 75,321 | 78,638 | 86,168 | 89,483 | 92,803 | 96,121 | 99,438 | 111,181 |
| ATUS-336-[] | 336 | 77,427 | 80,744 | 84,063 | 91,588 | 94,908 | 98,228 | 101,546 | 104,864 | 116,694 |
| ATUS-360-[] | 360 | 80,744 | 84,063 | 87,377 | 94,908 | 98,228 | 101,546 | 104,864 | 108,181 | 120,010 |

204"-360" LONG


| MODEL # | WIDTH [A] | LENGTH [B] | | | | | | | | |
|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | 204" [204] | 216" [216] | 228" [228] | 240" [240] | 264" [264] | 288" [288] | 312" [312] | 336" [336] | 360" [360] |
| ATUS-96-[] | 96 | 78,320 | 81,637 | 84,418 | 88,276 | 94,908 | 101,546 | 108,181 | 119,030 | 125,669 |
| ATUS-108-[] | 108 | 79,978 | 83,296 | 86,616 | 89,932 | 96,569 | 103,204 | 109,840 | 120,692 | 127,325 |
| ATUS-120-[] | 120 | 81,637 | 84,418 | 88,276 | 91,588 | 98,228 | 104,864 | 111,500 | 122,349 | 128,984 |
| ATUS-132-[] | 132 | 85,402 | 88,719 | 92,037 | 95,355 | 101,992 | 108,630 | 115,266 | 126,116 | 132,749 |
| ATUS-144-[] | 144 | 87,060 | 90,380 | 93,697 | 97,015 | 103,653 | 110,287 | 116,925 | 127,774 | 134,410 |
| ATUS-156-[] | 156 | 88,719 | 92,025 | 95,355 | 98,673 | 105,309 | 111,947 | 118,584 | 129,432 | 136,070 |
| ATUS-168-[] | 168 | 90,380 | 93,697 | 97,015 | 100,332 | 106,969 | 113,603 | 120,242 | 131,092 | 137,728 |
| ATUS-180-[] | 180 | 92,037 | 95,355 | 98,673 | 101,992 | 108,630 | 115,266 | 121,901 | 132,749 | 139,388 |
| ATUS-192-[] | 192 | 97,909 | 101,228 | 104,546 | 107,866 | 114,500 | 121,137 | 127,774 | 138,710 | 145,348 |
| ATUS-204-[] | 204 | 99,570 | 102,886 | 106,204 | 109,522 | 116,161 | 122,795 | 129,432 | 140,369 | 147,006 |
| ATUS-216-[] | 216 | 101,228 | 104,546 | 107,866 | 111,181 | 117,819 | 124,453 | 131,092 | 142,027 | 148,663 |
| ATUS-228-[] | 228 | 102,886 | 106,204 | 109,522 | 112,843 | 119,477 | 126,116 | 132,749 | 143,689 | 150,324 |
| ATUS-240-[] | 240 | 104,546 | 107,866 | 111,181 | 114,500 | 121,137 | 127,774 | 134,410 | 145,348 | 151,983 |
| ATUS-264-[] | 264 | 107,866 | 111,181 | 114,500 | 117,819 | 124,453 | 131,092 | 137,728 | 148,663 | 155,302 |
| ATUS-288-[] | 288 | 111,181 | 114,500 | 117,819 | 121,137 | 127,774 | 134,410 | 141,046 | 151,983 | 158,620 |
| ATUS-312-[] | 312 | 114,500 | 117,819 | 121,137 | 124,453 | 131,092 | 137,728 | 144,364 | 155,302 | 161,938 |
| ATUS-336-[] | 336 | 120,010 | 123,331 | 126,649 | 129,968 | 136,602 | 143,241 | 149,879 | 160,726 | 167,359 |
| ATUS-360-[] | 360 | 123,331 | 126,649 | 129,968 | 133,285 | 139,922 | 146,556 | 153,193 | 164,042 | 170,675 |




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS

CODE

NOTES

| | | |
|--|---------------------|---|
| 4 Simplex Receptacles | Add -FOUR | Replace AAP's with 2 additional simplex receptacles |
| 3 Simplex Receptacles/Charging USB-A+C | Add -THREE-C | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C |
| USB-A+C Charging | Add -USB-C | USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size. |
| Field-Wired | Add -FW | Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option. |

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.


- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS

MODEL

DESCRIPTION

PRICE



CR-HDMI

| | | |
|------------|------------------------|-----|
| CR-CAT6 | CAT6 Retractor | 907 |
| CR-HDMI | HDMI Retractor | 907 |
| CR-DISPLAY | Display Port Retractor | 907 |
| CR-USB | Data USB Retractor | 907 |

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels




DATA FACEPLATES AND FREESTANDING POWER OPTION

| DATA FACEPLATES | MODEL # | DESCRIPTION | STYLE | W x H | PRICE |
|-----------------|---------|--|--------|---------------|-------|
| | FLDF-1 | Blank faceplate, single height | Single | 3-1/2 x 5/8 | 74 |
| | FLDF-2 | One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs | Single | 3-1/2 x 5/8 | 259 |
| | FLDF-3 | One VGA 15-pin HD Female to Female Gender Changer | Single | 3-1/2 x 5/8 | 203 |
| | FLDF-4 | One RJ-11 Female to Punch Down - Phone | Single | 3-1/2 x 5/8 | 203 |
| | FLDF-5 | One RJ-45 Female to Female Barrel - Data | Single | 3-1/2 x 5/8 | 166 |
| | FLDF-6 | Two RJ-45 Female to Female Barrels, single height | Single | 3-1/2 x 5/8 | 223 |
| | FLDF-7 | Two RJ-45 Female to Punch Down for CAT 6 - AMP | Single | 3-1/2 x 5/8 | 315 |
| | FLDF-8 | Two RJ-45 Female to Punch Down for CAT 6 - Leviton | Single | 3-1/2 x 5/8 | 315 |
| | FLDF-10 | Two RJ-45 Female to Punch Down for CAT 6 - Panduit | Single | 3-1/2 x 5/8 | 315 |
| | FLDF-11 | Two USB A Female to Two USB A Female on 10" Pigtails | Single | 3-1/2 x 5/8 | 352 |
| | FLDF-12 | Blank faceplate, double height | Double | 3-1/2 x 1-3/8 | 92 |
| | FLDF-13 | Two RJ-45 Female to Female Barrels, double height | Double | 3-1/2 x 1-3/8 | 223 |
| | FLDF-14 | Cable Pass-Through Set - one top, one bottom | Double | 3-1/2 x 1-3/8 | 389 |
| | FLDF-15 | One HDMI Female to Female Barrel | Single | 3-1/2 x 5/8 | 259 |


GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black

| TECH ZONE | MODEL # | DESCRIPTION | SIMPLEX OUTLETS | OPEN DATA PORTS | CHARGING USB-A+C | PRICE |
|-----------|------------|---|-----------------|-----------------|------------------|-------|
| | ZONE-DATA | (2) Simplex receptacles, (2) Open data ports | 2 | 2 | - | 341 |
| | ZONE-USB-C | (2) Simplex receptacles, (1) Charging USB-A+C, (1) Open data port | 2 | 1 | 1 | 408 |



ZONE-USB-C



ZONE-DATA



ZONE-USB-C

GENERAL INFORMATION

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,800 net will be assessed a \$450 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,975 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1975.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the NuCraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, NuCraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. NuCraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. NuCraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

| Model # | Description | Price |
|---------|-------------|-------|
| KIT-M | Metal Kit | 80 |
| KIT-P | Paint Kit | 80 |
| KIT-S | Stain Kit | 80 |

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from NuCraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

| | Matte | Gloss |
|---------------------|--------------|------------|
| Ash | | |
| Blanco | M44 | G44 |
| Char | M50 | G50 |
| Rift Cut Oak | | |
| Carbon | M03 | G03 |
| Flat Cut Oak | | |
| Dune | M05 | G05 |
| Portobello | M7413 | G7413 |
| Flaky Oak | | |
| Sahara | M61 | G61 |
| Cherry | | |
| Cognac | M21 | G21 |
| Auburn | M93 | G93 |
| Walnut | | |
| Marron | M35 | G35 |
| Mocha | M33 | G33 |
| Zinc | M30 | G30 |
| Onyx | M82 | G82 |
| Otter | M31 | G31 |
| Maple | | |
| Natural Maple | M60 | G60 |
| Linea | | |
| Oak Linea | M08 | G08 |
| Walnut Linea | M27 | G27 |
| Euro Birch Linea | M09 | G09 |
| Silver Birch Linea | M10 | G10 |
| Paldao | | |
| Thicket | M75 | G75 |
| Paldao | M76 | G76 |
| Canyon | M77 | G77 |

METAL FINISHES

Powder Coat

| | |
|--------------|-------|
| Aged Bronze | A8010 |
| Black | A44 |
| Burnished | A8009 |
| Cloud | A8004 |
| Foil | A8006 |
| Galaxy | A8007 |
| Satin Bronze | A8011 |
| Shadow | A8005 |
| Storm | A8012 |

Metal

| | |
|------------------|----|
| Clear Anodized | CA |
| Polished Chrome* | PC |

*Up-Charge applies. See specific product line pages for availability and details.

GLASS (SATIN OR GLOSS)

Power Matrix glass doors only

| | Satin | Gloss |
|----------|-------|-------|
| Black | BS | - |
| Clove | VS | VG |
| Meringue | MS | MG |
| Quill | QS | QG |
| White | WS | WG |

LAMINATES

| | Code |
|----------------------------|---------|
| Solid Laminates | |
| Formica Brite White | 459-58 |
| Formica Dover White | 7197-58 |
| Formica Pearl | 934-58 |
| Formica Graystone | 464-58 |
| Formica Folkstone | 927-58 |
| Formica Graphite | 837-58 |
| Patterned Laminates | |
| Nevamar Cool Chic | VA7002T |
| Nevamar Serene Stardom | VA5001T |
| Nevamar Calm Distinction | VA6001T |
| Nevamar Easy Elegance | VA5002T |
| Wilsonart Sheer Mesh | 4876-38 |
| Wilsonart Grey Mesh | 4877-38 |
| Wilsonart Pewter Mesh | 4878-38 |