

ATIVA[®]

Planning Guide + Price List

QUICK LINKS

[PLANNING GUIDE](#)

[ATIVA PRICING](#)

[GENERAL INFORMATION](#)

[FINISH INFORMATION](#)


[SURFACE MATERIALS](#)



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi
Statement of Line	3
Specification Overview	4
Planning Guide	5-18
Enclosed Square and Rectangle Tables	19-26
U-Shape Tables	27-34







STATEMENT OF LINE

TABLES


Pages 19-34




Square



Rectangle



Wide U-shape



Narrow U-shape



SPECIFICATION OVERVIEW

1. Select the Table Shape

Ativa is available in four shapes; Square, Rectangle, Narrow U-shape and Wide U-shape.

2. Select the Size (Length and Width)

Ativa is available in 12" increments from 96" to 240" and 24" increments from 240" to 360".

3. Select Power Option (if desired)

Power Matrix provides easy table top accessibility and voice/data connections in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum.

4. Select the Surface Material Finishes

DETAIL OVERVIEW

METAL TRIM

1/8”-wide metal trim pieces, recessed 1/8”, are located at all corners, both in the table tops and the modesty panels, creating a subtle yet elegant design detail.

MODESTY PANEL

Located on the inside of the table, these full-height veneer panels feature a sequentially matched, full cut veneer layup for an enhanced aesthetic.

ACCESS PANELS



These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall (see page 7) for easy technology installation and wiring. Access Panels feature quarter cut veneers, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user’s side).

ACCESS DOOR

Provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area.

SEQUENTIALLY MATCHED VENEERS


The full cut veneer cathedrals on Ativa tops point toward the center of the table and the veneer is sequentially matched around the entire perimeter of the table. This veneer layup design, where each leaf is used in a sequential manner from the same tree, results in a consistent veneer pattern around the entire table top surface, regardless of the overall size of the table. This layup method is used on the table tops as well as the modesty panels. Table tops are 1-1/4” thick, 30” deep and feature a 1/8” hardwood double bevel edge.






















ACCESS DOOR

This innovative feature provides access to the inside of a fully enclosed configuration for cleaning or to retrieve items that may have fallen into this area. It includes a hinged table top section (pneumatic cylinder assisted), a hinged Access Panel and a hinged Modesty Panel (all 24" wide). A 4"-high metal shroud at the floor covers a wire management trough that allows cables to pass through the Access Door opening.



The Access Door is standard on enclosed Ativa tables and is located on one of the four sides of a square table and on one of the short ends of a rectangle table, as illustrated in the drawings below.





MODESTY WALL

AESTHETICS

The Modesty Wall is the only component of the table that makes contact with the floor. Once attached to the table top, this combination of vertical and horizontal elements provides all the structural integrity the table needs without the need for keels or additional legs.

Modesty Walls are angled away from the user's feet for increased leg room on the user's side and an enhanced aesthetic from across the table.

WIRE MANAGEMENT

The interior of the Modesty Wall is a hollow cavity, much like an architectural wall, offering storage and wire management capabilities.

Power and data cabling is easily accommodated in the spacious area within the Modesty Wall.




Power and data each run in their own area of the Modesty Wall, with power running horizontally in the lower portion of the Wall and data running horizontally in the upper portion of the wall.

UNDER SHROUD

This veneered surface conceals structural elements to offer a clean aesthetic regardless of viewpoint.

SUPPORT STUDS

These metal studs within the Modesty Wall act like studs in an architectural wall, forming a frame and providing rigidity to the structure. Support studs are spaced 30" apart. Corner sections come in numerous sizes to accommodate the wide range of table sizes available as standard on Ativa. Adjustable glides in the bottom of the Modesty Wall studs offer 1-1/4" of adjustability for leveling.



MODESTY PANEL

Located on the interior side of the table, these full height panels are attached to the Support Studs and table top to create a rigid structure. Modesty Panels feature the same sequentially matched veneer layup as the tops for an enhanced aesthetic. Individual lengths up to 120" result in minimal seams. The inside of the Modesty Panel provides a mounting surface for electronic equipment inside the cavity of the Modesty Wall.

REMOVABLE ACCESS PANEL

These removable panels allow clear and unfettered access to the hollow section of the Modesty Wall for easy technology installation and wiring. Access Panels are veneered with quarters, allowing them to be placed in any location around the table. One Access Panel per table includes a cutout in the bottom to allow access into the hollow section of the Modesty Wall for conduit and other cables should the floor monument fall outside the footprint of the Modesty Wall (toward the user's side).


See page 18 for Access Panel dimensions.



RECOMMENDED SEATING CAPACITY

ENCLOSED SQUARE AND RECTANGLE TABLES

Note: Seating capacity is based on 27" per person



96"-192" LONG

MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	12	12-14	14	14	14-16	16	16-18	18	18-20
ATEN-108-[]	108		12-16	14-16	14-16	14-18	16-18	16-20	18-20	18-22
ATEN-120-[]	120			16	16	16-18	18	18-20	20	20-22
ATEN-132-[]	132				16	16-18	18	18-20	20	20-22
ATEN-144-[]	144					16-20	18-20	18-22	20-22	20-24
ATEN-156-[]	156						20	20-22	22	22-24
ATEN-168-[]	168							20-24	22-24	22-26
ATEN-180-[]	180								24	24-26
ATEN-192-[]	192									24-28

204"-360" LONG


MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	18-20	20-22	20-22	22	22-24	24-26	26-28	28-30	30-32
ATEN-108-[]	108	18-22	20-24	20-24	22-24	22-26	24-28	26-30	28-32	30-34
ATEN-120-[]	120	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATEN-132-[]	132	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATEN-144-[]	144	20-24	22-26	22-26	24-26	24-28	26-30	28-32	30-34	32-36
ATEN-156-[]	156	22-24	24-26	24-26	26	26-28	28-30	30-32	32-34	34-36
ATEN-168-[]	168	22-26	24-28	24-28	26-28	26-30	28-32	30-34	32-36	34-38
ATEN-180-[]	180	24-26	26-28	26-28	28	28-30	30-32	32-34	34-36	36-38
ATEN-192-[]	192	24-28	26-30	26-30	28-30	28-32	30-34	32-36	34-38	36-40
ATEN-204-[]	204	24-28	26-30	26-30	28-30	28-32	30-34	32-36	34-38	36-40
ATEN-216-[]	216		28-32	28-32	30-32	30-34	32-36	34-38	36-40	38-42
ATEN-228-[]	228			28-32	30-32	30-34	32-36	34-38	36-40	38-42
ATEN-240-[]	240				32	32-34	34-36	36-38	38-40	40-42
ATEN-264-[]	264					32-36	34-38	36-40	38-42	40-44
ATEN-288-[]	288						36-40	38-42	40-44	42-46
ATEN-312-[]	312							40-44	42-46	44-48
ATEN-336-[]	336								44-48	46-50
ATEN-360-[]	360									48-52



RECOMMENDED SEATING CAPACITY

U-SHAPE TABLES

Note: Seating capacity is based on 27" per person



MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	9	9-11	11	11	11-13	13	13-15	15	15-17
ATUS-108-[]	108	9-10	9-12	11-12	11-12	11-14	13-14	13-16	15-16	15-18
ATUS-120-[]	120	10	10-12	12	12	12-14	14	14-16	16	16-18
ATUS-132-[]	132	10	10-12	12	12	12-14	14	14-16	16	16-18
ATUS-144-[]	144	10-11	10-13	12-13	12-13	12-15	14-15	14-17	16-17	16-19
ATUS-156-[]	156	11	11-13	13	13	13-15	15	15-17	17	17-19
ATUS-168-[]	168	11-12	11-14	13-14	13-14	13-16	15-16	15-18	17-18	17-20
ATUS-180-[]	180	12	12-14	14	14	14-16	16	16-18	18	18-20
ATUS-192-[]	192	12-13	12-15	14-15	14-15	14-17	16-17	16-19	18-19	18-21
ATUS-204-[]	204	12-13	12-15	14-15	14-15	14-17	16-17	16-19	18-19	18-21
ATUS-216-[]	216	13-14	13-16	15-16	15-16	15-18	17-18	17-20	21-22	19-22
ATUS-228-[]	228	13-14	13-16	15-16	15-16	15-18	17-18	17-20	21-22	19-22
ATUS-240-[]	240	14	14-16	16	16	16-18	18	18-20	20	20-22
ATUS-264-[]	264	14-15	14-17	16-17	16-17	16-19	18-19	18-21	20-21	20-23
ATUS-288-[]	288	15-16	15-18	17-18	17-18	17-20	21-22	19-22	21-22	21-24
ATUS-312-[]	312	16-17	16-19	18-19	18-19	18-21	20-21	20-23	22-23	22-25
ATUS-336-[]	336	17-18	17-20	21-22	21-22	19-22	21-22	21-24	23-24	23-26
ATUS-360-[]	360	18-19	18-21	20-21	20-21	20-23	22-23	22-25	24-25	24-27

MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	15-17	17-19	17-19	19	19-21	21-23	23-25	25-27	27-29
ATUS-108-[]	108	15-18	17-20	17-20	21-22	19-22	21-24	23-26	25-28	27-30
ATUS-120-[]	120	16-18	18-20	18-20	20	20-22	22-24	24-26	26-28	28-30
ATUS-132-[]	132	16-18	18-20	18-20	20	20-22	22-24	24-26	26-28	28-30
ATUS-144-[]	144	16-19	18-21	18-21	20-21	20-23	22-25	24-27	26-29	28-31
ATUS-156-[]	156	17-19	19-21	19-21	21	21-23	23-25	25-27	27-29	29-31
ATUS-168-[]	168	17-20	19-22	19-22	21-22	21-24	23-26	25-28	27-30	29-32
ATUS-180-[]	180	18-20	20-22	20-22	22	22-24	24-26	26-28	28-30	30-32
ATUS-192-[]	192	18-21	20-23	20-23	22-23	22-25	24-27	26-29	28-31	30-33
ATUS-204-[]	204	18-21	20-23	20-23	22-23	22-25	24-27	26-29	28-31	30-33
ATUS-216-[]	216	19-22	21-24	21-24	23-24	23-26	25-28	27-30	29-32	31-34
ATUS-228-[]	228	19-22	21-24	21-24	23-24	23-26	25-28	27-30	29-32	31-34
ATUS-240-[]	240	20-22	22-24	22-24	24	24-26	26-28	28-30	30-32	32-34
ATUS-264-[]	264	20-23	22-25	22-25	24-25	24-27	26-29	28-31	30-33	32-35
ATUS-288-[]	288	21-24	23-26	23-26	25-26	25-28	27-30	29-32	31-34	33-36
ATUS-312-[]	312	22-25	24-27	24-27	26-27	26-29	28-31	30-33	32-35	34-37
ATUS-336-[]	336	23-26	25-28	25-28	27-28	27-30	29-32	31-34	33-36	35-38
ATUS-360-[]	360	24-27	26-29	26-29	28-29	28-31	30-33	32-35	34-37	36-39

Note: The width (A) is always the single side of the table (regardless of table dimensions) while the length (B) refers to the two tops running perpendicular to the width.

Examples:





TABLE TOP POWER OPTION: POWER MATRIX SMALL


POWER MATRIX

Power and data connectivity on Ativa tables is provided via Power Matrix units located on the table top in pre-determined locations and quantities based on the size of the table (see charts on pages 16-17 and illustrations on page 15).

Power Matrix provides easy table top accessibility and voice/data connectivity in a small footprint. Doors are available in metal, glass and grain-matched wood. The interior is anodized aluminum. When specified on tables with laminate tops, each Power Matrix includes a 3/8"-wide metal bezel. The wood door version is not available on tables with laminate tops.

Power Matrix units are plugged into a two-circuit electrical system located in the base of the Ativa modesty wall. The charts on pages 16-17 identify the quantity of Power Matrix units based on table size, as well as the number of circuits required to adequately power the table.


Plugged into two-circuit electrical system.



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system
- Only present on tables specified with the Single In-Feed option
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

Electrical Diagram — Hardwire Power Infeed Only



VOICE/DATA PLANNING

Consult a local electrical contractor for proper code compliance information. Nucraft recommends consulting an audio/visual (AV) integrator for specific assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

TABLE TOP POWER OPTION: POWER MATRIX SMALL

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

POWER

Power Matrix features two simplex receptacles for power connectivity. An optional USB-A+C charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.

DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

DESIGN

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

Power Matrix is equipped with the following components:

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord









TABLE TOP POWER OPTION: POWER MATRIX SMALL


DIMENSIONS

Each Power Matrix unit includes a low-rofile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables.

End Elevation View



Plan View



FIELD-WIRED


Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.






RETRACTORS FOR POWER MATRIX


Cable retractors mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side.




Retractor Wire Management




CAT6 Retractor



HDMI Retractor



Data USB Retractor





FREESTANDING POWER OPTION: TECH ZONE

TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.


Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.

ZONE-USB-C


Includes two simplex receptacles, one data port and one charging USB-A+C charging port

ZONE-DATA

Includes two simplex receptacles and two open data ports



Tech Zone - Side View



ZONE-USB-C



ZONE-DATA






POWER MATRIX LOCATION OPTIONS

The following illustrations show the Power Matrix locations based on the length of each table side.

■ Power Matrix





POWER AND VOICE/DATA CAPABILITIES


The adjacent chart details the quantity of Power Matrix units provided with each table size, the resulting quantity of power and data connections and the number of circuits required to properly power the table.

Each circuit in the Power Matrix electrical system is rated for a Maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20. NOTE: The above standards are maximum amounts only. Always check your local codes for restrictions.

CODE	POWER MATRIX UNITS	SIMPLEX RECEPTACLES PROVIDED	DATA RJ-45 PROVIDED	BLANK AAP FACEPLATES PROVIDED	FLOOR CORE CIRCUITS REQUIRED	FIELD-WIRED DEDUCTION	USB-A+C CHARGING*	POLISHED CHROME DOOR	POLISHED CHROME BEZEL
A	3	6	6	6	2	1,052	363	696	990
B	4	8	8	8	2	1,404	484	928	1,320
C	5	10	10	10	2	1,754	605	1,160	1,650
D	6	12	12	12	2	2,100	726	1,392	1,980
E	7	14	14	14	2	2,455	847	1,624	2,310
F	8	16	16	16	2	2,804	968	1,856	2,640
G	9	18	18	18	2	3,153	1,089	2,088	2,970
H	10	20	20	20	2	3,504	1,210	2,320	3,300
I	11	22	22	22	2	3,853	1,331	2,552	3,630
J	12	24	24	24	2	4,203	1,452	2,784	3,960
K	13	26	26	26	2	4,644	1,573	3,016	4,290
L	14	28	28	28	2	4,996	1,694	3,248	4,620
M	15	30	30	30	2	5,345	1,815	3,480	4,950
N	16	32	32	32	2	5,698	1,936	3,712	5,280
O	18	36	36	36	2	6,395	2,178	4,176	5,940
P	20	40	40	40	2	7,094	2,420	4,640	6,600

*When specified, Charging USB-A+C option will replace (1) Simplex Receptacle

ENCLOSED SQUARE AND RECTANGLE TABLES



96"-192" LONG

MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	B	B	B	D	D	D	D	D	H
ATEN-108-[]	108		B	B	D	D	D	D	D	H
ATEN-120-[]	120			B	D	D	D	D	D	H
ATEN-132-[]	132				F	F	F	F	F	J
ATEN-144-[]	144					F	F	F	F	J
ATEN-156-[]	156						F	F	F	J
ATEN-168-[]	168							F	F	J
ATEN-180-[]	180								F	J
ATEN-192-[]	192									N


204"-360" LONG

MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	H	H	H	H	H	H	H	J	J
ATEN-108-[]	108	H	H	H	H	H	H	H	J	J
ATEN-120-[]	120	H	H	H	H	H	H	H	J	J
ATEN-132-[]	132	J	J	J	J	J	J	J	L	L
ATEN-144-[]	144	J	J	J	J	J	J	J	L	L
ATEN-156-[]	156	J	J	J	J	J	J	J	L	L
ATEN-168-[]	168	J	J	J	J	J	J	J	L	L
ATEN-180-[]	180	J	J	J	J	J	J	J	L	L
ATEN-192-[]	192	N	N	N	N	N	N	N	O	O
ATEN-204-[]	204	N	N	N	N	N	N	N	O	O
ATEN-216-[]	216		N	N	N	N	N	N	O	O
ATEN-228-[]	228			N	N	N	N	N	O	O
ATEN-240-[]	240				N	N	N	N	O	O
ATEN-264-[]	264					N	N	N	O	O
ATEN-288-[]	288						N	N	O	O
ATEN-312-[]	312							N	O	O
ATEN-336-[]	336								P	P
ATEN-360-[]	360									P



POWER AND VOICE/DATA CAPABILITIES

U-SHAPE TABLES



96"-192" LONG


MODEL #	WIDTH	LENGTH								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	A	A	A	C	C	C	C	C	G
ATUS-108-[]	108	A	A	A	C	C	C	C	C	G
ATUS-120-[]	120	A	A	A	C	C	C	C	C	G
ATUS-132-[]	132	B	B	B	D	D	D	D	D	H
ATUS-144-[]	144	B	B	B	D	D	D	D	D	H
ATUS-156-[]	156	B	B	B	D	D	D	D	D	H
ATUS-168-[]	168	B	B	B	D	D	D	D	D	H
ATUS-180-[]	180	B	B	B	D	D	D	D	D	H
ATUS-192-[]	192	D	D	D	F	F	F	F	F	J
ATUS-204-[]	204	D	D	D	F	F	F	F	F	J
ATUS-216-[]	216	D	D	D	F	F	F	F	F	J
ATUS-228-[]	228	D	D	D	F	F	F	F	F	J
ATUS-240-[]	240	D	D	D	F	F	F	F	F	J
ATUS-264-[]	264	D	D	D	F	F	F	F	F	J
ATUS-288-[]	288	D	D	D	F	F	F	F	F	J
ATUS-312-[]	312	D	D	D	F	F	F	F	F	J
ATUS-336-[]	336	E	E	E	G	G	G	G	G	K
ATUS-360-[]	360	E	E	E	G	G	G	G	G	K

204"-360" LONG


MODEL #	WIDTH	LENGTH								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	G	G	G	G	G	G	G	I	I
ATUS-108-[]	108	G	G	G	G	G	G	G	I	I
ATUS-120-[]	120	G	G	G	G	G	G	G	I	I
ATUS-132-[]	132	H	H	H	H	H	H	H	J	J
ATUS-144-[]	144	H	H	H	H	H	H	H	J	J
ATUS-156-[]	156	H	H	H	H	H	H	H	J	J
ATUS-168-[]	168	H	H	H	H	H	H	H	J	J
ATUS-180-[]	180	H	H	H	H	H	H	H	J	J
ATUS-192-[]	192	J	J	J	J	J	J	J	L	L
ATUS-204-[]	204	J	J	J	J	J	J	J	L	L
ATUS-216-[]	216	J	J	J	J	J	J	J	L	L
ATUS-228-[]	228	J	J	J	J	J	J	J	L	L
ATUS-240-[]	240	J	J	J	J	J	J	J	L	L
ATUS-264-[]	264	J	J	J	J	J	J	J	L	L
ATUS-288-[]	288	J	J	J	J	J	J	J	L	L
ATUS-312-[]	312	J	J	J	J	J	J	J	L	L
ATUS-336-[]	336	K	K	K	K	K	K	K	M	M
ATUS-360-[]	360	K	K	K	K	K	K	K	M	M

DIMENSIONS

Base Dimensions at the Floor (Plan View)




Access Panel (Shown with cutout on bottom)





VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	33,559	37,014	40,468	43,920	47,375	50,830	54,283	57,737	61,190
ATEN-108-[]	108		40,468	43,920	47,375	50,830	54,283	57,737	61,190	64,644
ATEN-120-[]	120			47,375	50,830	54,283	57,737	61,190	64,644	68,100
ATEN-132-[]	132				54,283	57,737	61,190	64,644	68,100	71,555
ATEN-144-[]	144					61,190	64,644	68,100	71,555	75,005
ATEN-156-[]	156						68,100	71,555	75,005	78,460
ATEN-168-[]	168							75,005	78,460	81,913
ATEN-180-[]	180								81,913	85,368
ATEN-192-[]	192									88,821

204"-360" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	64,644	68,100	71,555	75,005	81,913	88,821	95,729	102,637	109,545
ATEN-108-[]	108	68,100	71,555	75,005	78,460	85,368	92,277	99,185	106,091	113,000
ATEN-120-[]	120	71,555	75,005	78,460	81,913	88,821	95,729	102,637	109,545	116,451
ATEN-132-[]	132	75,005	78,460	81,913	85,368	92,277	99,185	106,091	113,000	119,906
ATEN-144-[]	144	78,460	81,913	85,368	88,821	95,729	102,637	109,545	116,451	123,360
ATEN-156-[]	156	81,913	85,368	88,821	92,277	99,185	106,091	113,000	119,906	126,814
ATEN-168-[]	168	85,368	88,821	92,277	95,729	102,637	109,545	116,451	123,360	130,267
ATEN-180-[]	180	88,821	92,277	95,729	99,185	106,091	113,000	119,906	126,814	133,723
ATEN-192-[]	192	92,277	95,729	99,185	102,637	109,545	116,451	123,360	130,267	137,174
ATEN-204-[]	204	95,729	99,185	102,637	106,091	113,000	119,906	126,814	133,723	140,630
ATEN-216-[]	216		102,637	106,091	109,545	116,451	123,360	130,267	137,174	144,084
ATEN-228-[]	228			109,545	113,000	119,906	126,814	133,723	140,630	147,537
ATEN-240-[]	240				116,451	123,360	130,267	137,174	144,084	150,992
ATEN-264-[]	264					130,267	137,174	144,084	150,992	157,897
ATEN-288-[]	288						144,084	150,992	157,897	164,805
ATEN-312-[]	312							157,897	164,805	171,716
ATEN-336-[]	336								171,716	178,620
ATEN-360-[]	360									185,531

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]-P	96	32,147	35,445	38,743	42,041	45,339	48,640	51,935	55,234	58,534
ATEN-108-[]-P	108		38,743	42,041	45,339	48,640	51,935	55,234	58,534	61,830
ATEN-120-[]-P	120			45,339	48,640	51,935	55,234	58,534	61,830	65,132
ATEN-132-[]-P	132				51,935	55,234	58,534	61,830	65,132	68,429
ATEN-144-[]-P	144					58,534	61,830	65,132	68,429	71,729
ATEN-156-[]-P	156						65,132	68,429	71,729	75,027
ATEN-168-[]-P	168							71,729	75,027	78,323
ATEN-180-[]-P	180								78,323	81,624
ATEN-192-[]-P	192									84,921

204"-360" LONG

MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]-P	96	61,830	65,132	68,429	71,729	78,323	84,921	91,517	98,115	104,711
ATEN-108-[]-P	108	65,132	68,429	71,729	75,027	81,624	88,220	94,816	101,414	108,010
ATEN-120-[]-P	120	68,429	71,729	75,027	78,323	84,921	91,517	98,115	104,711	111,310
ATEN-132-[]-P	132	71,729	75,027	78,323	81,624	88,220	94,816	101,414	108,010	114,607
ATEN-144-[]-P	144	75,027	78,323	81,624	84,921	91,517	98,115	104,711	111,310	117,906
ATEN-156-[]-P	156	78,323	81,624	84,921	88,220	94,816	101,414	108,010	114,607	121,203
ATEN-168-[]-P	168	81,624	84,921	88,220	91,517	98,115	104,711	111,310	117,906	124,501
ATEN-180-[]-P	180	84,921	88,220	91,517	94,816	101,414	108,010	114,607	121,203	127,801
ATEN-192-[]-P	192	88,220	91,517	94,816	98,115	104,711	111,310	117,906	124,501	131,098
ATEN-204-[]-P	204	91,517	94,816	98,115	101,414	108,010	114,607	121,203	127,801	134,398
ATEN-216-[]-P	216		98,115	101,414	104,711	111,310	117,906	124,501	131,098	137,695
ATEN-228-[]-P	228			104,711	108,010	114,607	121,203	127,801	134,398	140,994
ATEN-240-[]-P	240				111,310	117,906	124,501	131,098	137,695	144,292
ATEN-264-[]-P	264					124,501	131,098	137,695	144,292	150,890
ATEN-288-[]-P	288						137,695	144,292	150,890	157,486
ATEN-312-[]-P	312							150,890	157,486	164,083
ATEN-336-[]-P	336								164,083	170,678
ATEN-360-[]-P	360									177,276

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of Rectangle tables
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Woodgrain Laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	40,791	44,240	47,691	54,670	58,121	61,573	65,022	68,474	78,980
ATEN-108-[]	108		47,691	51,144	58,121	61,573	65,022	68,474	68,474	82,429
ATEN-120-[]	120			54,593	61,573	65,022	68,474	71,926	75,376	85,881
ATEN-132-[]	132				68,550	72,000	75,450	78,902	82,354	92,859
ATEN-144-[]	144					75,450	78,902	82,354	85,804	96,312
ATEN-156-[]	156						82,354	85,804	89,255	99,761
ATEN-168-[]	168							89,255	92,705	103,211
ATEN-180-[]	180								96,156	106,660
ATEN-192-[]	192									117,257


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	82,429	85,881	89,331	92,785	99,683	106,586	113,488	123,919	130,817
ATEN-108-[]	108	85,881	89,331	92,785	96,233	103,134	110,035	116,939	127,366	134,271
ATEN-120-[]	120	89,331	92,785	96,233	99,683	106,586	113,488	120,388	130,817	137,720
ATEN-132-[]	132	96,312	99,761	103,211	106,660	113,562	120,464	127,366	137,889	144,787
ATEN-144-[]	144	99,761	103,211	106,660	109,832	117,014	123,919	130,678	141,342	148,241
ATEN-156-[]	156	103,211	106,660	109,832	113,562	120,464	127,366	134,271	144,787	151,694
ATEN-168-[]	168	106,660	110,114	113,562	116,735	123,919	130,817	137,720	148,241	155,144
ATEN-180-[]	180	110,114	113,562	117,014	120,464	127,366	134,271	141,169	151,694	158,593
ATEN-192-[]	192	120,710	124,159	127,610	131,062	137,962	144,867	151,767	162,198	169,100
ATEN-204-[]	204	124,159	127,610	131,062	134,512	141,413	148,316	155,216	164,098	172,549
ATEN-216-[]	216		131,062	134,512	137,962	144,867	151,767	158,671	169,100	176,001
ATEN-228-[]	228			137,962	141,413	148,316	155,216	162,118	172,549	179,452
ATEN-240-[]	240				144,867	151,767	158,671	165,570	176,001	182,899
ATEN-264-[]	264					158,671	165,570	172,473	182,899	189,806
ATEN-288-[]	288						172,473	179,372	189,806	196,704
ATEN-312-[]	312							186,278	196,704	203,606
ATEN-336-[]	336								207,134	214,032
ATEN-360-[]	360									220,938




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS	MODEL #	DESCRIPTION	PRICE
	CR-CAT6	CAT6 Retractor	944
	CR-HDMI	HDMI Retractor	944
	CR-DISPLAY	Display Port Retractor	944
	CR-USB	Data USB Retractor	944


CR-HDMI

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]-P	96	39,377	42,670	45,966	52,792	56,088	59,380	62,677	65,972	76,323
ATEN-108-[]-P	108		45,966	49,263	56,088	59,380	62,677	65,972	69,268	79,618
ATEN-120-[]-P	120			52,560	59,380	62,677	65,972	69,268	72,563	82,914
ATEN-132-[]-P	132				66,206	69,502	72,795	76,089	79,387	89,738
ATEN-144-[]-P	144					72,795	76,089	79,387	82,682	93,036
ATEN-156-[]-P	156						79,387	82,682	85,978	96,328
ATEN-168-[]-P	168							89,273	89,273	99,624
ATEN-180-[]-P	180								92,568	102,919
ATEN-192-[]-P	192									113,360

204"-360" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]-P	96	79,618	82,914	86,210	89,506	78,323	102,687	109,280	119,397	125,989
ATEN-108-[]-P	108	82,914	86,210	89,506	92,802	99,776	105,983	112,574	122,691	129,285
ATEN-120-[]-P	120	86,210	89,506	92,802	96,095	102,687	109,280	115,871	125,989	132,582
ATEN-132-[]-P	132	93,036	96,328	99,624	102,919	109,510	116,101	122,691	132,905	139,498
ATEN-144-[]-P	144	96,328	99,624	102,919	106,215	112,806	119,397	125,989	136,201	142,795
ATEN-156-[]-P	156	99,624	102,919	106,215	109,510	116,101	122,691	129,285	139,498	146,086
ATEN-168-[]-P	168	102,919	106,215	109,510	112,806	119,397	125,989	132,582	142,795	149,381
ATEN-180-[]-P	180	106,215	109,510	112,806	116,101	122,691	129,285	135,876	146,783	152,679
ATEN-192-[]-P	192	116,656	119,951	123,248	126,545	133,133	139,724	146,319	156,435	163,029
ATEN-204-[]-P	204	119,951	123,248	126,545	129,836	136,428	143,019	149,682	159,728	166,322
ATEN-216-[]-P	216		126,545	129,836	133,133	139,724	146,319	152,906	163,029	169,619
ATEN-228-[]-P	228			133,133	136,428	143,019	149,613	156,203	166,322	172,913
ATEN-240-[]-P	240				139,724	146,319	152,906	159,500	169,619	176,209
ATEN-264-[]-P	264					152,906	159,500	166,090	176,209	182,798
ATEN-288-[]-P	288						166,090	172,681	182,798	189,391
ATEN-312-[]-P	312							179,275	189,391	195,980
ATEN-336-[]-P	336								199,507	206,099
ATEN-360-[]-P	360									212,690




INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Bezel	Add -PB	Only available on laminate top tables. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	944
CR-HDMI	HDMI Retractor	944
CR-DISPLAY	Display Port Retractor	944
CR-USB	Data USB Retractor	944

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATEN-96-[]	96	42,495	45,948	49,399	57,229	60,681	64,132	67,584	71,032	83,108
ATEN-108-[]	108		49,399	52,847	60,681	64,132	67,584	71,032	74,485	86,696
ATEN-120-[]	120			56,300	64,132	67,584	71,032	74,485	77,936	90,148
ATEN-132-[]	132				71,961	75,413	78,867	82,312	85,766	97,981
ATEN-144-[]	144					78,867	82,312	85,766	89,219	101,430
ATEN-156-[]	156						85,766	89,219	92,666	104,881
ATEN-168-[]	168							92,666	96,118	108,331
ATEN-180-[]	180								99,568	111,782
ATEN-192-[]	192									124,083

204"-360" LONG


MODEL #	WIDTH [A]	LENGTH [B]								
		204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATEN-96-[]	96	86,696	90,144	93,598	97,048	103,952	110,850	117,752	129,037	135,938
ATEN-108-[]	108	90,148	93,598	97,048	100,500	107,398	114,304	121,203	132,485	139,390
ATEN-120-[]	120	93,598	97,048	100,500	103,952	110,850	117,752	124,657	135,938	142,839
ATEN-132-[]	132	101,430	104,881	108,331	111,782	118,681	125,586	132,485	143,858	150,762
ATEN-144-[]	144	104,881	108,331	111,782	115,232	122,135	127,485	135,938	147,313	154,215
ATEN-156-[]	156	108,331	111,782	115,232	118,681	125,586	132,485	139,390	150,762	157,663
ATEN-168-[]	168	111,782	115,232	118,681	122,135	129,037	135,938	142,839	154,215	161,116
ATEN-180-[]	180	115,232	118,681	122,135	125,586	132,485	139,390	146,290	157,663	164,565
ATEN-192-[]	192	127,537	130,986	134,435	137,889	144,787	151,694	158,593	169,876	176,780
ATEN-204-[]	204	130,986	134,435	137,889	141,340	148,240	155,142	162,043	173,327	180,229
ATEN-216-[]	216		137,889	141,340	144,787	151,694	158,593	165,497	176,780	183,679
ATEN-228-[]	228			144,787	148,240	155,142	162,043	168,944	180,229	187,131
ATEN-240-[]	240				151,694	158,593	165,497	172,396	183,679	190,579
ATEN-264-[]	264					165,497	172,396	179,300	190,579	197,484
ATEN-288-[]	288						179,300	186,199	197,484	204,384
ATEN-312-[]	312							193,104	204,384	211,287
ATEN-336-[]	336								215,665	222,567
ATEN-360-[]	360									229,468




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Access Door is standard on enclosed Ativa tables and is located on one of the four sides of square tables and on one of the short sides of rectangle tables
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	944
CR-HDMI	HDMI Retractor	944
CR-DISPLAY	Display Port Retractor	944
CR-USB	Data USB Retractor	944

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	30,718	34,170	37,624	41,078	44,532	47,987	51,440	54,894	58,347
ATUS-108-[]	108	32,443	35,896	39,351	42,804	46,260	49,711	53,166	56,620	60,075
ATUS-120-[]	120	34,170	37,624	41,078	44,532	47,987	51,440	54,894	58,347	61,801
ATUS-132-[]	132	35,896	39,351	42,804	46,260	49,711	53,166	56,620	60,075	63,527
ATUS-144-[]	144	37,624	41,078	44,532	47,987	51,440	54,894	58,347	61,801	65,254
ATUS-156-[]	156	39,351	42,804	46,260	49,711	53,166	56,620	60,075	63,527	66,982
ATUS-168-[]	168	41,078	44,532	47,987	51,440	54,894	58,347	61,801	65,254	68,708
ATUS-180-[]	180	42,804	46,260	49,711	53,166	56,620	60,075	63,527	66,982	70,437
ATUS-192-[]	192	44,532	47,987	51,440	54,894	58,347	61,801	65,254	68,708	72,163
ATUS-204-[]	204	46,260	49,711	53,166	56,620	60,075	63,527	66,982	70,437	73,890
ATUS-216-[]	216	47,987	51,440	54,894	58,347	61,801	65,254	68,708	72,163	75,616
ATUS-228-[]	228	49,711	53,166	56,620	60,075	63,527	66,982	70,437	73,890	77,345
ATUS-240-[]	240	51,440	54,894	58,347	61,801	65,254	68,708	72,163	75,616	79,071
ATUS-264-[]	264	54,894	58,347	61,801	65,254	68,708	72,163	75,616	79,071	82,526
ATUS-288-[]	288	58,347	61,801	65,254	68,708	72,163	75,616	79,071	82,526	85,978
ATUS-312-[]	312	61,801	65,254	68,708	72,163	75,616	79,071	82,526	85,978	89,431
ATUS-336-[]	336	65,254	68,708	72,163	75,616	79,071	82,526	85,978	89,431	92,885
ATUS-360-[]	360	68,708	72,163	75,616	79,071	82,526	85,978	89,431	92,885	96,341

204"-360" LONG

LENGTH [B]

MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	61,801	65,254	68,708	72,163	79,071	85,978	92,885	99,794	106,699
ATUS-108-[]	108	63,527	66,982	70,437	73,890	80,797	87,705	94,610	101,521	108,427
ATUS-120-[]	120	65,254	68,708	72,163	75,616	82,526	89,431	96,341	103,248	110,155
ATUS-132-[]	132	66,982	70,437	73,890	77,345	84,250	91,160	98,066	104,976	111,882
ATUS-144-[]	144	68,708	72,163	75,616	79,071	85,978	92,885	99,794	106,699	113,610
ATUS-156-[]	156	70,437	73,890	77,345	80,797	87,705	94,610	101,521	108,427	115,335
ATUS-168-[]	168	72,163	75,616	79,071	82,526	89,431	96,341	103,248	110,155	117,062
ATUS-180-[]	180	73,890	77,345	80,797	84,250	91,160	98,066	104,976	111,882	118,792
ATUS-192-[]	192	75,616	79,071	82,526	85,978	92,885	99,794	106,699	113,610	120,517
ATUS-204-[]	204	77,345	80,797	84,250	87,705	94,610	101,521	108,427	115,335	122,243
ATUS-216-[]	216	79,071	82,526	85,978	89,431	96,341	103,248	110,155	117,062	123,972
ATUS-228-[]	228	80,797	84,250	87,705	91,160	98,066	104,976	111,882	118,792	125,696
ATUS-240-[]	240	82,526	85,978	89,431	92,885	99,794	106,699	113,610	120,517	127,425
ATUS-264-[]	264	85,978	89,431	92,885	96,341	103,248	110,155	117,062	123,972	130,878
ATUS-288-[]	288	89,431	92,885	96,341	99,794	106,699	113,610	120,517	127,425	134,333
ATUS-312-[]	312	92,885	96,341	99,794	103,248	110,155	117,062	123,972	130,878	137,786
ATUS-336-[]	336	96,341	99,794	103,248	106,699	113,610	120,517	127,425	134,333	141,242
ATUS-360-[]	360	99,794	103,248	106,699	110,155	117,062	123,972	130,878	137,786	144,695

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



INSET LAMINATE TOP WITH HARDWOOD EDGE



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]-P	96	29,337	32,634	35,932	39,230	42,530	45,826	49,125	52,425	55,723
ATUS-108-[]-P	108	30,983	34,285	37,582	40,879	44,179	47,475	50,776	54,072	57,371
ATUS-120-[]-P	120	32,634	35,932	39,230	42,530	45,826	49,125	52,425	55,723	59,023
ATUS-132-[]-P	132	34,285	37,582	40,879	44,179	47,475	50,776	54,072	57,371	60,671
ATUS-144-[]-P	144	35,932	39,230	42,530	45,826	49,125	52,425	55,723	59,023	62,319
ATUS-156-[]-P	156	37,582	40,879	44,179	47,475	50,776	54,072	57,371	60,671	63,968
ATUS-168-[]-P	168	39,230	42,530	45,826	49,125	52,425	55,723	59,023	62,319	65,619
ATUS-180-[]-P	180	40,879	44,179	47,475	50,776	54,072	57,371	60,671	63,968	67,267
ATUS-192-[]-P	192	42,530	45,826	49,125	52,425	55,723	59,023	62,319	65,619	68,917
ATUS-204-[]-P	204	44,179	47,475	50,776	54,072	57,371	60,671	63,968	67,267	70,568
ATUS-216-[]-P	216	45,826	49,125	52,425	55,723	59,023	62,319	65,619	68,917	72,213
ATUS-228-[]-P	228	47,475	50,776	54,072	57,371	60,671	63,968	67,267	70,568	73,865
ATUS-240-[]-P	240	49,125	52,425	55,723	59,023	62,319	65,619	68,917	72,213	75,514
ATUS-264-[]-P	264	52,425	55,723	59,023	62,319	65,619	68,917	72,213	75,514	78,811
ATUS-288-[]-P	288	55,723	59,023	62,319	65,619	68,917	72,213	75,514	78,811	82,110
ATUS-312-[]-P	312	59,023	62,319	65,619	68,917	72,213	75,514	78,811	82,110	85,407
ATUS-336-[]-P	336	62,319	65,619	68,917	72,213	75,514	78,811	82,110	85,407	88,706
ATUS-360-[]-P	360	65,619	68,917	72,213	75,514	78,811	82,110	85,407	88,706	92,006

204"-360" LONG

LENGTH [B]

MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]-P	96	59,023	62,319	65,619	68,917	75,514	82,110	88,706	95,306	101,901
ATUS-108-[]-P	108	60,671	63,968	67,267	70,568	77,163	83,760	90,356	96,952	103,548
ATUS-120-[]-P	120	62,319	65,619	68,917	72,213	78,811	85,407	92,006	98,602	105,200
ATUS-132-[]-P	132	63,968	67,267	70,568	73,865	80,461	87,057	93,654	100,252	106,849
ATUS-144-[]-P	144	65,619	68,917	72,213	75,514	82,110	88,706	95,306	101,901	108,497
ATUS-156-[]-P	156	67,267	70,568	73,865	77,163	83,760	90,356	96,952	103,548	110,147
ATUS-168-[]-P	168	68,917	72,213	75,514	78,811	85,407	92,006	98,602	105,200	111,796
ATUS-180-[]-P	180	70,568	73,865	77,163	80,461	87,057	93,654	100,252	106,849	113,446
ATUS-192-[]-P	192	72,213	75,514	78,811	82,110	88,706	95,306	101,901	108,497	115,093
ATUS-204-[]-P	204	73,865	77,163	80,461	83,760	90,356	96,952	103,548	110,147	116,744
ATUS-216-[]-P	216	75,514	78,811	82,110	85,407	92,006	98,602	105,200	111,796	118,391
ATUS-228-[]-P	228	77,163	80,461	83,760	87,057	93,654	100,252	106,849	113,446	120,042
ATUS-240-[]-P	240	78,811	82,110	85,407	88,706	95,306	101,901	108,497	115,093	121,692
ATUS-264-[]-P	264	82,110	85,407	88,706	92,006	98,602	105,200	111,796	118,391	124,989
ATUS-288-[]-P	288	85,407	88,706	92,006	95,306	101,901	108,497	115,093	121,692	128,288
ATUS-312-[]-P	312	88,706	92,006	95,306	98,602	105,200	111,796	118,391	124,989	131,585
ATUS-336-[]-P	336	92,006	95,306	98,602	101,901	108,497	115,093	121,692	128,288	134,886
ATUS-360-[]-P	360	95,306	98,602	101,901	105,200	111,796	118,391	124,989	131,585	138,184

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish



VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	35,973	39,425	42,876	49,851	53,303	56,755	60,207	63,655	74,162
ATUS-108-[]	108	37,698	41,147	44,601	51,577	55,031	58,482	61,929	65,382	75,886
ATUS-120-[]	120	39,425	42,876	46,325	53,303	56,755	60,207	63,655	67,109	77,609
ATUS-132-[]	132	44,463	46,365	49,815	56,794	60,242	63,695	67,147	70,601	81,103
ATUS-144-[]	144	44,638	48,088	51,541	58,519	61,971	65,422	68,872	72,322	82,828
ATUS-156-[]	156	46,365	49,815	53,264	60,242	63,695	67,147	70,601	74,046	84,552
ATUS-168-[]	168	48,088	51,541	54,990	61,971	65,422	68,872	72,322	75,733	86,280
ATUS-180-[]	180	49,815	53,264	56,716	63,695	67,147	70,601	74,046	77,500	88,003
ATUS-192-[]	192	55,068	58,519	61,971	68,946	72,398	75,849	79,299	82,752	93,259
ATUS-204-[]	204	56,794	60,242	63,695	70,673	74,123	77,573	81,023	84,476	94,980
ATUS-216-[]	216	58,519	61,971	65,422	72,398	75,849	79,299	82,752	86,202	96,708
ATUS-228-[]	228	60,242	63,695	67,147	74,123	77,573	81,023	84,476	87,926	98,431
ATUS-240-[]	240	61,971	65,422	68,872	75,849	79,299	82,752	86,202	89,650	100,157
ATUS-264-[]	264	65,422	68,872	72,322	79,299	82,752	86,202	89,650	93,103	103,607
ATUS-288-[]	288	68,872	72,322	75,776	82,752	86,202	89,650	93,103	96,553	107,062
ATUS-312-[]	312	72,322	75,776	79,224	86,202	89,650	93,103	96,553	100,003	110,508
ATUS-336-[]	336	77,539	80,988	84,440	91,415	94,866	98,316	101,768	105,219	115,816
ATUS-360-[]	360	80,988	84,440	87,890	94,866	98,316	101,768	105,219	108,669	119,267


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	77,609	81,064	84,514	87,965	94,866	101,768	108,669	119,099	126,003
ATUS-108-[]	108	79,339	82,789	86,237	89,690	96,590	103,494	110,394	120,826	127,726
ATUS-120-[]	120	81,064	84,514	87,965	91,415	98,316	105,219	112,121	122,551	129,451
ATUS-132-[]	132	84,552	88,003	91,454	94,906	101,805	108,709	115,612	122,514	132,941
ATUS-144-[]	144	86,280	89,731	93,178	96,629	103,535	110,433	117,333	127,763	134,670
ATUS-156-[]	156	88,003	91,454	94,906	98,354	105,259	112,158	119,061	129,493	136,393
ATUS-168-[]	168	89,731	93,178	96,629	100,081	106,981	113,887	120,785	131,215	138,116
ATUS-180-[]	180	91,454	94,906	98,354	101,805	108,709	115,612	122,514	132,941	139,845
ATUS-192-[]	192	96,708	100,157	103,607	107,062	113,961	120,863	127,763	138,287	145,187
ATUS-204-[]	204	98,431	101,883	105,332	108,784	115,689	122,587	129,493	140,013	146,914
ATUS-216-[]	216	100,157	103,607	107,062	110,508	117,414	124,316	131,215	141,736	148,639
ATUS-228-[]	228	101,883	105,332	108,784	112,236	119,137	126,042	132,941	143,462	150,365
ATUS-240-[]	240	103,607	107,062	110,508	113,961	120,863	127,763	134,670	145,187	152,089
ATUS-264-[]	264	107,062	110,508	113,961	117,414	124,316	131,215	138,116	148,639	155,540
ATUS-288-[]	288	110,508	113,961	117,414	120,863	127,763	134,670	141,569	152,089	158,994
ATUS-312-[]	312	113,961	117,414	120,863	124,316	132,612	138,116	145,021	155,540	162,442
ATUS-336-[]	336	119,267	122,719	126,168	129,620	136,520	143,424	150,327	160,752	167,657
ATUS-360-[]	360	122,722	126,227	129,679	133,127	140,032	146,936	153,837	164,274	171,176




VENEER TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	944
CR-HDMI	HDMI Retractor	944
CR-DISPLAY	Display Port Retractor	944
CR-USB	Data USB Retractor	944

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



INSET LAMINATE TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]-P	96	34,591	37,889	41,184	48,009	51,303	54,599	57,895	61,190	71,539
ATUS-108-[]-P	108	36,238	39,534	42,833	49,655	52,951	56,247	59,543	62,837	73,185
ATUS-120-[]-P	120	37,889	41,184	44,479	51,303	54,599	57,895	61,190	64,485	74,835
ATUS-132-[]-P	132	41,299	44,597	47,890	54,714	58,010	61,307	64,601	67,895	78,247
ATUS-144-[]-P	144	42,948	46,244	49,541	56,360	59,660	62,954	66,251	69,545	79,893
ATUS-156-[]-P	156	44,178	47,890	51,185	58,010	61,307	64,601	67,895	71,191	81,543
ATUS-168-[]-P	168	46,244	49,541	52,837	59,660	62,954	66,251	69,545	72,842	83,189
ATUS-180-[]-P	180	47,890	51,185	54,482	61,307	64,601	67,895	71,191	74,487	84,837
ATUS-192-[]-P	192	53,065	56,360	59,660	66,480	69,773	73,068	76,367	79,661	90,014
ATUS-204-[]-P	204	54,714	58,010	61,307	68,129	71,425	74,717	78,013	81,309	91,660
ATUS-216-[]-P	216	56,360	59,660	62,954	69,773	73,068	76,367	79,661	82,958	93,307
ATUS-228-[]-P	228	58,010	61,307	64,601	71,425	74,717	78,013	81,309	84,602	94,956
ATUS-240-[]-P	240	59,660	62,954	66,251	73,068	76,367	79,661	82,958	86,252	96,604
ATUS-264-[]-P	264	62,954	66,251	69,545	76,367	79,661	87,612	86,252	89,549	99,899
ATUS-288-[]-P	288	66,251	69,545	72,842	79,661	82,958	86,252	89,549	92,842	103,194
ATUS-312-[]-P	312	69,545	72,842	76,137	82,958	86,252	89,549	92,842	96,142	106,491
ATUS-336-[]-P	336	74,603	77,899	81,197	88,015	91,311	94,607	97,902	101,199	111,639
ATUS-360-[]-P	360	77,899	81,197	84,489	91,311	94,607	97,902	101,199	104,493	114,937


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]-P	96	74,835	78,132	81,425	84,721	91,311	97,902	104,493	114,612	121,204
ATUS-108-[]-P	108	76,480	79,777	83,075	86,369	92,961	99,553	106,143	116,262	122,854
ATUS-120-[]-P	120	78,132	81,425	84,721	88,015	94,607	101,199	107,788	117,909	124,499
ATUS-132-[]-P	132	81,543	84,837	88,133	91,427	98,020	104,610	111,201	121,322	127,912
ATUS-144-[]-P	144	83,189	86,486	89,782	93,076	99,668	106,258	112,848	122,969	129,562
ATUS-156-[]-P	156	84,837	88,133	91,427	94,725	101,315	107,905	114,497	124,617	131,209
ATUS-168-[]-P	168	86,486	89,782	93,076	96,371	102,965	109,553	116,144	126,264	132,857
ATUS-180-[]-P	180	88,133	91,427	94,725	98,020	104,610	111,201	117,793	127,912	134,504
ATUS-192-[]-P	192	93,307	96,604	99,899	103,194	109,786	116,376	122,969	133,181	139,770
ATUS-204-[]-P	204	94,956	98,251	101,548	104,844	111,433	118,026	124,617	134,827	141,419
ATUS-216-[]-P	216	96,604	99,899	103,194	106,491	113,082	119,673	126,264	136,476	143,067
ATUS-228-[]-P	228	98,251	101,548	104,844	108,141	114,730	121,322	127,912	138,124	144,715
ATUS-240-[]-P	240	99,899	103,194	106,491	109,786	116,376	122,969	129,562	139,770	146,361
ATUS-264-[]-P	264	103,194	106,491	109,786	113,082	119,673	126,264	132,857	143,067	149,656
ATUS-288-[]-P	288	106,491	109,786	113,082	116,376	122,969	129,562	136,150	146,361	152,888
ATUS-312-[]-P	312	109,786	113,082	116,376	119,673	126,264	132,857	139,445	149,656	156,249
ATUS-336-[]-P	336	114,937	118,233	121,529	124,824	131,416	138,010	144,599	154,714	161,307
ATUS-360-[]-P	360	118,233	121,529	124,824	128,121	134,710	141,303	147,894	158,102	164,694




INSET LAMINATE TOP TOP WITH HARDWOOD EDGE / GLASS OR METAL DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Door	Add -PD	Only available with metal door option. Refer to pages 16-17 to determine how much to add based on table size.
Polished Chrome Bezel	Add -PB	Only available on laminate top tables. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION


- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- Power Matrix glass doors are back-painted 1/4" optically clear, low-iron glass
- All Power Matrix interior components are clear anodized aluminum
- When specified with metal Power Matrix doors, the color of the metal trim on the table top and modesty panels will match the Power Matrix door finish
- When specified with glass Power Matrix doors, the metal trim will be clear anodized aluminum
- Each Power Matrix unit includes a 3/8"-wide metal bezel
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Laminate (Wood-grain laminate not available)
- Choose Metal Finish
- Choose Power Matrix Door Material: Metal (-M) or Glass (-G)
- Choose Power Matrix Metal Door Finish, if -M is specified
- Choose Power Matrix Glass Door Finish, if -G is specified

RETRACTORS



CR-HDMI


MODEL #	DESCRIPTION	PRICE
CR-CAT6	CAT6 Retractor	944
CR-HDMI	HDMI Retractor	944
CR-DISPLAY	Display Port Retractor	944
CR-USB	Data USB Retractor	944

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels



VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



96"-192" LONG

LENGTH [B]

MODEL #	WIDTH [A]	96" [96]	108" [108]	120" [120]	132" [132]	144" [144]	156" [156]	168" [168]	180" [180]	192" [192]
ATUS-96-[]	96	37,254	40,703	44,154	51,987	55,437	58,888	62,340	65,791	78,002
ATUS-108-[]	108	38,980	42,428	45,880	53,710	57,162	60,615	64,063	67,515	79,727
ATUS-120-[]	120	40,703	44,154	47,606	55,437	58,888	62,340	65,791	69,241	81,453
ATUS-132-[]	132	44,619	48,069	51,521	59,353	62,805	63,151	69,704	73,157	85,368
ATUS-144-[]	144	46,345	49,795	53,250	61,079	64,530	67,978	71,432	74,882	87,095
ATUS-156-[]	156	48,069	51,521	54,972	62,805	66,256	69,704	73,157	76,606	88,819
ATUS-168-[]	168	49,795	53,250	56,697	64,530	67,978	71,432	74,882	78,334	90,543
ATUS-180-[]	180	51,521	54,972	58,421	66,256	69,704	73,157	76,606	80,059	92,268
ATUS-192-[]	192	57,627	61,079	64,530	72,360	75,811	79,262	82,712	86,166	98,377
ATUS-204-[]	204	59,353	62,805	66,256	74,085	77,538	80,987	84,437	87,890	100,100
ATUS-216-[]	216	61,079	64,530	67,978	75,811	79,262	82,712	86,166	89,615	101,826
ATUS-228-[]	228	62,805	66,256	69,704	77,538	80,987	84,437	87,890	91,340	103,553
ATUS-240-[]	240	64,530	67,978	71,432	79,262	82,712	86,166	89,615	93,063	105,278
ATUS-264-[]	264	67,978	71,432	74,882	82,712	86,166	89,615	93,063	96,516	108,728
ATUS-288-[]	288	71,432	74,882	78,334	86,166	89,576	93,063	96,516	99,966	112,181
ATUS-312-[]	312	74,882	78,334	81,784	89,615	93,063	96,516	99,966	103,416	115,629
ATUS-336-[]	336	80,525	83,974	87,426	95,252	98,705	102,158	105,608	109,059	121,362
ATUS-360-[]	360	83,974	87,426	90,873	98,705	102,158	105,608	109,059	112,509	124,811


204"-360" LONG

LENGTH [B]


MODEL #	WIDTH [A]	204" [204]	216" [216]	228" [228]	240" [240]	264" [264]	288" [288]	312" [312]	336" [336]	360" [360]
ATUS-96-[]	96	81,453	84,903	87,795	91,808	98,705	105,608	112,509	123,792	130,696
ATUS-108-[]	108	83,178	86,628	90,081	93,530	100,432	107,333	114,234	125,520	132,418
ATUS-120-[]	120	84,903	87,795	91,808	95,252	102,158	109,059	115,960	127,243	134,144
ATUS-132-[]	132	88,819	92,268	95,719	99,170	106,072	112,976	119,877	131,161	138,059
ATUS-144-[]	144	90,543	93,996	97,445	100,896	107,800	114,699	121,602	132,885	139,787
ATUS-156-[]	156	92,268	95,706	99,170	102,620	109,522	116,425	123,328	134,610	141,513
ATUS-168-[]	168	93,996	97,445	100,896	104,346	111,248	118,148	125,052	136,336	143,238
ATUS-180-[]	180	95,719	99,170	102,620	106,072	112,976	119,877	126,778	138,059	144,964
ATUS-192-[]	192	101,826	105,278	108,728	112,181	119,080	125,983	132,885	144,259	151,162
ATUS-204-[]	204	103,553	107,002	110,453	113,903	120,808	127,707	134,610	145,984	152,887
ATUS-216-[]	216	105,278	108,728	112,181	115,629	122,532	129,432	136,336	147,709	154,610
ATUS-228-[]	228	107,002	110,453	113,903	117,357	124,257	131,161	138,059	149,437	156,337
ATUS-240-[]	240	108,728	112,181	115,629	119,080	125,983	132,885	139,787	151,162	158,063
ATUS-264-[]	264	112,181	115,629	119,080	122,532	129,432	136,336	143,238	154,610	161,515
ATUS-288-[]	288	115,629	119,080	122,532	125,983	132,885	139,787	146,688	158,063	164,965
ATUS-312-[]	312	119,080	122,532	125,983	129,432	136,336	143,238	150,139	161,515	168,416
ATUS-336-[]	336	124,811	128,265	131,715	135,167	142,067	148,971	155,875	167,156	174,054
ATUS-360-[]	360	128,265	131,715	135,167	138,617	145,519	152,419	159,321	170,604	177,502




VENEER TOP WITH HARDWOOD EDGE / WOOD DOOR POWER MATRIX



-FOUR



-THREE-C



-USB-C

OPTIONS	CODE	NOTES
4 Simplex Receptacles	Add -FOUR	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Charging USB-A+C	Add -THREE-C	Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C
USB-A+C Charging	Add -USB-C	USB-A+C charger, replaces one simplex receptacle per Power Matrix Unit. Refer to pages 16-17 to determine how much to add based on table size.
Field-Wired	Add -FW	Refer to pages 16-17 to determine how much to deduct based on table size. The city of Chicago may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the -FW option.

EDGE PROFILE



Double Bevel Edge

GENERAL INFORMATION

- Tops are 1-1/4" thick
- Overall table height 29-1/2"
- All Power Matrix interior components are clear anodized aluminum
- Quantity of Power Matrix units is dependent on table dimensions. See pages 16-17 for more information.
- Corner metal accent pieces will default to clear anodized aluminum if metal finish is not specified

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix page vi for surface material options.

- Choose Veneer Finish
- Choose Metal Finish
- Choose Power Matrix Door Material: Wood (-W)

RETRACTORS	MODEL #	DESCRIPTION	PRICE
<p>CR-HDMI</p>	CR-CAT6	CAT6 Retractor	944
	CR-HDMI	HDMI Retractor	944
	CR-DISPLAY	Display Port Retractor	944
	CR-USB	Data USB Retractor	944

GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- Limited to two retractor units inside of the modesty panels




DATA FACEPLATES AND FREESTANDING POWER OPTION

DATA FACEPLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	77
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	270
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	212
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	212
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	173
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	232
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	328
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	328
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	328
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	367
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	96
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	232
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	405
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	270


GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	CHARGING USB-A+C	PRICE
	ZONE-DATA	(2) Simplex receptacles, (2) Open data ports	2	2	-	355
	ZONE-USB-C	(2) Simplex receptacles, (1) Charging USB-A+C, (1) Open data port	2	1	1	425



ZONE-USB-C



ZONE-DATA



ZONE-USB-C

GENERAL INFORMATION

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received. For current lead times, please review www.nucraft.com/resources/lead-times.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,900 net will be assessed a \$475 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date
- Specific time of day, morning or afternoon
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet these criteria may be accommodated, but will incur a charge to cover additional shipping costs. Please **notify Nucraft a minimum of two weeks prior to shipment** to arrange special services and determine additional charges.

Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. Inspect all cartons upon delivery. Details of visible damage should be noted on the delivery receipt. Do not destroy packaging, transport to site, or install product if damage is found upon inspection. Inspection of products should be completed upon delivery to the receiver. If visible damage is apparent, a claim should be filed immediately with Nucraft Customer Service. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Concealed damage claims must be filed within 15 days of receipt, **prior to transporting or installing any product.**

Do not destroy packing materials until shipment has been inspected. If damage is found, proceed to file a claim with Nucraft Customer Service.

Failure to make any claims against Nucraft within 15 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available via CET and 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

Product symbols (Revit, 2D and 3D) are available on the Nucraft website at www.nucraft.com/resources/product-symbols.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/resources/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by Nucraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in Nucraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$2,100 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica®, Nevamar®, and Wilsonart® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

Nucraft can support other laminate and linoleum options beyond what can be found as standard options on pages vi-viii. For pricing, please send a request to quotes@nucraft.com.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	85
KIT-P	Paint Kit	85
KIT-S	Stain Kit	85

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

Retrofit & Replacements

If needing a partial placement or retrofit solution, please reach out to our quote team. Grain/color matched in a set.



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Rift Cut Oak		
Carbon	M03	G03
Flat Cut Oak		
Dune	M05	G05
Portobello	M7413	G7413
Flaky Oak		
Sahara	M61	G61
Cherry		
Cognac	M21	G21
Auburn	M93	G93
Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Maple		
Natural Maple	M60	G60
Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Euro Birch Linea	M09	G09
Silver Birch Linea	M10	G10
Paldao		
Thicket	M75	G75
Paldao	M76	G76
Canyon	M77	G77

METAL FINISHES

Powder Coat

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Moonlight	A87
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

Metal

Clear Anodized	CA
Polished Chrome*	PC

*Up-Charge applies. See specific product line pages for availability and details.

GLASS (SATIN OR GLOSS)

Power Matrix glass doors only

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Moonlight	MLS	MLG
Quill	QS	QG
Storm	STS	STG
White	WS	WG

LAMINATES

	Code
Solid Laminates	
Formica Brite White	459-58
Formica Dover White	7197-58
Formica Pearl	934-58
Formica Graystone	464-58
Formica Folkstone	927-58
Formica Graphite	837-58
Patterned Laminates	
Nevamar Cool Chic	VA7002T
Nevamar Serene Stardom	VA5001T
Nevamar Calm Distinction	VA6001T
Nevamar Easy Elegance	VA5002T
Wilsonart Sheer Mesh	4876-38
Wilsonart Grey Mesh	4877-38
Wilsonart Pewter Mesh	4878-38