

**BAJA™**

# Planning Guide + Price List

---

## QUICK LINKS

PLANNING GUIDE

BAJA PRICING

POWER AND DATA OPTIONS

GENERAL INFORMATION

FINISH INFORMATION


SURFACE MATERIALS



# TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

|                        |        |
|------------------------|--------|
| General Information    | ii-iii |
| Finish Information     | iv-v   |
| Surface Materials      | vi-vii |
| Statement of Line      | 3      |
| Specification Overview | 4      |
| Baja Tops and Bases    | 27-51  |
| Power and Data Options | 52-61  |





# STATEMENT OF LINE

## CONFERENCE TABLES

---


Pages 27-51



Round




Square



Soft Square



Rectangle




Soft Rectangle


## BASES

---

Pages 27-51



Wire Frame



Hoop Base



# SPECIFICATION OVERVIEW

---

## 1. Select the Top Shape

Options include Round, Square, Soft Square, Rectangle and Soft Rectangle.

## 2. Select the Top Surface Material

Choose between standard veneer with hardwood edge, laminate with either ABS edge or hardwood edge, and back-painted glass.

## 3. Select the Top Size

Sizes range from 42" to 60" wide and from 72" to 240" long.

## 4. Select the Top Edge Profile

Baja tables are offered with two edge profile options on non-glass tops.

- Surf Edge Profile: This edge profile is characterized by a gentle radius along the entire perimeter of the table top. This edge profile is offered in veneer with hardwood edge only. The bottom of these table tops features a black polymer resin and the same radius along the perimeter of the table, creating a unique edge profile that gives it both a thick and thin aesthetic.
- Crest Edge Profile: This edge profile features a flat top with an undercut edge. It is available on veneer and laminate tops.

## 5. Select the Base Style and Finish

Baja tables are available with two base options:

- Wire Frame: This base style features four steel posts and a steel "wire" design. All surfaces are available in powder coat with options for polished chrome or blackened nickel plating.
- Hoop Base: This base style features an open steel hoop design and is available in powder coat as well as options for polished chrome or blackened nickel plating.

## 6. Select the Power/AV Option (if desired)

Options for power and AV connectivity include:

- Table Top: Tech Node or Power Matrix (Small or Medium versions)
- Sub-Top: Power Rail




## TABLE TOP EDGE PROFILE STYLES

Baja tables are available with three top styles and edge profile combinations; Surf, Crest and Glass.


### SURF TOP

These table tops are characterized by a gentle radius along the entire perimeter of the table top. They are offered in veneer with hardwood edge only. The bottom of these table tops features a black polymer resin and the same radius along the perimeter of the table, creating a unique edge profile that gives it a thick aesthetic that transitions down to a thin profile. Available in Round and Soft Square shapes (42" and 48") as well as a Soft Rectangle shape (from 72" to 120" in length, and 42" and 48" in width).

Surf Top




Surf Edge Profile




### CREST TOP

These table tops feature a flat top with an undercut edge. They are offered in veneer with hardwood edge, inset laminate with hardwood edge and laminate with ABS edge. Available in Round, Soft Square and Square shapes (42" to 60") as well as a Soft Rectangle and Rectangle shape (from 72" to 240" in length and 42" to 60" in width).

Crest Top




Crest Edge Profile




### GLASS TOP

These tops feature a ¼"-thick back-painted glass top with pencil edge. The rests on a painted sub-top. Available in Round, Soft Square and Square shapes (42" to 60") as well as a Soft Rectangle and Rectangle shape (from 72" to 240" in length and 42" to 60" in width).

Glass Top



Glass Edge Profile






## BASE OPTIONS

Baja tables are available with two base styles:


### HOOP BASE

This base style features an open steel hoop design and is available in powder coat as well as options for polished chrome or blackened nickel plating. On tables longer than 144", a center Hoop base is included. An optional Center Column Base can be specified for additional cable storage and routing.

Hoop Base




Hoop Base with Optional Center Column Base




### WIRE FRAME

This base style features four steel posts and a steel "wire" design. All surfaces are available in powder coat with options for polished chrome or blackened nickel plating. On tables longer than 144", a center base is included. The Center Column Base includes a hinged door for access to the inside of the base for cable storage and routing.

Wire Frame



Wire Frame with Optional Center Column Base




## WIRE MANAGEMENT

For tables specified with power options, there are multiple choices relative to managing cables from the floor to the table top.

### HOOP BASE

When the Hoop base is specified, a wire channel can be adhered to one of the vertical elements of the base. This channel includes a hinged door and is capable of storing an electrical infeed and several data cables. Each table includes one wire manager.



### WIRE FRAME

When the wire frame base is specified, a wire channel can be attached to one of the four posts at the corners of the table. This channel is capable of storing an electrical infeed and several data cables. Each table includes one wire manager.





## TABLE TOP POWER OPTION: POWER MATRIX




Available in a variety of sizes, styles and connectivity options, Power Matrix is Nucraft's most versatile power option. Power Matrix incorporates a broad array of scalable features and is available across multiple product lines, making it the "go to" solution for power and AV-connectivity needs.

Offered in a Small and Medium size on Baja tables, Power Matrix can handle any power and AV-connectivity need, from the simplest to the most demanding.

### Small



### Medium





# TABLE TOP POWER OPTION: POWER MATRIX

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

## POWER

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional USB-A+C charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.

## DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

## DESIGN

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate and glass table tops include a bezel, available in powder coat, polished chrome, blackened nickel plating, or clear anodized finish options.



## PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

## DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

(Medium size shown)




# TABLE TOP POWER OPTION: POWER MATRIX

## STANDARD CONFIGURATIONS

Power Matrix is available in two sizes for Baja, each with a pre-determined quantity of simplex outlets and AV faceplates. With each size, an optional 2 amp USB-A+C charger (1 amp per port) replaces one of the simplex outlets.


### Small

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (CAT6) connectors.



### Medium



- Single door design
- 5.375" x 8.25" cutout
- Four simplex outlets
- Four AV faceplates. Standard configuration includes three blank faceplates & one faceplate with two RJ-45 (CAT6) connectors.





## DIMENSIONS

Each Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables. The size of the cutout in the table top varies with each size of Power Matrix unit.

### Small




### Medium



## Field Wired

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.



# TABLE TOP POWER OPTION: POWER MATRIX


## POWER PLANNING

Power Matrix is available with two options for connection with building power:

### DIRECT PLUG-IN

The 15-amp power cord from each Power Matrix unit is plugged into a floor monument. The floor monument must have at least one power outlet per small or medium Power Matrix unit in the table (e.g., a table with four small or medium Power Matrix units would need four power outlets in the floor monument).


### Direct Plug-In



### SINGLE IN-FEED

Each Power Matrix unit is plugged into a two-circuit modular electrical system in the table from which a single connection is made to a floor monument. This connection can be either hardwired (to utilize both of the circuits in the modular electrical system) or corded (which requires a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit).


### Single Infeed



### Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system
- Only present on tables specified with the Single In-Feed option
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

### Electrical Diagram — Hardwire Power Infeed Only





# TABLE TOP POWER OPTION: POWER MATRIX

## LOCATION CODES

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

| POWER MATRIX SMALL | POWER MATRIX MEDIUM | LOCATION                          | QUANTITY OF UNITS TO ORDER |
|--------------------|---------------------|-----------------------------------|----------------------------|
| PS-1               | PM-1                | One at center                     | 1                          |
| PS-2               | PM-2                | One at each end                   | 2                          |
| PS-3               | PM-3                | One at center and one at each end | 3                          |
| PS-4               | PM-4                | Four equally spaced               | 4                          |

## DOOR MATERIAL AND LOCATION AVAILABILITY BY TABLE SIZE


W = Wood Door      G = Glass Door      M = Metal Door

| Length | Veneer & Laminate Top Sections | Glass Top Sections | Power Matrix Small |       |       |       | Power Matrix Medium |       |       |       |
|--------|--------------------------------|--------------------|--------------------|-------|-------|-------|---------------------|-------|-------|-------|
|        |                                |                    | PS-1               | PS-2  | PS-3  | PS-4  | PM-1                | PM-2  | PM-3  | PM-4  |
| 42     | 1                              | 1                  | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 48     | 1                              | 1                  | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 54     | 1                              | 1                  | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 60     | 1                              | 1                  | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 72     | 1                              | 1                  | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 78     | 1                              | 1                  | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 84     | 1                              | 1                  | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 90     | 1                              | 1                  | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 96     | 1                              | 1                  | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 102    | 1                              | 2                  | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 102    | 2                              | 2                  | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 108    | 1                              | 2                  | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 108    | 2                              | 2                  | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 114    | 1                              | 2                  | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 114    | 2                              | 2                  | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 120    | 1                              | 2                  | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 120    | 2                              | 2                  | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 132    | 2                              | 3                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 144    | 2                              | 3                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 156    | 2                              | 3                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 168    | 2                              | 3                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 180    | 2                              | 3                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 192    | 2                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 192    | 4                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 204    | 2                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 204    | 4                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 216    | 2                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 216    | 4                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 228    | 2                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 228    | 4                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 240    | 2                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 240    | 4                              | 4                  | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |


# TABLE TOP POWER OPTION: POWER MATRIX

## POWER MATRIX SMALL OR MEDIUM LOCATION OPTIONS

**Please Note:** For floor core placement, please reference base location information on page 26.




PS-1 or PM-1



PS-1 or PM-1

| PS-1 or PM-1 |                        |
|--------------|------------------------|
| Length       | Center of Power Matrix |
| 42           | 21                     |
| 48           | 24                     |
| 54           | 27                     |
| 60           | 30                     |
| 72           | 36                     |
| 78           | 39                     |
| 84           | 42                     |
| 90           | 45                     |
| 96           | 48                     |
| 102          | 51                     |
| 108          | 54                     |
| 114          | 57                     |
| 120          | 60                     |




PS-2 or PM-2

| PS-2 or PM-2 |                            |                            |
|--------------|----------------------------|----------------------------|
| Length       | Center of 1st Power Matrix | Center of 2nd Power Matrix |
| 72           | 26                         | 46                         |
| 78           | 26                         | 52                         |
| 84           | 26                         | 58                         |
| 90           | 26                         | 64                         |
| 96           | 26                         | 70                         |
| 102          | 26                         | 76                         |
| 108          | 26                         | 82                         |
| 114          | 26                         | 88                         |
| 120          | 26                         | 94                         |
| 132          | 26                         | 106                        |
| 144          | 26                         | 118                        |
| 156          | 26                         | 130                        |
| 168          | 26                         | 142                        |
| 180          | 26                         | 154                        |
| 192          | 26                         | 166                        |
| 204          | 26                         | 178                        |
| 216          | 26                         | 190                        |
| 228          | 26                         | 202                        |
| 240          | 26                         | 214                        |

# TABLE TOP POWER OPTION: POWER MATRIX


## POWER MATRIX SMALL OR MEDIUM LOCATION OPTIONS

**Please Note:** For floor core placement, please reference base location information on page 26.



PS-3 or PM-3

| PS-3 or PM-3 |                            |                            |                            |
|--------------|----------------------------|----------------------------|----------------------------|
| Length       | Center of 1st Power Matrix | Center of 2nd Power Matrix | Center of 3rd Power Matrix |
| 96           | 26                         | 48                         | 70                         |
| 102          | 26                         | 51                         | 76                         |
| 108          | 26                         | 54                         | 82                         |
| 114          | 26                         | 57                         | 88                         |
| 120          | 26                         | 60                         | 94                         |



PS-4 or PM-4


| PS-4 or PM-4 |                            |                            |                            |                            |
|--------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Length       | Center of 1st Power Matrix | Center of 2nd Power Matrix | Center of 3rd Power Matrix | Center of 4th Power Matrix |
| 132          | 26                         | 53                         | 79                         | 106                        |
| 144          | 26                         | 57                         | 87                         | 118                        |
| 156          | 26                         | 61                         | 95                         | 130                        |
| 168          | 26                         | 65                         | 103                        | 142                        |
| 180          | 26                         | 69                         | 111                        | 154                        |
| 192          | 26                         | 73                         | 119                        | 166                        |
| 204          | 26                         | 77                         | 127                        | 178                        |
| 216          | 26                         | 81                         | 135                        | 190                        |
| 228          | 26                         | 85                         | 143                        | 202                        |
| 240          | 26                         | 89                         | 151                        | 214                        |




# RETRACTORS FOR POWER MATRIX

## RETRACTORS


Cable retractors mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side. Not available on square, round or soft square tables.




### Retractor Wire Management (Flow table with rectangle bases shown)




### CAT6 Retractor



### HDMI Retractor



### Data USB Retractor



# TABLE TOP POWER OPTION: TECH NODE


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Tech Node components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"
- Optional powered USB-A+C

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB-A+C




Tech Node - Cover Closed



Tech Node - Open Front View



Tech Node - Open Side View



## VOICE/DATA PLANNING

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

## Voice/Data Product Manufacturers

| Manufacturer | Phone Number   | Web Site   |
|--------------|----------------|--|
| AMP          | 1-800-522-6752 | <a href="http://www.te.com">www.te.com</a>           |
| Avaya        | 1-866-462-8292 | <a href="http://www.avaya.com">www.avaya.com</a>     |
| Leviton      | 1-800-722-2082 | <a href="http://www.leviton.com">www.leviton.com</a> |
| Panduit      | 1-800-777-3300 | <a href="http://www.panduit.com">www.panduit.com</a> |
| Siemon       | 1-860-945-4200 | <a href="http://www.siemon.com">www.siemon.com</a>   |




# TABLE TOP POWER OPTION: TECH NODE

## LOCATION CODES


| Location Codes |                                   |                       |
|----------------|-----------------------------------|-----------------------|
| Tech Node      | Location                          | Qty of Units to Order |
| TN-1           | One at center                     | 1                     |
| TN-2           | One at each end                   | 2                     |
| TN-3           | One at center and one at each end | 3                     |
| TN-4           | Four equally spaced               | 4                     |

## TECH NODE LOCATION OPTIONS

**Please Note:** For floor core placement, please reference base location information on page 26.



| TN-1   |                     |
|--------|---------------------|
| Length | Center of Tech Node |
| 42     | 21                  |
| 48     | 24                  |
| 54     | 27                  |
| 60     | 30                  |
| 72     | 36                  |
| 78     | 39                  |
| 84     | 42                  |
| 90     | 45                  |
| 96     | 48                  |
| 102    | 51                  |
| 108    | 54                  |
| 114    | 57                  |
| 120    | 60                  |
| 120    | 60                  |




| TN-2   |                         |                         |
|--------|-------------------------|-------------------------|
| Length | Center of 1st Tech Node | Center of 2nd Tech Node |
| 72     | 26                      | 46                      |
| 78     | 26                      | 52                      |
| 84     | 26                      | 58                      |
| 90     | 26                      | 64                      |
| 96     | 26                      | 70                      |
| 102    | 26                      | 76                      |
| 108    | 26                      | 82                      |
| 114    | 26                      | 88                      |
| 120    | 26                      | 94                      |
| 132    | 26                      | 106                     |
| 144    | 26                      | 118                     |
| 156    | 26                      | 130                     |
| 168    | 26                      | 142                     |
| 180    | 26                      | 154                     |
| 192    | 26                      | 166                     |
| 204    | 26                      | 178                     |
| 216    | 26                      | 190                     |
| 228    | 26                      | 202                     |
| 240    | 26                      | 214                     |

# TABLE TOP POWER OPTION: TECH NODE


## TECH NODE LOCATION OPTIONS

**Please Note:** For floor core placement, please reference base location information on page 26.



TN-3

| TN-3   |                         |                         |                         |
|--------|-------------------------|-------------------------|-------------------------|
| Length | Center of 1st Tech Node | Center of 2nd Tech Node | Center of 3rd Tech Node |
| 96     | 26                      | 48                      | 70                      |
| 102    | 26                      | 51                      | 76                      |
| 108    | 26                      | 54                      | 82                      |
| 114    | 26                      | 57                      | 88                      |
| 120    | 26                      | 60                      | 94                      |



TN-4

| TN-4   |                         |                         |                         |                         |
|--------|-------------------------|-------------------------|-------------------------|-------------------------|
| Length | Center of 1st Tech Node | Center of 2nd Tech Node | Center of 3rd Tech Node | Center of 4th Tech Node |
| 132    | 26                      | 53                      | 79                      | 106                     |
| 144    | 26                      | 57                      | 87                      | 118                     |
| 156    | 26                      | 61                      | 95                      | 130                     |
| 168    | 26                      | 65                      | 103                     | 142                     |
| 180    | 26                      | 69                      | 111                     | 154                     |
| 192    | 26                      | 73                      | 119                     | 166                     |
| 204    | 26                      | 77                      | 127                     | 178                     |
| 216    | 26                      | 81                      | 135                     | 190                     |
| 228    | 26                      | 85                      | 143                     | 202                     |
| 240    | 26                      | 89                      | 151                     | 214                     |




## TABLE TOP POWER OPTION: POWER SPEC AND USB SPEC

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

### Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



### USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB-A+C
- 1-3/4" cutout
- UL Listed


USB Spec



## UNDER SURFACE POWER OPTION: POWER RAIL

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top and appreciate the inherent flexibility of the Power Rail to be removed at a later date as they transition to a truly wireless environment.

Held in place with screws, Power Rail units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.




Power Rails are available in three configurations:



- Two simplex receptacles (UL Listed)
- One simplex receptacle and one powered USB-A+C connector (UL Listed)
- Two single space A/V faceplate designed for use with Extron Architectural Adaptor Plates (AAPs)

When Power Rails are specified on a Baja table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system. Maximum of 12 Power Rails per table

**Front Elevation**



**Side Elevation**




# UNDER SURFACE POWER OPTION: CHARGING TRAC


Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.

## Charging Trac Wire Management


(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



### Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



### Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration





# FREESTANDING POWER OPTION: TECH ZONE

## TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.


Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.

### ZONE-USB-C


Includes two simplex receptacles, one data port and one charging USB-A+C charging port

### ZONE-DATA


Includes two simplex receptacles and two open data ports



Tech Zone - Side View



ZONE-USB-C



ZONE-DATA





# WIRE MANAGEMENT OPENINGS

## Wire Frame Base with Wire Manager




Wire management opening is the same for all tables, regardless of top size. Each table includes one wire management channel.

## Hoop Base with Wire Manager



Wire management opening is the same for all tables, regardless of top size. Each table includes one wire management channel.




## Wire Frame / Hoop Base (Optional Center Column)



Wire management opening is the same for all tables, regardless of top size



# BASE DIMENSIONS

## Wire Frame Base - Round, Square and Soft Square Tables




Same size base utilized for all sizes (42"-60") round, square and soft square tables

## Wire Frame Base - Rectangle and Soft Rectangle Tables



The span between the glides will remain the same for all table sizes






| Table Length | A  | B      |
|--------------|----|--------|
| 72           | 2  | 15-1/2 |
| 78           | 4  | 15-1/2 |
| 84           | 6  | 15-1/2 |
| 90           | 2  | 15-1/2 |
| 96           | 4  | 15-1/2 |
| 102          | 10 | 15-1/2 |
| 108          | 2  | 15-1/2 |
| 114          | 8  | 15-1/2 |
| 120          | 14 | 15-1/2 |
| 132          | 2  | 15-1/2 |
| 144          | 14 | 15-1/2 |
| 156          | 26 | 15-1/2 |
| 168          | 2  | 15-1/2 |
| 180          | 14 | 15-1/2 |





# BASE DIMENSIONS

## Hoop Base - Round, Square and Soft Square Tables



60" Wide Tops



| A     | B<br>(table top) | C<br>(floor) |
|-------|------------------|--------------|
| 40.0" | 32.91"           | 30.04"       |




54" Wide Tops

| A      | B<br>(table top) | C<br>(floor) |
|--------|------------------|--------------|
| 35.63" | 28.67"           | 25.79"       |


## Hoop Base - Rectangle and Soft Rectangle Tables




60" Wide Tops




54" Wide Tops



48" Wide Tops





42" Wide Tops




| W          | A | B     | C     |
|------------|---|-------|-------|
| 42         | 5 | 6-1/4 | 8-1/2 |
| 48, 54, 60 | 6 | 7-1/4 | 9-1/2 |


## Center Hoop Base - 54" and 60"-Wide Soft Rectangle Tables




60"-wide Boat tops will have a 48"-wide center base and 42"-wide bases on either end



54"-wide Boat tops will have a 42"-wide center base and 36"-wide bases on either end




# BASE LOCATIONS



## Wire Frame (all table shapes)

| Table Length (inches) | Center of 1st Base | Center of 2nd Base | Center of 3rd Base |
|-----------------------|--------------------|--------------------|--------------------|
| 72                    | 16                 | 56                 | -                  |
| 78                    | 18                 | 60                 | -                  |
| 84                    | 20                 | 64                 | -                  |
| 90                    | 22                 | 68                 | -                  |
| 96                    | 24                 | 72                 | -                  |
| 102                   | 24                 | 78                 | -                  |
| 108                   | 24                 | 84                 | -                  |
| 114                   | 24                 | 90                 | -                  |
| 120                   | 24                 | 96                 | -                  |
| 132                   | 24                 | 108                | -                  |
| 144                   | 24                 | 120                | -                  |
| 156                   | 24                 | 78                 | 132                |
| 168                   | 24                 | 84                 | 144                |
| 180                   | 24                 | 90                 | 156                |
| 192                   | 24                 | 96                 | 168                |
| 204                   | 24                 | 102                | 180                |
| 216                   | 24                 | 108                | 192                |
| 228                   | 24                 | 114                | 204                |
| 240                   | 24                 | 120                | 216                |

\*Wire Frame will not fit over a floor core.




## Hoop Base (all table shapes)

| Table Length (inches) | Center of 1st Base | Center of 2nd Base | Center of 3rd Base |
|-----------------------|--------------------|--------------------|--------------------|
| 72                    | 20.125             | 51.875             | -                  |
| 78                    | 22.125             | 55.875             | -                  |
| 84                    | 25.75              | 58.25              | -                  |
| 90                    | 28.75              | 61.25              | -                  |
| 96                    | 31.25              | 64.75              | -                  |
| 102                   | 34.25              | 67.75              | -                  |
| 108                   | 34.25              | 73.75              | -                  |
| 114                   | 27.25              | 86.75              | -                  |
| 120                   | 29.25              | 90.75              | -                  |
| 132                   | 32.25              | 99.75              | -                  |
| 144                   | 27.25              | 116.75             | -                  |
| 156                   | 34.25              | 78                 | 121.75             |
| 168                   | 26                 | 84                 | 142                |
| 180                   | 29.25              | 90                 | 150.75             |
| 192                   | 31.25              | 96                 | 160.75             |
| 204                   | 31.25              | 102                | 172.75             |
| 216                   | 34.25              | 108                | 181.75             |
| 228                   | 26                 | 114                | 202                |
| 240                   | 29.25              | 120                | 210.75             |


\*Hoop Base will not fit over a floor core.



# VENEER TOP



ROUND TOP



SOFT SQUARE TOP



SQUARE TOP

## EDGE PROFILE / BASE KEY

SURF EDGE PROFILE  
SWF Wire Frame

CREST EDGE PROFILE  
WF Wire Frame  
HP Four Leg Hoop

### ROUND TABLES

| MODEL #  | DIAMETER | TOP SECTIONS | SEATING CAPACITY | -SWF   | -WF    | -HP   |
|----------|----------|--------------|------------------|--------|--------|-------|
| BJR-42-V | 42       | 1            | 4                | 8,586  | 6,154  | -     |
| BJR-48-V | 48       | 1            | 4                | 10,473 | 7,391  | -     |
| BJR-54-V | 54       | 1            | 4                | -      | 8,871  | 7,766 |
| BJR-60-V | 60       | 1            | 4                | -      | 10,251 | 9,078 |

### SOFT SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -SWF   | -WF    | -HP   |
|----------|---------|--------------|------------------|--------|--------|-------|
| BJQ-42-V | 42 x 42 | 1            | 4                | 8,586  | 6,154  | -     |
| BJQ-48-V | 48 x 48 | 1            | 4                | 10,473 | 7,391  | -     |
| BJQ-54-V | 54 x 54 | 1            | 4                | -      | 8,871  | 7,766 |
| BJQ-60-V | 60 x 60 | 1            | 4                | -      | 10,251 | 9,078 |

### SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF    | -HP   |
|----------|---------|--------------|------------------|--------|-------|
| BJS-42-V | 42 x 42 | 1            | 4                | 6,154  | -     |
| BJS-48-V | 48 x 48 | 1            | 4                | 7,391  | -     |
| BJS-54-V | 54 x 54 | 1            | 4                | 8,871  | 7,766 |
| BJS-60-V | 60 x 60 | 1            | 4                | 10,251 | 9,078 |

### OPTIONS

#### CODE

#### PRICE

#### NOTES

#### Polished Chrome Base Finish Options:

Wire Frame Base

-PCWFS

\$3,242

Hoop Base

-PCH4

\$5,147

#### Blackened Nickel Base Finish Options:

Wire Frame Base

-BNWFS

\$1,573

Hoop Base

-BNH4

\$5,147

#### Wire Frame Combination Finish Options:

Polished Chrome Wires with Blackened Nickel Posts

-TTS-BN

\$2,512

Polished Chrome Wires with Satin Chrome Posts

-TTS-BC

\$2,171


Polished Chrome Wires with Powder Coat Posts

-TTS-P

\$1,700

#### Power and Data Options


See pages 52-61



### EDGE PROFILES



Surf Edge Profile



Crest Edge Profile

### GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Standard with flat cut veneer
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish
- Choose Metal Finish. Clear Anodized (-CA) not available



# PLANK VENEER TOP



ROUND TOP



SOFT SQUARE TOP



SQUARE TOP

## EDGE PROFILE / BASE KEY

SURF EDGE PROFILE  
SWF Wire Frame

CREST EDGE PROFILE  
WF Wire Frame  
HP Four Leg Hoop

### ROUND TABLES

| MODEL #   | DIAMETER | TOP SECTIONS | SEATING CAPACITY | -SWF   | -WF    | -HP    |
|-----------|----------|--------------|------------------|--------|--------|--------|
| BJR-42-PW | 42       | 1            | 4                | 9,874  | 7,078  | -      |
| BJR-48-PW | 48       | 1            | 4                | 12,044 | 8,500  | -      |
| BJR-54-PW | 54       | 1            | 4                | -      | 10,202 | 8,931  |
| BJR-60-PW | 60       | 1            | 4                | -      | 11,789 | 10,440 |

### SOFT SQUARE TABLES

| MODEL #   | L x W   | TOP SECTIONS | SEATING CAPACITY | -SWF   | -WF    | -HP    |
|-----------|---------|--------------|------------------|--------|--------|--------|
| BJQ-42-PW | 42 x 42 | 1            | 4                | 9,874  | 7,078  | -      |
| BJQ-48-PW | 48 x 48 | 1            | 4                | 12,044 | 8,500  | -      |
| BJQ-54-PW | 54 x 54 | 1            | 4                | -      | 10,202 | 8,931  |
| BJQ-60-PW | 60 x 60 | 1            | 4                | -      | 11,789 | 10,440 |

### SQUARE TABLES

| MODEL #   | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF    | -HP    |
|-----------|---------|--------------|------------------|--------|--------|
| BJS-42-PW | 42 x 42 | 1            | 4                | 7,078  | -      |
| BJS-48-PW | 48 x 48 | 1            | 4                | 8,500  | -      |
| BJS-54-PW | 54 x 54 | 1            | 4                | 10,202 | 8,931  |
| BJS-60-PW | 60 x 60 | 1            | 4                | 11,789 | 10,440 |

### OPTIONS

#### CODE

#### PRICE

#### NOTES

#### Polished Chrome Base Finish Options:

Wire Frame Base

-PCWFS

\$3,242

Hoop Base

-PCH4

\$5,147

#### Blackened Nickel Base Finish Options:

Wire Frame Base

-BNWFS

\$1,573

Hoop Base

-BNH4

\$5,147

#### Wire Frame Combination Finish Options:

Polished Chrome Wires with Blackened Nickel Posts

-TTS-BN

\$2,512

Polished Chrome Wires with Satin Chrome Posts

-TTS-BC

\$2,171

Polished Chrome Wires with Powder Coat Posts

-TTS-P

\$1,700

#### Power and Data Options


See pages 52-61



### EDGE PROFILES



Surf Edge Profile



Crest Edge Profile

### GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Standard with flat cut veneer
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish. Clear Anodized (-CA) not available



# LAMINATE TOP WITH ABS EDGE



ROUND TOP



SOFT SQUARE TOP



SQUARE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Four Leg Hoop

## ROUND TABLES

| MODEL #   | DIAMETER | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|-----------|----------|--------------|------------------|-------|-------|
| BJR-42-PA | 42       | 1            | 4                | 5,539 | -     |
| BJR-48-PA | 48       | 1            | 4                | 6,652 | -     |
| BJR-54-PA | 54       | 1            | 4                | 7,984 | 6,990 |
| BJR-60-PA | 60       | 1            | 4                | 9,226 | 8,171 |

## SOFT SQUARE TABLES

| MODEL #   | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|-----------|---------|--------------|------------------|-------|-------|
| BJQ-42-PA | 42 x 42 | 1            | 4                | 5,539 | -     |
| BJQ-48-PA | 48 x 48 | 1            | 4                | 6,652 | -     |
| BJQ-54-PA | 54 x 54 | 1            | 4                | 7,984 | 6,990 |
| BJQ-60-PA | 60 x 60 | 1            | 4                | 9,226 | 8,171 |

## SQUARE TABLES

| MODEL #   | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|-----------|---------|--------------|------------------|-------|-------|
| BJS-42-PA | 42 x 42 | 1            | 4                | 5,539 | -     |
| BJS-48-PA | 48 x 48 | 1            | 4                | 6,652 | -     |
| BJS-54-PA | 54 x 54 | 1            | 4                | 7,984 | 6,990 |
| BJS-60-PA | 60 x 60 | 1            | 4                | 9,226 | 8,171 |

## OPTIONS

### CODE

### PRICE

### NOTES

#### Polished Chrome Base Finish Options:

Wire Frame Base

-PCWFS

\$3,242

Hoop Base

-PCH4

\$5,147

#### Blackened Nickel Base Finish Options:

Wire Frame Base

-BNWFS

\$1,573

Hoop Base

-BNH4

\$5,147

#### Wire Frame Combination Finish Options:

Polished Chrome Wires with Blackened Nickel Posts

-TTS-BN

\$2,512

Polished Chrome Wires with Satin Chrome Posts

-TTS-BC

\$2,171


Polished Chrome Wires with Powder Coat Posts

-TTS-P

\$1,700

#### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.



# INSET LAMINATE TOP WITH HARDWOOD EDGE



ROUND TOP



SOFT SQUARE TOP



SQUARE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Four Leg Hoop

## ROUND TABLES

| MODEL #  | DIAMETER | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|----------|----------|--------------|------------------|-------|-------|
| BJR-42-P | 42       | 1            | 4                | 5,274 | -     |
| BJR-48-P | 48       | 1            | 4                | 6,335 | -     |
| BJR-54-P | 54       | 1            | 4                | 7,603 | 6,656 |
| BJR-60-P | 60       | 1            | 4                | 8,786 | 7,781 |

## SOFT SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|----------|---------|--------------|------------------|-------|-------|
| BJQ-42-P | 42 x 42 | 1            | 4                | 5,539 | -     |
| BJQ-48-P | 48 x 48 | 1            | 4                | 6,652 | -     |
| BJQ-54-P | 54 x 54 | 1            | 4                | 7,984 | 6,990 |
| BJQ-60-P | 60 x 60 | 1            | 4                | 9,226 | 8,171 |

## SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF   | -HP   |
|----------|---------|--------------|------------------|-------|-------|
| BJS-42-P | 42 x 42 | 1            | 4                | 5,539 | -     |
| BJS-48-P | 48 x 48 | 1            | 4                | 6,652 | -     |
| BJS-54-P | 54 x 54 | 1            | 4                | 7,984 | 6,990 |
| BJS-60-P | 60 x 60 | 1            | 4                | 9,226 | 8,171 |

## OPTIONS

### CODE

### PRICE

### NOTES

#### Polished Chrome Base Finish Options:

Wire Frame Base

-PCWFS

\$3,242

Hoop Base

-PCH4

\$5,147

#### Blackened Nickel Base Finish Options:

Wire Frame Base

-BNWFS

\$1,573

Hoop Base

-BNH4

\$5,147

#### Wire Frame Combination Finish Options:

Polished Chrome Wires with Blackened Nickel Posts

-TTS-BN

\$2,512

Polished Chrome Wires with Satin Chrome Posts

-TTS-BC

\$2,171


Polished Chrome Wires with Powder Coat Posts

-TTS-P


\$1,700

#### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.



# GLASS TOP



ROUND TOP



SOFT SQUARE TOP



SQUARE TOP

## EDGE PROFILE / BASE KEY

GLASS EDGE PROFILE

WF Wire Frame

HP Four Leg Hoop

## ROUND TABLES

| MODEL #  | DIAMETER | TOP SECTIONS | SEATING CAPACITY | -WF    | -HP    |
|----------|----------|--------------|------------------|--------|--------|
| BJR-42-G | 42       | 1            | 4                | 8,586  | -      |
| BJR-48-G | 48       | 1            | 4                | 10,473 | -      |
| BJR-54-G | 54       | 1            | 4                | 12,757 | 11,652 |
| BJR-60-G | 60       | 1            | 4                | 14,947 | 13,774 |

## SOFT SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF    | -HP    |
|----------|---------|--------------|------------------|--------|--------|
| BJQ-42-G | 42 x 42 | 1            | 4                | 8,586  | -      |
| BJQ-48-G | 48 x 48 | 1            | 4                | 10,473 | -      |
| BJQ-54-G | 54 x 54 | 1            | 4                | 12,757 | 11,652 |
| BJQ-60-G | 60 x 60 | 1            | 4                | 14,947 | 13,774 |

## SQUARE TABLES

| MODEL #  | L x W   | TOP SECTIONS | SEATING CAPACITY | -WF    | -HP    |
|----------|---------|--------------|------------------|--------|--------|
| BJS-42-G | 42 x 42 | 1            | 4                | 8,586  | -      |
| BJS-48-G | 48 x 48 | 1            | 4                | 10,473 | -      |
| BJS-54-G | 54 x 54 | 1            | 4                | 12,757 | 11,652 |
| BJS-60-G | 60 x 60 | 1            | 4                | 14,947 | 13,774 |

## OPTIONS

### CODE

### PRICE

### NOTES

#### Polished Chrome Base Finish Options:

Wire Frame Base

-PCWFS

\$3,242

Hoop Base

-PCH4

\$5,147

#### Blackened Nickel Base Finish Options:

Wire Frame Base

-BNWFS

\$1,573

Hoop Base

-BNH4

\$5,147

#### Wire Frame Combination Finish Options:

Polished Chrome Wires with Blackened Nickel Posts

-TTS-BN

\$2,512

Polished Chrome Wires with Satin Chrome Posts

-TTS-BC

\$2,171

Polished Chrome Wires with Powder Coat Posts

-TTS-P

\$1,700

#### Satin Glass


Add -RSG

\$382

#### Power and Data Options

See pages 52-61

## EDGE PROFILE



Glass Edge Profile


## GENERAL INFORMATION

- Tops include a 1-1/8" thick sub-top with 3/16" deep hardwood edge band and 1/4" thick back-painted, low iron glass
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available





# VENEER TOP



SOFT RECTANGLE TOP

## EDGE PROFILE / BASE KEY

SURF EDGE PROFILE

SWF Wire Frame

SHP Hoop Base

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## SOFT RECTANGLE TABLES

| MODEL #     | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -SWF   | -SHP   | -WF    | -HP    |
|-------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|--------|--------|
| BJF-7242-V  | 72 x 42  | 1            | 2        | 6                           | 4                          | 11,614 | 10,248 | 8,835  | 7,469  |
| BJF-7842-V  | 78 x 42  | 1            | 2        | 6                           | 4                          | 12,818 | 11,358 | 9,697  | 8,237  |
| BJF-8442-V  | 84 x 42  | 1            | 2        | 8                           | 6                          | 13,215 | 11,755 | 9,946  | 8,486  |
| BJF-8448-V  | 84 x 48  | 1            | 2        | 8                           | 8                          | 14,427 | 12,916 | 10,738 | 9,227  |
| BJF-9042-V  | 90 x 42  | 1            | 2        | 8                           | 6                          | 14,320 | 12,783 | 10,725 | 9,188  |
| BJF-9048-V  | 90 x 48  | 1            | 2        | 8                           | 8                          | 15,666 | 14,077 | 11,601 | 10,012 |
| BJF-9642-V  | 96 x 42  | 1            | 2        | 8                           | 8                          | 14,737 | 13,201 | 10,987 | 9,451  |
| BJF-9648-V  | 96 x 48  | 1            | 2        | 8                           | 8                          | 16,154 | 14,565 | 11,905 | 10,316 |
| BJF-10242-V | 102 x 42 | 1            | 2        | 8                           | 8                          | 15,998 | 14,376 | 11,874 | 10,252 |
| BJF-10248-V | 102 x 48 | 1            | 2        | 8                           | 8                          | 17,568 | 15,890 | 12,889 | 11,211 |
| BJF-10842-V | 108 x 42 | 1            | 2        | 10                          | 8                          | 16,438 | 14,816 | 12,150 | 10,528 |
| BJF-10848-V | 108 x 48 | 1            | 2        | 10                          | 8                          | 18,084 | 16,407 | 13,210 | 11,533 |
| BJF-11442-V | 114 x 42 | 1            | 2        | 10                          | 8                          | 17,768 | 16,061 | 13,081 | 11,374 |
| BJF-11448-V | 114 x 48 | 1            | 2        | 10                          | 10                         | 19,579 | 17,813 | 14,244 | 12,478 |
| BJF-12042-V | 120 x 42 | 1            | 2        | 10                          | 10                         | 18,232 | 16,525 | 13,371 | 11,664 |
| BJF-12048-V | 120 x 48 | 1            | 2        | 10                          | 10                         | 20,123 | 18,357 | 14,583 | 12,817 |
| BJF-12054-V | 120 x 54 | 1            | 2        | 12                          | 10                         | -      | -      | 16,014 | 14,170 |
| BJF-13248-V | 132 x 48 | 2            | 2        | 10                          | 10                         | -      | -      | 15,895 | 14,056 |
| BJF-13254-V | 132 x 54 | 2            | 2        | 12                          | 10                         | -      | -      | 17,499 | 15,578 |
| BJF-14448-V | 144 x 48 | 2            | 2        | 12                          | 12                         | -      | -      | 17,264 | 15,351 |
| BJF-14454-V | 144 x 54 | 2            | 2        | 14                          | 12                         | -      | -      | 19,050 | 17,052 |
| BJF-14460-V | 144 x 60 | 2            | 2        | 14                          | 12                         | -      | -      | 21,136 | 19,032 |
| BJF-15654-V | 156 x 54 | 2            | 3        | 14                          | 10                         | -      | -      | 24,475 | 21,447 |
| BJF-15660-V | 156 x 60 | 2            | 3        | 14                          | 10                         | -      | -      | 26,950 | 23,762 |
| BJF-16854-V | 168 x 54 | 2            | 3        | 16                          | 10                         | -      | -      | 25,423 | 22,395 |
| BJF-16860-V | 168 x 60 | 2            | 3        | 16                          | 10                         | -      | -      | 28,039 | 24,850 |
| BJF-18054-V | 180 x 54 | 2            | 3        | 16                          | 14                         | -      | -      | 26,370 | 23,343 |
| BJF-18060-V | 180 x 60 | 2            | 3        | 16                          | 14                         | -      | -      | 29,128 | 25,939 |
| BJF-19254-V | 192 x 54 | 2            | 3        | 18                          | 14                         | -      | -      | 27,319 | 24,291 |
| BJF-19260-V | 192 x 60 | 2            | 3        | 18                          | 14                         | -      | -      | 30,216 | 27,028 |
| BJF-20454-V | 204 x 54 | 2            | 3        | 18                          | 14                         | -      | -      | 29,414 | 26,263 |
| BJF-20460-V | 204 x 60 | 2            | 3        | 18                          | 14                         | -      | -      | 32,576 | 29,258 |
| BJF-21654-V | 216 x 54 | 2            | 3        | 20                          | 14                         | -      | -      | 31,142 | 27,914 |
| BJF-21660-V | 216 x 60 | 2            | 3        | 20                          | 14                         | -      | -      | 34,531 | 31,131 |
| BJF-22854-V | 228 x 54 | 2            | 3        | 20                          | 18                         | -      | -      | 32,459 | 29,200 |
| BJF-22860-V | 228 x 60 | 2            | 3        | 20                          | 18                         | -      | -      | 36,031 | 32,600 |
| BJF-24054-V | 240 x 54 | 2            | 3        | 20                          | 18                         | -      | -      | 33,858 | 30,563 |
| BJF-24060-V | 240 x 60 | 2            | 3        | 20                          | 18                         | -      | -      | 37,624 | 34,154 |





# VENEER TOP

## OPTIONS

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILES



Surf Edge Profile



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish
- Choose Metal Finish. Clear Anodized (-CA) not available



# VENEER TOP



RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## RECTANGLE TABLES

| MODEL #     | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|-------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJT-7242-V  | 72 x 42  | 1            | 2        | 6                           | 4                          | 8,835  | 7,469  |
| BJT-7842-V  | 78 x 42  | 1            | 2        | 6                           | 4                          | 9,697  | 8,237  |
| BJT-8442-V  | 84 x 42  | 1            | 2        | 8                           | 6                          | 9,946  | 8,486  |
| BJT-8448-V  | 84 x 48  | 1            | 2        | 8                           | 8                          | 10,738 | 9,227  |
| BJT-9042-V  | 90 x 42  | 1            | 2        | 8                           | 6                          | 10,725 | 9,188  |
| BJT-9048-V  | 90 x 48  | 1            | 2        | 8                           | 8                          | 11,601 | 10,012 |
| BJT-9642-V  | 96 x 42  | 1            | 2        | 8                           | 8                          | 10,987 | 9,451  |
| BJT-9648-V  | 96 x 48  | 1            | 2        | 8                           | 8                          | 11,905 | 10,316 |
| BJT-10242-V | 102 x 42 | 1            | 2        | 8                           | 8                          | 11,874 | 10,252 |
| BJT-10248-V | 102 x 48 | 1            | 2        | 8                           | 8                          | 12,889 | 11,211 |
| BJT-10842-V | 108 x 42 | 1            | 2        | 10                          | 8                          | 12,150 | 10,528 |
| BJT-10848-V | 108 x 48 | 1            | 2        | 10                          | 8                          | 13,210 | 11,533 |
| BJT-11442-V | 114 x 42 | 1            | 2        | 10                          | 8                          | 13,081 | 11,374 |
| BJT-11448-V | 114 x 48 | 1            | 2        | 10                          | 10                         | 14,244 | 12,478 |
| BJT-12042-V | 120 x 42 | 1            | 2        | 10                          | 10                         | 13,371 | 11,664 |
| BJT-12048-V | 120 x 48 | 1            | 2        | 10                          | 10                         | 14,583 | 12,817 |
| BJT-12054-V | 120 x 54 | 1            | 2        | 12                          | 10                         | 16,014 | 14,170 |
| BJT-13248-V | 132 x 48 | 2            | 2        | 10                          | 10                         | 15,895 | 14,056 |
| BJT-13254-V | 132 x 54 | 2            | 2        | 12                          | 10                         | 17,499 | 15,578 |
| BJT-14448-V | 144 x 48 | 2            | 2        | 12                          | 12                         | 17,264 | 15,351 |
| BJT-14454-V | 144 x 54 | 2            | 2        | 14                          | 12                         | 19,050 | 17,052 |
| BJT-14460-V | 144 x 60 | 2            | 2        | 14                          | 12                         | 21,136 | 19,032 |
| BJT-15654-V | 156 x 54 | 2            | 3        | 14                          | 10                         | 24,475 | 21,447 |
| BJT-15660-V | 156 x 60 | 2            | 3        | 14                          | 10                         | 26,950 | 23,762 |
| BJT-16854-V | 168 x 54 | 2            | 3        | 16                          | 10                         | 25,423 | 22,395 |
| BJT-16860-V | 168 x 60 | 2            | 3        | 16                          | 10                         | 28,039 | 24,850 |
| BJT-18054-V | 180 x 54 | 2            | 3        | 16                          | 14                         | 26,370 | 23,343 |
| BJT-18060-V | 180 x 60 | 2            | 3        | 16                          | 14                         | 29,128 | 25,939 |
| BJT-19254-V | 192 x 54 | 2            | 3        | 18                          | 14                         | 27,319 | 24,291 |
| BJT-19260-V | 192 x 60 | 2            | 3        | 18                          | 14                         | 30,216 | 27,028 |
| BJT-20454-V | 204 x 54 | 2            | 3        | 18                          | 14                         | 29,414 | 26,263 |
| BJT-20460-V | 204 x 60 | 2            | 3        | 18                          | 14                         | 32,576 | 29,258 |
| BJT-21654-V | 216 x 54 | 2            | 3        | 20                          | 14                         | 31,142 | 27,914 |
| BJT-21660-V | 216 x 60 | 2            | 3        | 20                          | 14                         | 34,531 | 31,131 |
| BJT-22854-V | 228 x 54 | 2            | 3        | 20                          | 18                         | 32,459 | 29,200 |
| BJT-22860-V | 228 x 60 | 2            | 3        | 20                          | 18                         | 36,031 | 32,600 |
| BJT-24054-V | 240 x 54 | 2            | 3        | 20                          | 18                         | 33,858 | 30,563 |
| BJT-24060-V | 240 x 60 | 2            | 3        | 20                          | 18                         | 37,624 | 34,154 |



# VENEER TOP

## OPTIONS

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color


### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish
- Choose Metal Finish



# PLANK VENEER TOP



SOFT RECTANGLE TOP

## EDGE PROFILE / BASE KEY

SURF EDGE PROFILE

SWF Wire Frame

SHP Hoop Base

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## SOFT RECTANGLE TABLES

| MODEL #      | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -SWF   | -SHP   | -WF    | -HP    |
|--------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|--------|--------|
| BJF-7242-PW  | 72 x 42  | 1            | 2        | 6                           | 4                          | 13,357 | 11,786 | 10,161 | 8,590  |
| BJF-7842-PW  | 78 x 42  | 1            | 2        | 6                           | 4                          | 14,741 | 13,062 | 11,152 | 9,473  |
| BJF-8442-PW  | 84 x 42  | 1            | 2        | 8                           | 6                          | 15,198 | 13,519 | 11,438 | 9,759  |
| BJF-8448-PW  | 84 x 48  | 1            | 2        | 8                           | 8                          | 16,592 | 14,854 | 12,349 | 10,612 |
| BJF-9042-PW  | 90 x 42  | 1            | 2        | 8                           | 6                          | 16,468 | 14,701 | 12,334 | 10,567 |
| BJF-9048-PW  | 90 x 48  | 1            | 2        | 8                           | 8                          | 18,016 | 16,189 | 13,342 | 11,514 |
| BJF-9642-PW  | 96 x 42  | 1            | 2        | 8                           | 8                          | 16,948 | 15,182 | 12,636 | 10,869 |
| BJF-9648-PW  | 96 x 48  | 1            | 2        | 8                           | 8                          | 18,578 | 16,750 | 13,691 | 11,864 |
| BJF-10242-PW | 102 x 42 | 1            | 2        | 8                           | 8                          | 18,398 | 16,533 | 13,656 | 11,790 |
| BJF-10248-PW | 102 x 48 | 1            | 2        | 8                           | 8                          | 20,204 | 18,274 | 14,823 | 12,893 |
| BJF-10842-PW | 108 x 42 | 1            | 2        | 10                          | 8                          | 18,904 | 17,039 | 13,973 | 12,108 |
| BJF-10848-PW | 108 x 48 | 1            | 2        | 10                          | 8                          | 20,797 | 18,869 | 15,192 | 13,263 |
| BJF-11442-PW | 114 x 42 | 1            | 2        | 10                          | 8                          | 20,434 | 18,471 | 15,044 | 13,081 |
| BJF-11448-PW | 114 x 48 | 1            | 2        | 10                          | 10                         | 22,516 | 20,485 | 16,381 | 14,350 |
| BJF-12042-PW | 120 x 42 | 1            | 2        | 10                          | 10                         | 20,967 | 19,004 | 15,377 | 13,414 |
| BJF-12048-PW | 120 x 48 | 1            | 2        | 10                          | 10                         | 23,142 | 21,111 | 16,771 | 14,740 |
| BJF-12054-PW | 120 x 54 | 1            | 2        | 12                          | 10                         | -      | -      | 18,417 | 16,296 |
| BJF-13248-PW | 132 x 48 | 2            | 2        | 10                          | 10                         | -      | -      | 18,280 | 16,165 |
| BJF-13254-PW | 132 x 54 | 2            | 2        | 12                          | 10                         | -      | -      | 20,124 | 17,915 |
| BJF-14448-PW | 144 x 48 | 2            | 2        | 12                          | 12                         | -      | -      | 19,854 | 17,654 |
| BJF-14454-PW | 144 x 54 | 2            | 2        | 14                          | 12                         | -      | -      | 21,908 | 19,610 |
| BJF-14460-PW | 144 x 60 | 2            | 2        | 14                          | 12                         | -      | -      | 24,307 | 21,887 |
| BJF-15654-PW | 156 x 54 | 2            | 3        | 14                          | 10                         | -      | -      | 28,147 | 24,665 |
| BJF-15660-PW | 156 x 60 | 2            | 3        | 14                          | 10                         | -      | -      | 30,993 | 27,327 |
| BJF-16854-PW | 168 x 54 | 2            | 3        | 16                          | 10                         | -      | -      | 29,237 | 25,755 |
| BJF-16860-PW | 168 x 60 | 2            | 3        | 16                          | 10                         | -      | -      | 32,245 | 28,578 |
| BJF-18054-PW | 180 x 54 | 2            | 3        | 16                          | 14                         | -      | -      | 30,326 | 26,845 |
| BJF-18060-PW | 180 x 60 | 2            | 3        | 16                          | 14                         | -      | -      | 33,498 | 29,830 |
| BJF-19254-PW | 192 x 54 | 2            | 3        | 18                          | 14                         | -      | -      | 31,417 | 27,935 |
| BJF-19260-PW | 192 x 60 | 2            | 3        | 18                          | 14                         | -      | -      | 34,749 | 31,083 |
| BJF-20454-PW | 204 x 54 | 2            | 3        | 18                          | 14                         | -      | -      | 33,827 | 30,203 |
| BJF-20460-PW | 204 x 60 | 2            | 3        | 18                          | 14                         | -      | -      | 37,463 | 33,647 |
| BJF-21654-PW | 216 x 54 | 2            | 3        | 20                          | 14                         | -      | -      | 35,814 | 32,102 |
| BJF-21660-PW | 216 x 60 | 2            | 3        | 20                          | 14                         | -      | -      | 39,711 | 35,801 |
| BJF-22854-PW | 228 x 54 | 2            | 3        | 20                          | 18                         | -      | -      | 37,328 | 33,580 |
| BJF-22860-PW | 228 x 60 | 2            | 3        | 20                          | 18                         | -      | -      | 41,436 | 37,490 |
| BJF-24054-PW | 240 x 54 | 2            | 3        | 20                          | 18                         | -      | -      | 38,937 | 35,148 |
| BJF-24060-PW | 240 x 60 | 2            | 3        | 20                          | 18                         | -      | -      | 43,268 | 39,278 |



# PLANK VENEER TOP

## OPTIONS

### CODE

### PRICE

### NOTES

#### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

#### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

#### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

#### Center Column Finish Options:

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |




#### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |


\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

#### Power and Data Options


See pages 52-61



## EDGE PROFILES



Surf Edge Profile



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish. Clear Anodized (-CA) not available



# PLANK VENEER TOP



RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## RECTANGLE TABLES

| MODEL #      | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|--------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJT-7242-PW  | 72 x 42  | 1            | 2        | 6                           | 4                          | 10,161 | 8,590  |
| BJT-7842-PW  | 78 x 42  | 1            | 2        | 6                           | 4                          | 11,152 | 9,473  |
| BJT-8442-PW  | 84 x 42  | 1            | 2        | 8                           | 6                          | 11,438 | 9,759  |
| BJT-8448-PW  | 84 x 48  | 1            | 2        | 8                           | 8                          | 12,349 | 10,612 |
| BJT-9042-PW  | 90 x 42  | 1            | 2        | 8                           | 6                          | 12,334 | 10,567 |
| BJT-9048-PW  | 90 x 48  | 1            | 2        | 8                           | 8                          | 13,342 | 11,514 |
| BJT-9642-PW  | 96 x 42  | 1            | 2        | 8                           | 8                          | 12,636 | 10,869 |
| BJT-9648-PW  | 96 x 48  | 1            | 2        | 8                           | 8                          | 13,691 | 11,864 |
| BJT-10242-PW | 102 x 42 | 1            | 2        | 8                           | 8                          | 13,656 | 11,790 |
| BJT-10248-PW | 102 x 48 | 1            | 2        | 8                           | 8                          | 14,823 | 12,893 |
| BJT-10842-PW | 108 x 42 | 1            | 2        | 10                          | 8                          | 13,973 | 12,108 |
| BJT-10848-PW | 108 x 48 | 1            | 2        | 10                          | 8                          | 15,192 | 13,263 |
| BJT-11442-PW | 114 x 42 | 1            | 2        | 10                          | 8                          | 15,044 | 13,081 |
| BJT-11448-PW | 114 x 48 | 1            | 2        | 10                          | 10                         | 16,381 | 14,350 |
| BJT-12042-PW | 120 x 42 | 1            | 2        | 10                          | 10                         | 15,377 | 13,414 |
| BJT-12048-PW | 120 x 48 | 1            | 2        | 10                          | 10                         | 16,771 | 14,740 |
| BJT-12054-PW | 120 x 54 | 1            | 2        | 12                          | 10                         | 18,417 | 16,296 |
| BJT-13248-PW | 132 x 48 | 2            | 2        | 10                          | 10                         | 18,280 | 16,165 |
| BJT-13254-PW | 132 x 54 | 2            | 2        | 12                          | 10                         | 20,124 | 17,915 |
| BJT-14448-PW | 144 x 48 | 2            | 2        | 12                          | 12                         | 19,854 | 17,654 |
| BJT-14454-PW | 144 x 54 | 2            | 2        | 14                          | 12                         | 21,908 | 19,610 |
| BJT-14460-PW | 144 x 60 | 2            | 2        | 14                          | 12                         | 24,307 | 21,887 |
| BJT-15654-PW | 156 x 54 | 2            | 3        | 14                          | 10                         | 28,147 | 24,665 |
| BJT-15660-PW | 156 x 60 | 2            | 3        | 14                          | 10                         | 30,993 | 27,327 |
| BJT-16854-PW | 168 x 54 | 2            | 3        | 16                          | 10                         | 29,237 | 25,755 |
| BJT-16860-PW | 168 x 60 | 2            | 3        | 16                          | 10                         | 32,245 | 28,578 |
| BJT-18054-PW | 180 x 54 | 2            | 3        | 16                          | 14                         | 30,326 | 26,845 |
| BJT-18060-PW | 180 x 60 | 2            | 3        | 16                          | 14                         | 33,498 | 29,830 |
| BJT-19254-PW | 192 x 54 | 2            | 3        | 18                          | 14                         | 31,417 | 27,935 |
| BJT-19260-PW | 192 x 60 | 2            | 3        | 18                          | 14                         | 34,749 | 31,083 |
| BJT-20454-PW | 204 x 54 | 2            | 3        | 18                          | 14                         | 33,827 | 30,203 |
| BJT-20460-PW | 204 x 60 | 2            | 3        | 18                          | 14                         | 37,463 | 33,647 |
| BJT-21654-PW | 216 x 54 | 2            | 3        | 20                          | 14                         | 35,814 | 32,102 |
| BJT-21660-PW | 216 x 60 | 2            | 3        | 20                          | 14                         | 39,711 | 35,801 |
| BJT-22854-PW | 228 x 54 | 2            | 3        | 20                          | 18                         | 37,328 | 33,580 |
| BJT-22860-PW | 228 x 60 | 2            | 3        | 20                          | 18                         | 41,436 | 37,490 |
| BJT-24054-PW | 240 x 54 | 2            | 3        | 20                          | 18                         | 38,937 | 35,148 |
| BJT-24060-PW | 240 x 60 | 2            | 3        | 20                          | 18                         | 43,268 | 39,278 |



# PLANK VENEER TOP

## OPTIONS

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color


### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



# LAMINATE TOP WITH ABS EDGE



SOFT RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## SOFT RECTANGLE TABLES

| MODEL #      | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|--------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJF-7242-PA  | 72 x 42  | 1            | 2        | 6                           | 4                          | 7,952  | 6,723  |
| BJF-7842-PA  | 78 x 42  | 1            | 2        | 6                           | 4                          | 8,728  | 7,414  |
| BJF-8442-PA  | 84 x 42  | 1            | 2        | 8                           | 6                          | 8,952  | 7,638  |
| BJF-8448-PA  | 84 x 48  | 1            | 2        | 8                           | 8                          | 9,665  | 8,305  |
| BJF-9042-PA  | 90 x 42  | 1            | 2        | 8                           | 6                          | 9,653  | 8,270  |
| BJF-9048-PA  | 90 x 48  | 1            | 2        | 8                           | 8                          | 10,441 | 9,011  |
| BJF-9642-PA  | 96 x 42  | 1            | 2        | 8                           | 8                          | 9,889  | 8,506  |
| BJF-9648-PA  | 96 x 48  | 1            | 2        | 8                           | 8                          | 10,715 | 9,285  |
| BJF-10242-PA | 102 x 42 | 1            | 2        | 8                           | 8                          | 10,687 | 9,227  |
| BJF-10248-PA | 102 x 48 | 1            | 2        | 8                           | 8                          | 11,601 | 10,090 |
| BJF-10842-PA | 108 x 42 | 1            | 2        | 10                          | 8                          | 10,935 | 9,476  |
| BJF-10848-PA | 108 x 48 | 1            | 2        | 10                          | 8                          | 11,889 | 10,380 |
| BJF-11442-PA | 114 x 42 | 1            | 2        | 10                          | 8                          | 11,773 | 10,237 |
| BJF-11448-PA | 114 x 48 | 1            | 2        | 10                          | 10                         | 12,820 | 11,231 |
| BJF-12042-PA | 120 x 42 | 1            | 2        | 10                          | 10                         | 12,034 | 10,498 |
| BJF-12048-PA | 120 x 48 | 1            | 2        | 10                          | 10                         | 13,125 | 11,536 |
| BJF-12054-PA | 120 x 54 | 1            | 2        | 12                          | 10                         | 14,413 | 12,753 |
| BJF-13248-PA | 132 x 48 | 2            | 2        | 10                          | 10                         | 14,306 | 12,651 |
| BJF-13254-PA | 132 x 54 | 2            | 2        | 12                          | 10                         | 15,750 | 14,021 |
| BJF-14448-PA | 144 x 48 | 2            | 2        | 12                          | 12                         | 15,538 | 13,816 |
| BJF-14454-PA | 144 x 54 | 2            | 2        | 14                          | 12                         | 17,145 | 15,347 |
| BJF-14460-PA | 144 x 60 | 2            | 2        | 14                          | 12                         | 19,023 | 17,129 |
| BJF-15654-PA | 156 x 54 | 2            | 3        | 14                          | 10                         | 22,028 | 19,303 |
| BJF-15660-PA | 156 x 60 | 2            | 3        | 14                          | 10                         | 24,255 | 21,386 |
| BJF-16854-PA | 168 x 54 | 2            | 3        | 16                          | 10                         | 22,881 | 20,156 |
| BJF-16860-PA | 168 x 60 | 2            | 3        | 16                          | 10                         | 25,236 | 22,365 |
| BJF-18054-PA | 180 x 54 | 2            | 3        | 16                          | 14                         | 23,733 | 21,009 |
| BJF-18060-PA | 180 x 60 | 2            | 3        | 16                          | 14                         | 26,216 | 23,346 |
| BJF-19254-PA | 192 x 54 | 2            | 3        | 18                          | 14                         | 24,588 | 21,862 |
| BJF-19260-PA | 192 x 60 | 2            | 3        | 18                          | 14                         | 27,195 | 24,326 |
| BJF-20454-PA | 204 x 54 | 2            | 3        | 18                          | 14                         | 26,473 | 23,637 |
| BJF-20460-PA | 204 x 60 | 2            | 3        | 18                          | 14                         | 29,319 | 26,333 |
| BJF-21654-PA | 216 x 54 | 2            | 3        | 20                          | 14                         | 28,028 | 25,123 |
| BJF-21660-PA | 216 x 60 | 2            | 3        | 20                          | 14                         | 31,078 | 28,018 |
| BJF-22854-PA | 228 x 54 | 2            | 3        | 20                          | 18                         | 29,214 | 26,280 |
| BJF-22860-PA | 228 x 60 | 2            | 3        | 20                          | 18                         | 32,428 | 29,340 |
| BJF-24054-PA | 240 x 54 | 2            | 3        | 20                          | 18                         | 30,473 | 27,507 |
| BJF-24060-PA | 240 x 60 | 2            | 3        | 20                          | 18                         | 33,862 | 30,739 |





# LAMINATE TOP WITH ABS EDGE

## OPTIONS

## CODE

## PRICE

## NOTES

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |  |
|--|-------|-----------|--|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |  |
| Powder Coat Center Column Base*  | -BRP  | No Charge | Replaces existing middle base on Hoop Base |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |  |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.



# LAMINATE TOP WITH ABS EDGE



RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## RECTANGLE TABLES

| MODEL #      | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|--------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJT-7242-PA  | 72 x 42  | 1            | 2        | 6                           | 4                          | 7,952  | 6,723  |
| BJT-7842-PA  | 78 x 42  | 1            | 2        | 6                           | 4                          | 8,728  | 7,414  |
| BJT-8442-PA  | 84 x 42  | 1            | 2        | 8                           | 6                          | 8,952  | 7,638  |
| BJT-8448-PA  | 84 x 48  | 1            | 2        | 8                           | 8                          | 9,665  | 8,305  |
| BJT-9042-PA  | 90 x 42  | 1            | 2        | 8                           | 6                          | 9,653  | 8,270  |
| BJT-9048-PA  | 90 x 48  | 1            | 2        | 8                           | 8                          | 10,441 | 9,011  |
| BJT-9642-PA  | 96 x 42  | 1            | 2        | 8                           | 8                          | 9,889  | 8,506  |
| BJT-9648-PA  | 96 x 48  | 1            | 2        | 8                           | 8                          | 10,715 | 9,285  |
| BJT-10242-PA | 102 x 42 | 1            | 2        | 8                           | 8                          | 10,687 | 9,227  |
| BJT-10248-PA | 102 x 48 | 1            | 2        | 8                           | 8                          | 11,601 | 10,090 |
| BJT-10842-PA | 108 x 42 | 1            | 2        | 10                          | 8                          | 10,935 | 9,476  |
| BJT-10848-PA | 108 x 48 | 1            | 2        | 10                          | 8                          | 11,889 | 10,380 |
| BJT-11442-PA | 114 x 42 | 1            | 2        | 10                          | 8                          | 11,773 | 10,237 |
| BJT-11448-PA | 114 x 48 | 1            | 2        | 10                          | 10                         | 12,820 | 11,231 |
| BJT-12042-PA | 120 x 42 | 1            | 2        | 10                          | 10                         | 12,034 | 10,498 |
| BJT-12048-PA | 120 x 48 | 1            | 2        | 10                          | 10                         | 13,125 | 11,536 |
| BJT-12054-PA | 120 x 54 | 1            | 2        | 12                          | 10                         | 14,413 | 12,753 |
| BJT-13248-PA | 132 x 48 | 2            | 2        | 10                          | 10                         | 14,306 | 12,651 |
| BJT-13254-PA | 132 x 54 | 2            | 2        | 12                          | 10                         | 15,750 | 14,021 |
| BJT-14448-PA | 144 x 48 | 2            | 2        | 12                          | 12                         | 15,538 | 13,816 |
| BJT-14454-PA | 144 x 54 | 2            | 2        | 14                          | 12                         | 17,145 | 15,347 |
| BJT-14460-PA | 144 x 60 | 2            | 2        | 14                          | 12                         | 19,023 | 17,129 |
| BJT-15654-PA | 156 x 54 | 2            | 3        | 14                          | 10                         | 22,028 | 19,303 |
| BJT-15660-PA | 156 x 60 | 2            | 3        | 14                          | 10                         | 24,255 | 21,386 |
| BJT-16854-PA | 168 x 54 | 2            | 3        | 16                          | 10                         | 22,881 | 20,156 |
| BJT-16860-PA | 168 x 60 | 2            | 3        | 16                          | 10                         | 25,236 | 22,365 |
| BJT-18054-PA | 180 x 54 | 2            | 3        | 16                          | 14                         | 23,733 | 21,009 |
| BJT-18060-PA | 180 x 60 | 2            | 3        | 16                          | 14                         | 26,216 | 23,346 |
| BJT-19254-PA | 192 x 54 | 2            | 3        | 18                          | 14                         | 24,588 | 21,862 |
| BJT-19260-PA | 192 x 60 | 2            | 3        | 18                          | 14                         | 27,195 | 24,326 |
| BJT-20454-PA | 204 x 54 | 2            | 3        | 18                          | 14                         | 26,473 | 23,637 |
| BJT-20460-PA | 204 x 60 | 2            | 3        | 18                          | 14                         | 29,319 | 26,333 |
| BJT-21654-PA | 216 x 54 | 2            | 3        | 20                          | 14                         | 28,028 | 25,123 |
| BJT-21660-PA | 216 x 60 | 2            | 3        | 20                          | 14                         | 31,078 | 28,018 |
| BJT-22854-PA | 228 x 54 | 2            | 3        | 20                          | 18                         | 29,214 | 26,280 |
| BJT-22860-PA | 228 x 60 | 2            | 3        | 20                          | 18                         | 32,428 | 29,340 |
| BJT-24054-PA | 240 x 54 | 2            | 3        | 20                          | 18                         | 30,473 | 27,507 |
| BJT-24060-PA | 240 x 60 | 2            | 3        | 20                          | 18                         | 33,862 | 30,739 |



# LAMINATE TOP WITH ABS EDGE

## OPTIONS

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color


### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish



# INSET LAMINATE TOP WITH HARDWOOD EDGE



SOFT RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## SOFT RECTANGLE TABLES

| MODEL #     | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|-------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJF-7242-P  | 72 x 42  | 1            | 2        | 6                           | 4                          | 7,952  | 6,723  |
| BJF-7842-P  | 78 x 42  | 1            | 2        | 6                           | 4                          | 8,728  | 7,414  |
| BJF-8442-P  | 84 x 42  | 1            | 2        | 8                           | 6                          | 8,952  | 7,638  |
| BJF-8448-P  | 84 x 48  | 1            | 2        | 8                           | 8                          | 9,665  | 8,305  |
| BJF-9042-P  | 90 x 42  | 1            | 2        | 8                           | 6                          | 9,653  | 8,270  |
| BJF-9048-P  | 90 x 48  | 1            | 2        | 8                           | 8                          | 10,441 | 9,011  |
| BJF-9642-P  | 96 x 42  | 1            | 2        | 8                           | 8                          | 9,889  | 8,506  |
| BJF-9648-P  | 96 x 48  | 1            | 2        | 8                           | 8                          | 10,715 | 9,285  |
| BJF-10242-P | 102 x 42 | 1            | 2        | 8                           | 8                          | 10,687 | 9,227  |
| BJF-10248-P | 102 x 48 | 1            | 2        | 8                           | 8                          | 11,601 | 10,090 |
| BJF-10842-P | 108 x 42 | 1            | 2        | 10                          | 8                          | 10,935 | 9,476  |
| BJF-10848-P | 108 x 48 | 1            | 2        | 10                          | 8                          | 11,889 | 10,380 |
| BJF-11442-P | 114 x 42 | 1            | 2        | 10                          | 8                          | 11,773 | 10,237 |
| BJF-11448-P | 114 x 48 | 1            | 2        | 10                          | 10                         | 12,820 | 11,231 |
| BJF-12042-P | 120 x 42 | 1            | 2        | 10                          | 10                         | 12,034 | 10,498 |
| BJF-12048-P | 120 x 48 | 1            | 2        | 10                          | 10                         | 13,125 | 11,536 |
| BJF-12054-P | 120 x 54 | 1            | 2        | 12                          | 10                         | 14,413 | 12,753 |
| BJF-13248-P | 132 x 48 | 2            | 2        | 10                          | 10                         | 14,306 | 12,651 |
| BJF-13254-P | 132 x 54 | 2            | 2        | 12                          | 10                         | 15,750 | 14,021 |
| BJF-14448-P | 144 x 48 | 2            | 2        | 12                          | 12                         | 15,538 | 13,816 |
| BJF-14454-P | 144 x 54 | 2            | 2        | 14                          | 12                         | 17,145 | 15,347 |
| BJF-14460-P | 144 x 60 | 2            | 2        | 14                          | 12                         | 19,023 | 17,129 |
| BJF-15654-P | 156 x 54 | 2            | 3        | 14                          | 10                         | 22,028 | 19,303 |
| BJF-15660-P | 156 x 60 | 2            | 3        | 14                          | 10                         | 24,255 | 21,386 |
| BJF-16854-P | 168 x 54 | 2            | 3        | 16                          | 10                         | 22,881 | 20,156 |
| BJF-16860-P | 168 x 60 | 2            | 3        | 16                          | 10                         | 25,236 | 22,365 |
| BJF-18054-P | 180 x 54 | 2            | 3        | 16                          | 14                         | 23,733 | 21,009 |
| BJF-18060-P | 180 x 60 | 2            | 3        | 16                          | 14                         | 26,216 | 23,346 |
| BJF-19254-P | 192 x 54 | 2            | 3        | 18                          | 14                         | 24,588 | 21,862 |
| BJF-19260-P | 192 x 60 | 2            | 3        | 18                          | 14                         | 27,195 | 24,326 |
| BJF-20454-P | 204 x 54 | 2            | 3        | 18                          | 14                         | 26,473 | 23,637 |
| BJF-20460-P | 204 x 60 | 2            | 3        | 18                          | 14                         | 29,319 | 26,333 |
| BJF-21654-P | 216 x 54 | 2            | 3        | 20                          | 14                         | 28,028 | 25,123 |
| BJF-21660-P | 216 x 60 | 2            | 3        | 20                          | 14                         | 31,078 | 28,018 |
| BJF-22854-P | 228 x 54 | 2            | 3        | 20                          | 18                         | 29,214 | 26,280 |
| BJF-22860-P | 228 x 60 | 2            | 3        | 20                          | 18                         | 32,428 | 29,340 |
| BJF-24054-P | 240 x 54 | 2            | 3        | 20                          | 18                         | 30,473 | 27,507 |
| BJF-24060-P | 240 x 60 | 2            | 3        | 20                          | 18                         | 33,862 | 30,739 |



# INSET LAMINATE TOP WITH HARDWOOD EDGE

## OPTIONS

## CODE

## PRICE

## NOTES

### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

### Center Column Finish Options:

|  |       |           |  |
|--|-------|-----------|--|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |  |
| Powder Coat Center Column Base*  | -BRP  | No Charge | Replaces existing middle base on Hoop Base |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |  |




### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose Veneer
- Choose Metal Finish. Clear Anodized (-CA) not available.



# INSET LAMINATE TOP WITH HARDWOOD EDGE



RECTANGLE TOP

## EDGE PROFILE / BASE KEY

CREST EDGE PROFILE

WF Wire Frame

HP Hoop Base

## RECTANGLE TABLES

| MODEL #     | L x W    | TOP SECTIONS | BASE QTY | WIRE FRAME SEATING CAPACITY | HOOP BASE SEATING CAPACITY | -WF    | -HP    |
|-------------|----------|--------------|----------|-----------------------------|----------------------------|--------|--------|
| BJT-7242-P  | 72 x 42  | 1            | 2        | 6                           | 4                          | 7,952  | 6,723  |
| BJT-7842-P  | 78 x 42  | 1            | 2        | 6                           | 4                          | 8,728  | 7,414  |
| BJT-8442-P  | 84 x 42  | 1            | 2        | 8                           | 6                          | 8,952  | 7,638  |
| BJT-8448-P  | 84 x 48  | 1            | 2        | 8                           | 8                          | 9,665  | 8,305  |
| BJT-9042-P  | 90 x 42  | 1            | 2        | 8                           | 6                          | 9,653  | 8,270  |
| BJT-9048-P  | 90 x 48  | 1            | 2        | 8                           | 8                          | 10,441 | 9,011  |
| BJT-9642-P  | 96 x 42  | 1            | 2        | 8                           | 8                          | 9,889  | 8,506  |
| BJT-9648-P  | 96 x 48  | 1            | 2        | 8                           | 8                          | 10,715 | 9,285  |
| BJT-10242-P | 102 x 42 | 1            | 2        | 8                           | 8                          | 10,687 | 9,227  |
| BJT-10248-P | 102 x 48 | 1            | 2        | 8                           | 8                          | 11,601 | 10,090 |
| BJT-10842-P | 108 x 42 | 1            | 2        | 10                          | 8                          | 10,935 | 9,476  |
| BJT-10848-P | 108 x 48 | 1            | 2        | 10                          | 8                          | 11,889 | 10,380 |
| BJT-11442-P | 114 x 42 | 1            | 2        | 10                          | 8                          | 11,773 | 10,237 |
| BJT-11448-P | 114 x 48 | 1            | 2        | 10                          | 10                         | 12,820 | 11,231 |
| BJT-12042-P | 120 x 42 | 1            | 2        | 10                          | 10                         | 12,034 | 10,498 |
| BJT-12048-P | 120 x 48 | 1            | 2        | 10                          | 10                         | 13,125 | 11,536 |
| BJT-12054-P | 120 x 54 | 1            | 2        | 12                          | 10                         | 14,413 | 12,753 |
| BJT-13248-P | 132 x 48 | 2            | 2        | 10                          | 10                         | 14,306 | 12,651 |
| BJT-13254-P | 132 x 54 | 2            | 2        | 12                          | 10                         | 15,750 | 14,021 |
| BJT-14448-P | 144 x 48 | 2            | 2        | 12                          | 12                         | 15,538 | 13,816 |
| BJT-14454-P | 144 x 54 | 2            | 2        | 14                          | 12                         | 17,145 | 15,347 |
| BJT-14460-P | 144 x 60 | 2            | 2        | 14                          | 12                         | 19,023 | 17,129 |
| BJT-15654-P | 156 x 54 | 2            | 3        | 14                          | 10                         | 22,028 | 19,303 |
| BJT-15660-P | 156 x 60 | 2            | 3        | 14                          | 10                         | 24,255 | 21,386 |
| BJT-16854-P | 168 x 54 | 2            | 3        | 16                          | 10                         | 22,881 | 20,156 |
| BJT-16860-P | 168 x 60 | 2            | 3        | 16                          | 10                         | 25,236 | 22,365 |
| BJT-18054-P | 180 x 54 | 2            | 3        | 16                          | 14                         | 23,733 | 21,009 |
| BJT-18060-P | 180 x 60 | 2            | 3        | 16                          | 14                         | 26,216 | 23,346 |
| BJT-19254-P | 192 x 54 | 2            | 3        | 18                          | 14                         | 24,588 | 21,862 |
| BJT-19260-P | 192 x 60 | 2            | 3        | 18                          | 14                         | 27,195 | 24,326 |
| BJT-20454-P | 204 x 54 | 2            | 3        | 18                          | 14                         | 26,473 | 23,637 |
| BJT-20460-P | 204 x 60 | 2            | 3        | 18                          | 14                         | 29,319 | 26,333 |
| BJT-21654-P | 216 x 54 | 2            | 3        | 20                          | 14                         | 28,028 | 25,123 |
| BJT-21660-P | 216 x 60 | 2            | 3        | 20                          | 14                         | 31,078 | 28,018 |
| BJT-22854-P | 228 x 54 | 2            | 3        | 20                          | 18                         | 29,214 | 26,280 |
| BJT-22860-P | 228 x 60 | 2            | 3        | 20                          | 18                         | 32,428 | 29,340 |
| BJT-24054-P | 240 x 54 | 2            | 3        | 20                          | 18                         | 30,473 | 27,507 |
| BJT-24060-P | 240 x 60 | 2            | 3        | 20                          | 18                         | 33,862 | 30,739 |



# INSET LAMINATE TOP WITH HARDWOOD EDGE

## OPTIONS

### CODE

### PRICE

### NOTES

#### Polished Chrome Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

#### Blackened Nickel Base Finish Options:

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

#### Wire Frame Combination Finish Options:

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

#### Center Column Finish Options:

|  |       |           |  |
|--|-------|-----------|--|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |  |
| Powder Coat Center Column Base*  | -BRP  | No Charge | Replaces existing middle base on Hoop Base |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |  |




#### Multi-Section Tops:

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

#### Power and Data Options

See pages 52-61



## EDGE PROFILE



Crest Edge Profile

## GENERAL INFORMATION

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color


### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish



# GLASS TOP



SOFT RECTANGLE TOP

## EDGE PROFILE / BASE KEY

GLASS EDGE PROFILE

WF Wire Frame

HP Hoop Base

## SOFT RECTANGLE TABLES

| MODEL #     | L x W    | SUB-TOP<br>SECTIONS | GLASS TOP<br>SECTIONS | BASE<br>QTY | WIRE FRAME<br>SEATING<br>CAPACITY | HOOP BASE<br>SEATING<br>CAPACITY | -WF    | -HP    |
|-------------|----------|---------------------|-----------------------|-------------|-----------------------------------|----------------------------------|--------|--------|
| BJF-7242-G  | 72 x 42  | 1                   | 1                     | 2           | 6                                 | 4                                | 11,614 | 10,248 |
| BJF-7842-G  | 78 x 42  | 1                   | 1                     | 2           | 6                                 | 4                                | 12,818 | 11,358 |
| BJF-8442-G  | 84 x 42  | 1                   | 1                     | 2           | 8                                 | 6                                | 13,215 | 11,755 |
| BJF-8448-G  | 84 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 14,427 | 12,916 |
| BJF-9042-G  | 90 x 42  | 1                   | 1                     | 2           | 8                                 | 6                                | 14,320 | 12,783 |
| BJF-9048-G  | 90 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 15,666 | 14,077 |
| BJF-9642-G  | 96 x 42  | 1                   | 1                     | 2           | 8                                 | 8                                | 14,737 | 13,201 |
| BJF-9648-G  | 96 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 16,154 | 14,565 |
| BJF-10242-G | 102 x 42 | 1                   | 2                     | 2           | 8                                 | 8                                | 15,998 | 14,376 |
| BJF-10248-G | 102 x 48 | 1                   | 2                     | 2           | 8                                 | 8                                | 17,568 | 15,890 |
| BJF-10842-G | 108 x 42 | 1                   | 2                     | 2           | 10                                | 8                                | 16,438 | 14,816 |
| BJF-10848-G | 108 x 48 | 1                   | 2                     | 2           | 10                                | 8                                | 18,084 | 16,407 |
| BJF-11442-G | 114 x 42 | 1                   | 2                     | 2           | 10                                | 8                                | 17,768 | 16,061 |
| BJF-11448-G | 114 x 48 | 1                   | 2                     | 2           | 10                                | 10                               | 19,579 | 17,813 |
| BJF-12042-G | 120 x 42 | 1                   | 2                     | 2           | 10                                | 10                               | 18,232 | 16,525 |
| BJF-12048-G | 120 x 48 | 1                   | 2                     | 2           | 10                                | 10                               | 20,123 | 18,357 |
| BJF-12054-G | 120 x 54 | 1                   | 2                     | 2           | 12                                | 10                               | 22,335 | 20,491 |
| BJF-13248-G | 132 x 48 | 2                   | 3                     | 2           | 10                                | 10                               | 22,093 | 20,254 |
| BJF-13254-G | 132 x 54 | 2                   | 3                     | 2           | 12                                | 10                               | 24,585 | 22,664 |
| BJF-14448-G | 144 x 48 | 2                   | 3                     | 2           | 12                                | 12                               | 24,154 | 22,241 |
| BJF-14454-G | 144 x 54 | 2                   | 3                     | 2           | 14                                | 12                               | 26,941 | 24,943 |
| BJF-14460-G | 144 x 60 | 2                   | 3                     | 2           | 14                                | 12                               | 30,179 | 28,075 |
| BJF-15654-G | 156 x 54 | 2                   | 3                     | 3           | 14                                | 10                               | 32,974 | 29,946 |
| BJF-15660-G | 156 x 60 | 2                   | 3                     | 3           | 14                                | 10                               | 36,703 | 33,515 |
| BJF-16854-G | 168 x 54 | 2                   | 3                     | 3           | 16                                | 10                               | 34,448 | 31,420 |
| BJF-16860-G | 168 x 60 | 2                   | 3                     | 3           | 16                                | 10                               | 38,408 | 35,219 |
| BJF-18054-G | 180 x 54 | 2                   | 3                     | 3           | 16                                | 14                               | 35,923 | 32,896 |
| BJF-18060-G | 180 x 60 | 2                   | 3                     | 3           | 16                                | 14                               | 40,113 | 36,924 |
| BJF-19254-G | 192 x 54 | 2                   | 4                     | 3           | 18                                | 14                               | 37,398 | 34,370 |
| BJF-19260-G | 192 x 60 | 2                   | 4                     | 3           | 18                                | 14                               | 41,818 | 38,630 |
| BJF-20454-G | 204 x 54 | 2                   | 4                     | 3           | 18                                | 14                               | 40,451 | 37,300 |
| BJF-20460-G | 204 x 60 | 2                   | 4                     | 3           | 18                                | 14                               | 45,290 | 41,972 |
| BJF-21654-G | 216 x 54 | 2                   | 4                     | 3           | 20                                | 14                               | 43,010 | 39,782 |
| BJF-21660-G | 216 x 60 | 2                   | 4                     | 3           | 20                                | 14                               | 48,213 | 44,813 |
| BJF-22854-G | 228 x 54 | 2                   | 4                     | 3           | 20                                | 18                               | 45,006 | 41,747 |
| BJF-22860-G | 228 x 60 | 2                   | 4                     | 3           | 20                                | 18                               | 50,506 | 47,075 |
| BJF-24054-G | 240 x 54 | 2                   | 4                     | 3           | 20                                | 18                               | 47,121 | 43,826 |
| BJF-24060-G | 240 x 60 | 2                   | 4                     | 3           | 20                                | 18                               | 52,934 | 49,464 |





## GLASS TOP

## OPTIONS

## CODE

## PRICE

## NOTES

**Polished Chrome Base Finish Options:**

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

**Blackened Nickel Base Finish Options:**

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

**Wire Frame Combination Finish Options:**

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

**Center Column Finish Options:**

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |

**Satin Glass Options:**

|                  |          |         |
|------------------|----------|---------|
| 72"-96" Tables   | Add -BSG | \$632   |
| 102"-132" Tables | Add -BSG | \$842   |
| 144"-180" Tables | Add -BSG | \$1,055 |



**Multi-Section Tops:**

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |


\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

**Power and Data Options**


See pages 52-61



-BRP or -PCCB



-BRP or -PCCB

**EDGE PROFILE**

Glass Edge Profile

**GENERAL INFORMATION**

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color

**REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)**

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.



# GLASS TOP



RECTANGLE TOP

## EDGE PROFILE / BASE KEY

GLASS EDGE PROFILE

WF Wire Frame

HP Hoop Base

## RECTANGLE TABLES

| MODEL #     | L x W    | SUB-TOP<br>SECTIONS | GLASS TOP<br>SECTIONS | BASE<br>QTY | WIRE FRAME<br>SEATING<br>CAPACITY | HOOP BASE<br>SEATING<br>CAPACITY | -WF    | -HP    |
|-------------|----------|---------------------|-----------------------|-------------|-----------------------------------|----------------------------------|--------|--------|
| BJT-7242-G  | 72 x 42  | 1                   | 1                     | 2           | 6                                 | 4                                | 11,614 | 10,248 |
| BJT-7842-G  | 78 x 42  | 1                   | 1                     | 2           | 6                                 | 4                                | 12,818 | 11,358 |
| BJT-8442-G  | 84 x 42  | 1                   | 1                     | 2           | 8                                 | 6                                | 13,215 | 11,755 |
| BJT-8448-G  | 84 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 14,427 | 12,916 |
| BJT-9042-G  | 90 x 42  | 1                   | 1                     | 2           | 8                                 | 6                                | 14,320 | 12,783 |
| BJT-9048-G  | 90 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 15,666 | 14,077 |
| BJT-9642-G  | 96 x 42  | 1                   | 1                     | 2           | 8                                 | 8                                | 14,737 | 13,201 |
| BJT-9648-G  | 96 x 48  | 1                   | 1                     | 2           | 8                                 | 8                                | 16,154 | 14,565 |
| BJT-10242-G | 102 x 42 | 1                   | 2                     | 2           | 8                                 | 8                                | 15,998 | 14,376 |
| BJT-10248-G | 102 x 48 | 1                   | 2                     | 2           | 8                                 | 8                                | 17,568 | 15,890 |
| BJT-10842-G | 108 x 42 | 1                   | 2                     | 2           | 10                                | 8                                | 16,438 | 14,816 |
| BJT-10848-G | 108 x 48 | 1                   | 2                     | 2           | 10                                | 8                                | 18,084 | 16,407 |
| BJT-11442-G | 114 x 42 | 1                   | 2                     | 2           | 10                                | 8                                | 17,768 | 16,061 |
| BJT-11448-G | 114 x 48 | 1                   | 2                     | 2           | 10                                | 10                               | 19,579 | 17,813 |
| BJT-12042-G | 120 x 42 | 1                   | 2                     | 2           | 10                                | 10                               | 18,232 | 16,525 |
| BJT-12048-G | 120 x 48 | 1                   | 2                     | 2           | 10                                | 10                               | 20,123 | 18,357 |
| BJT-12054-G | 120 x 54 | 1                   | 2                     | 2           | 12                                | 10                               | 22,335 | 20,491 |
| BJT-13248-G | 132 x 48 | 2                   | 3                     | 2           | 10                                | 10                               | 22,093 | 20,254 |
| BJT-13254-G | 132 x 54 | 2                   | 3                     | 2           | 12                                | 10                               | 24,585 | 22,664 |
| BJT-14448-G | 144 x 48 | 2                   | 3                     | 2           | 12                                | 12                               | 24,154 | 22,241 |
| BJT-14454-G | 144 x 54 | 2                   | 3                     | 2           | 14                                | 12                               | 26,941 | 24,943 |
| BJT-14460-G | 144 x 60 | 2                   | 3                     | 2           | 14                                | 12                               | 30,179 | 28,075 |
| BJT-15654-G | 156 x 54 | 2                   | 3                     | 3           | 14                                | 10                               | 32,974 | 29,946 |
| BJT-15660-G | 156 x 60 | 2                   | 3                     | 3           | 14                                | 10                               | 36,703 | 33,515 |
| BJT-16854-G | 168 x 54 | 2                   | 3                     | 3           | 16                                | 10                               | 34,448 | 31,420 |
| BJT-16860-G | 168 x 60 | 2                   | 3                     | 3           | 16                                | 10                               | 38,408 | 35,219 |
| BJT-18054-G | 180 x 54 | 2                   | 3                     | 3           | 16                                | 14                               | 35,923 | 32,896 |
| BJT-18060-G | 180 x 60 | 2                   | 3                     | 3           | 16                                | 14                               | 40,113 | 36,924 |
| BJT-19254-G | 192 x 54 | 2                   | 4                     | 3           | 18                                | 14                               | 37,398 | 34,370 |
| BJT-19260-G | 192 x 60 | 2                   | 4                     | 3           | 18                                | 14                               | 41,818 | 38,630 |
| BJT-20454-G | 204 x 54 | 2                   | 4                     | 3           | 18                                | 14                               | 40,451 | 37,300 |
| BJT-20460-G | 204 x 60 | 2                   | 4                     | 3           | 18                                | 14                               | 45,290 | 41,972 |
| BJT-21654-G | 216 x 54 | 2                   | 4                     | 3           | 20                                | 14                               | 43,010 | 39,782 |
| BJT-21660-G | 216 x 60 | 2                   | 4                     | 3           | 20                                | 14                               | 48,213 | 44,813 |
| BJT-22854-G | 228 x 54 | 2                   | 4                     | 3           | 20                                | 18                               | 45,006 | 41,747 |
| BJT-22860-G | 228 x 60 | 2                   | 4                     | 3           | 20                                | 18                               | 50,506 | 47,075 |
| BJT-24054-G | 240 x 54 | 2                   | 4                     | 3           | 20                                | 18                               | 47,121 | 43,826 |
| BJT-24060-G | 240 x 60 | 2                   | 4                     | 3           | 20                                | 18                               | 52,934 | 49,464 |



## GLASS TOP

## OPTIONS

## CODE

## PRICE

## NOTES

**Polished Chrome Base Finish Options:**

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -PCH2    | \$4,260 |
| (3) Hoop Bases            | -PCH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -PCWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -PCWFR-2 | \$4,437 |

**Blackened Nickel Base Finish Options:**

|                           |          |         |
|---------------------------|----------|---------|
| (2) Hoop Bases            | -BNH2    | \$4,260 |
| (3) Hoop Bases            | -BNH3    | \$6,390 |
| Wire Frame Base 72"-132"  | -BNWFR-1 | \$2,664 |
| Wire Frame Base 144"-240" | -BNWFR-2 | \$4,437 |

**Wire Frame Combination Finish Options:**

|   |         |         |
|---|---------|---------|
| Polished Chrome Wires with Blackened Nickel Posts | -TTR-BN | \$2,763 |
| Polished Chrome Wires with Satin Chrome Posts     | -TTR-BC | \$2,892 |
| Polished Chrome Wires with Powder Coat Posts      | -TTR-P  | \$2,554 |

**Center Column Finish Options:**

|  |       |           |
|--|-------|-----------|
| Polished Chrome Center Column Base   | -PCCB | \$1,422   |
| Powder Coat Center Column Base*  | -BRP  | No Charge |
| *When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2) |       |           |

**Satin Glass Options:**

|                  |          |         |
|------------------|----------|---------|
| 72"-96" Tables   | Add -BSG | \$632   |
| 102"-132" Tables | Add -BSG | \$842   |
| 144"-180" Tables | Add -BSG | \$1,055 |





**Multi-Section Tops:**

|  |              |         |
|--|--------------|---------|
| 102", 108", 114" and 120" one-piece tops split into two sections | Specify -2** | \$916   |
| 204", 216", 228" or 240" two-piece tops split into four sections | Specify -4   | \$1,831 |

\*\*Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified with this option.

**Power and Data Options**

See pages 52-61

**EDGE PROFILE**

Glass Edge Profile

**GENERAL INFORMATION**

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black
- If selecting Blackened Nickel base finish, choose Storm for Wire Management color


**REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)**

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.



# POWER AND DATA OPTIONS

| POWER MATRIX SMALL  | MODEL # | DESCRIPTION        | W x D     | SIMPLEX OUTLETS | BLANK | DATA* | PRICE |
|---|---------|--------------------|-----------|-----------------|-------|-------|-------|
|  | PM-SM-G | Small - Glass Door | 6 x 5.375 | 2               | 2     | 1     | 1,489 |
|   | PM-SM-M | Small - Metal Door | 6 x 5.375 | 2               | 2     | 1     | 1,489 |
|   | PM-SM-W | Small - Wood Door  | 6 x 5.375 | 2               | 2     | 1     | 1,878 |

\*Each data faceplate includes two RJ-45 (Data) connectors

| OPTIONS                                | CODE                | PRICE                | NOTES  |
|--|---------------------|----------------------|--|
| 4 Simplex Receptacles                  | Add <b>-FOUR</b>    | No Charge            | Replace AAP's with 2 additional simplex receptacles  |
| 3 Simplex Receptacles/Charging USB-A+C | Add <b>-THREE-C</b> | No Charge            | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C  |
| USB-A+C Charging                       | Add <b>-USB-C</b>   | \$116 per unit       | USB-A+C charger, replaces one of the simplex outlets   |
| Polished Chrome Door                   | Add <b>-PD</b>      | \$223 per unit       | Only available with metal door option  |
| Polished Chrome Bezel                  | Add <b>-PB</b>      | \$317 per unit       | Only available on glass and laminate top tables  |
| Field-Wired                            | Add <b>-FW</b>      | Deduct \$43 per unit | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |
| Single Infeed Option Available         | See page 60         |                      |  |

## GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" thick, metal doors are 1/8" thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate or glass tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 60


### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose location code & quantity from the chart on page 54
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate and glass tables



# POWER AND DATA OPTIONS

| POWER MATRIX MEDIUM   | MODEL # | DESCRIPTION         | W x D    | SIMPLEX OUTLETS | BLANK | DATA* | PRICE |
|---|---------|---------------------|----------|-----------------|-------|-------|-------|
|  | PM-MD-G | Medium - Glass Door | 6 x 8.25 | 4               | 3     | 1     | 2,347 |
|   | PM-MD-M | Medium - Metal Door | 6 x 8.25 | 4               | 3     | 1     | 2,345 |
|   | PM-MD-W | Medium - Wood Door  | 6 x 8.25 | 4               | 3     | 1     | 2,739 |

\*Each data faceplate includes two RJ-45 (Data) connectors

| OPTIONS                        | CODE              | PRICE                | NOTES  |
|--------------------------------|-------------------|----------------------|--|
| USB-A+C Charging               | Add <b>-USB-C</b> | \$116 per unit       | USB-A+C charger, replaces one of the simplex outlets   |
| Polished Chrome Door           | Add <b>-PD</b>    | \$301 per unit       | Only available with metal door option  |
| Polished Chrome Bezel          | Add <b>-PB</b>    | \$354 per unit       | Only available on glass and laminate top tables  |
| Field-Wired                    | Add <b>-FW</b>    | Deduct \$43 per unit | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |
| Single Infeed Option Available | See page 60       |                      |  |

## GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Four simplex receptacles, two RJ-45 data connectors and three single blank faceplates
- When specified on tables with laminate, glass or stone/quartz tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 60

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose location code & quantity from the chart on page 54
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate and glass tables



# POWER AND DATA OPTIONS

| LOCATION CODES | POWER MATRIX SMALL | POWER MATRIX MEDIUM | LOCATION                          | QUANTITY OF UNITS TO ORDER |
|----------------|--------------------|---------------------|-----------------------------------|----------------------------|
| PS-1           | PM-1               |                     | One at center                     | 1                          |
| PS-2           | PM-2               |                     | One at each end                   | 2                          |
| PS-3           | PM-3               |                     | One at center and one at each end | 3                          |
| PS-4           | PM-4               |                     | Four equally spaced               | 4                          |

## DOOR MATERIAL AND LOCATION AVAILABILITY BY TABLE SIZE

W = Wood Door      G = Glass Door      M = Metal Door

| Length | Veneer & Laminate<br>Top Sections | Glass<br>Top Sections | Power Matrix Small |       |       |       | Power Matrix Medium |       |       |       |
|--------|-----------------------------------|-----------------------|--------------------|-------|-------|-------|---------------------|-------|-------|-------|
|        |                                   |                       | 1                  | 1     | PS-3  | PS-4  | PM-1                | PM-2  | PM-3  | PM-4  |
| 42     | 1                                 | 1                     | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 48     | 1                                 | 1                     | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 54     | 1                                 | 1                     | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 60     | 1                                 | 1                     | W/G/M              | -     | -     | -     | W/G/M               | -     | -     | -     |
| 72     | 1                                 | 1                     | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 78     | 1                                 | 1                     | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 84     | 1                                 | 1                     | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 90     | 1                                 | 1                     | W/G/M              | W/G/M | -     | -     | W/G/M               | W/G/M | -     | -     |
| 96     | 1                                 | 1                     | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 102    | 1                                 | 2                     | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 102    | 2                                 | 2                     | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 108    | 1                                 | 2                     | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 108    | 2                                 | 2                     | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 114    | 1                                 | 2                     | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 114    | 2                                 | 2                     | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 120    | 1                                 | 2                     | W/G/M              | W/G/M | W/G/M | -     | W/G/M               | W/G/M | W/G/M | -     |
| 120    | 2                                 | 2                     | -                  | W/G/M | -     | -     | -                   | W/G/M | -     | -     |
| 132    | 2                                 | 3                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 144    | 2                                 | 3                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 156    | 2                                 | 3                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 168    | 2                                 | 3                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 180    | 2                                 | 3                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 192    | 2                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 192    | 4                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 204    | 2                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 204    | 4                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 216    | 2                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 216    | 4                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 228    | 2                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 228    | 4                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 240    | 2                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |
| 240    | 4                                 | 4                     | -                  | W/G/M | -     | W/G/M | -                   | W/G/M | -     | W/G/M |




# POWER AND DATA OPTIONS

| SINGLE INFEED OPTION | MODEL # | DESCRIPTION                             | PRICE |
|----------------------|---------|---|-------|
|                      | SI-H    | Single In-Feed Option, Hard-wired       | 553   |
|                      | SI-C    | Single In-Feed Option, Corded (Plug-in) | 668   |

## GENERAL INFORMATION

- Tables 48"-96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option

| RETRACTORS  | MODEL #    | DESCRIPTION            | PRICE |
|---|------------|------------------------|-------|
|  | CR-CAT6    | CAT6 Retractor         | 907   |
|   | CR-HDMI    | HDMI Retractor         | 907   |
|   | CR-DISPLAY | Display Port Retractor | 907   |
|   | CR-USB     | Data USB Retractor     | 907   |


CR-HDMI

## GENERAL INFORMATION

- Mounting bracket and attaching hardware included with each retractor
- Not available on square, round or soft square tables
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP



# POWER AND DATA OPTIONS

| TECH NODE  | MODEL #    | W X D | SIMPLEX RECEPTACLES | OPEN DATA PORTS | CHARGING USB-A+C | PRICE |
|--|------------|-------|---------------------|-----------------|------------------|-------|
| <br>PUP | PUP        | 8 x 4 | 2                   | 2               | -                | 543   |
|  | PUP-USB-AC | 8 x 4 | 2                   | 1               | 1                | 647   |



| OPTIONS     | CODE           | PRICE     | NOTES  |
|-------------|----------------|-----------|--|
| Field-Wired | Add <b>-FW</b> | No Charge | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |

## GENERAL INFORMATION

- 12' cord and a 15 amp plug-in power infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- PUP defaults to color of metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- UL Listed

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose location code and quantity from chart on page 57



| POWER SPEC  | MODEL #  | DESCRIPTION                            | PRICE |
|---|----------|--|-------|
| <br>PWR-R-W   | PWR-R-B  | Round Power Spec with Black Faceplate  | 116   |
|   | PWR-R-W  | Round Power Spec with White Faceplate  | 116   |
| <br>PWR-SQ-W | PWR-SQ-B | Square Power Spec with Black Faceplate | 116   |
|   | PWR-SQ-W | Square Power Spec with White Faceplate | 116   |

## GENERAL INFORMATION

- Includes one simplex receptable
- 12' cord

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

| USB SPEC   | MODEL #   | DESCRIPTION                           | PRICE |
|--|-----------|---------------------------------------|-------|
| <br>USBC-R-W  | USBC-R-B  | Round Data Spec with Black Faceplate  | 243   |
|  | USBC-R-W  | Round Data Spec with White Faceplate  | 243   |
| <br>USBC-SQ-W | USBC-SQ-B | Square Data Spec with Black Faceplate | 243   |
|  | USBC-SQ-W | Square Data Spec with White Faceplate | 243   |

## GENERAL INFORMATION

- Includes one charging USB-A+C
- 6' cord

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)






# POWER AND DATA OPTIONS

| GROMMET   | MODEL #  | DESCRIPTION   | DIAMETER      | PRICE |
|---|--|---------------|---------------|-------|
|  | GR   | Round Grommet | 2" Dia        | 220   |
|   | OPTIONS  | CODE          | PRICE         | NOTES |
|   | Polished Chrome Grommet  | Add -PCG      | \$86 per unit |       |
|   | GENERAL INFORMATION  |               |               |       |
|   | ▪ Available at center location only  |               |               |       |
|   | <b>REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)</b><br>See appendix pages vi-vii for surface material options.<br>▪ Choose Metal Finish: Powder Coat, Clear Anodized or Polished Chrome (upcharge applies) |               |               |       |

| LOCATION CODES | TECH<br>NODE | POWER<br>SPEC | USB<br>SPEC | ROUND<br>GROMMET | LOCATION                          | QUANTITY OF<br>UNITS TO ORDER |
|----------------|--------------|---------------|-------------|------------------|-----------------------------------|-------------------------------|
|                | TN-1         | SP-1          | SP-1        | G-1              | One at center                     | 1                             |
|                | TN-2         | SP-2          | SP-2        |                  | One at each end                   | 2                             |
|                | TN-3         | SP-3          | SP-3        |                  | One at center and one at each end | 3                             |
|                | TN-4         | SP-4          | SP-4        |                  | Four equally spaced               | 4                             |

# POWER AND DATA OPTIONS

| HARDWIRE INFEED<br>POWER RAIL KIT                                    | MODEL #      | TOTAL #<br>OF RAILS | ELECTRICAL<br>OUTLETS | (2) SIMPLEX<br>-S2 | ELECTRICAL<br>OUTLETS | (1) SIMPLEX /<br>(1) CHARGING USB<br>-S3 |
|--|--------------|---------------------|-----------------------|--------------------|-----------------------|--|
| (Includes Power Rails, Hardwire Infeed and Modular Power Components) | BJ-RAIL-1-H  | 1                   | 2                     | 1,331              | 1                     | 1,331                                    |
|  | BJ-RAIL-2-H  | 2                   | 4                     | 2,114              | 2                     | 2,114                                    |
|  | BJ-RAIL-3-H  | 3                   | 6                     | 2,895              | 3                     | 2,895                                    |
|  | BJ-RAIL-4-H  | 4                   | 8                     | 3,677              | 4                     | 3,677                                    |
|  | BJ-RAIL-5-H  | 5                   | 10                    | 4,459              | 5                     | 4,459                                    |
|  | BJ-RAIL-6-H  | 6                   | 12                    | 5,239              | 6                     | 5,239                                    |
|  | BJ-RAIL-7-H  | 7                   | 14                    | 6,019              | 7                     | 6,019                                    |
|  | BJ-RAIL-8-H  | 8                   | 16                    | 6,800              | 8                     | 6,800                                    |
|  | BJ-RAIL-9-H  | 9                   | 18                    | 7,583              | 9                     | 7,583                                    |
|  | BJ-RAIL-10-H | 10                  | 20                    | 8,365              | 10                    | 8,365                                    |
|  | BJ-RAIL-11-H | 11                  | 22                    | 9,145              | 11                    | 9,145                                    |
|  | BJ-RAIL-12-H | 12                  | 24                    | 9,926              | 12                    | 9,926                                    |



-S2



-S3

## GENERAL INFORMATION


- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.

- Choose Metal Finish

| CORDED INFEED<br>POWER RAIL KIT                                    | MODEL #      | TOTAL #<br>OF RAILS | ELECTRICAL<br>OUTLETS | (2) SIMPLEX<br>-S2 | ELECTRICAL<br>OUTLETS | (1) SIMPLEX /<br>(1) CHARGING USB<br>-S3 |
|--|--------------|---------------------|-----------------------|--------------------|-----------------------|--|
| (Includes Power Rails, Corded Infeed and Modular Power Components) | BJ-RAIL-1-C  | 1                   | 2                     | 1,448              | 1                     | 1,448                                    |
|  | BJ-RAIL-2-C  | 2                   | 4                     | 2,232              | 2                     | 2,232                                    |
|  | BJ-RAIL-3-C  | 3                   | 6                     | 3,012              | 3                     | 3,012                                    |
|  | BJ-RAIL-4-C  | 4                   | 8                     | 3,792              | 4                     | 3,792                                    |
|  | BJ-RAIL-5-C  | 5                   | 10                    | 4,573              | 5                     | 4,573                                    |
|  | BJ-RAIL-6-C  | 6                   | 12                    | 5,357              | 6                     | 5,357                                    |
|  | BJ-RAIL-7-C  | 7                   | 14                    | 6,138              | 7                     | 6,138                                    |
|  | BJ-RAIL-8-C  | 8                   | 16                    | 6,918              | 8                     | 6,918                                    |
|  | BJ-RAIL-9-C  | 9                   | 18                    | 7,699              | 9                     | 7,699                                    |
|  | BJ-RAIL-10-C | 10                  | 20                    | 8,481              | 10                    | 8,481                                    |
|  | BJ-RAIL-11-C | 11                  | 22                    | 9,264              | 11                    | 9,264                                    |
|  | BJ-RAIL-12-C | 12                  | 24                    | 10,044             | 12                    | 10,044                                   |



-S2



-S3

## GENERAL INFORMATION

- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

| DATA RAIL | MODEL #      | DESCRIPTION   | PRICE |
|-----------|--------------|---|-------|
|           | BJ-RAIL-DATA | Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate | 604   |



BJ-RAIL-DATA

## GENERAL INFORMATION

- Data Rails not available in Clear or Black Anodized

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.

- Choose Metal Finish




# POWER AND DATA OPTIONS

| FIELD-WIRED | MODEL # | DESCRIPTION | (2) SIMPLEX<br>-S2 | (1) SIMPLEX / (1) CHARGING USB<br>-S3 |
|-------------|---------|-------------|--------------------|---------------------------------------|
|-------------|---------|-------------|--------------------|---------------------------------------|



-S2



-S3

BJ-RAIL-FW

Field-Wired Power Rail

695

695

## GENERAL INFORMATION


- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TW-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

| INDIVIDUAL POWER RAIL | MODEL # | DESCRIPTION | (2) SIMPLEX<br>-S2 | (1) SIMPLEX / (1) CHARGING USB<br>-S3 |
|-----------------------|---------|-------------|--------------------|---------------------------------------|
|-----------------------|---------|-------------|--------------------|---------------------------------------|



-S2



-S3

BJ-RAIL

Power Rail

783

783

## GENERAL INFORMATION

- Individual power rails do not include a modular power system. Each Power Rail must directly plug into a floor core with a 6'-cabled 15-amp plug-in infeed. (Typically used with smaller tables, rounds, squares, soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



# POWER AND DATA OPTIONS

| SINGLE INFEED OPTION | MODEL # | DESCRIPTION                             | PRICE |
|----------------------|---------|---|-------|
|                      | SI-H    | Single In-Feed Option, Hard-wired       | 553   |
|                      | SI-C    | Single In-Feed Option, Corded (Plug-in) | 668   |


## GENERAL INFORMATION

- Tables 48" - 96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option

| DATA FACEPLATES | MODEL # | DESCRIPTION  | STYLE  | W x H         | PRICE |
|-----------------|---------|--|--------|---------------|-------|
|                 | FLDF-1  | Blank faceplate, single height   | Single | 3-1/2 x 5/8   | 74    |
|                 | FLDF-2  | One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs | Single | 3-1/2 x 5/8   | 259   |
|                 | FLDF-3  | One VGA 15-pin HD Female to Female Gender Changer  | Single | 3-1/2 x 5/8   | 203   |
|                 | FLDF-4  | One RJ-11 Female to Punch Down - Phone   | Single | 3-1/2 x 5/8   | 203   |
|                 | FLDF-5  | One RJ-45 Female to Female Barrel - Data   | Single | 3-1/2 x 5/8   | 166   |
|                 | FLDF-6  | Two RJ-45 Female to Female Barrels, single height  | Single | 3-1/2 x 5/8   | 223   |
|                 | FLDF-7  | Two RJ-45 Female to Punch Down for CAT 6 - AMP   | Single | 3-1/2 x 5/8   | 315   |
|                 | FLDF-8  | Two RJ-45 Female to Punch Down for CAT 6 - Leviton   | Single | 3-1/2 x 5/8   | 315   |
|                 | FLDF-10 | Two RJ-45 Female to Punch Down for CAT 6 - Panduit   | Single | 3-1/2 x 5/8   | 315   |
|                 | FLDF-11 | Two USB A Female to Two USB A Female on 10" Pigtails   | Single | 3-1/2 x 5/8   | 352   |
|                 | FLDF-12 | Blank faceplate, double height   | Double | 3-1/2 x 1-3/8 | 92    |
|                 | FLDF-13 | Two RJ-45 Female to Female Barrels, double height  | Double | 3-1/2 x 1-3/8 | 223   |
|                 | FLDF-14 | Cable Pass-Through Set - one top, one bottom   | Double | 3-1/2 x 1-3/8 | 389   |
|                 | FLDF-15 | One HDMI Female to Female Barrel   | Single | 3-1/2 x 5/8   | 259   |

## GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each BJ-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black

| CHARGING TRAC   | MODEL # | TOTAL BRACKETS | # OF USB PORTS | PRICE |
|---|---------|----------------|----------------|-------|
|  | TRAC-2  | 2              | 4              | 2,019 |
|   | TRAC-4  | 4              | 8              | 3,406 |

## GENERAL INFORMATION

- Plug-in Infeed only
- Field Installed
- 15 amp

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



# POWER AND DATA OPTIONS

| WIRE MANAGER   | MODEL #  | DESCRIPTION             | PRICE |
|--|----------|-------------------------|-------|
|  | HPWM     | Hoop Base Wire Manager  | 396   |
|  | WFWM     | Wire Frame Wire Manager | 364   |
|  |          |                         |       |
| OPTIONS  | CODE     | PRICE                   | NOTES |
| Polished Chrome Finish   | Add -PCF | \$470                   |       |
| <b>GENERAL INFORMATION</b> <ul style="list-style-type: none"> <li>If selecting Blackened Nickel base finish, choose Storm for Wire Management color</li> </ul>   |          |                         |       |
| <b>REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)</b><br>See appendix pages vi-vii for surface material options. <ul style="list-style-type: none"> <li>Choose Metal Finish</li> </ul> |          |                         |       |

| METAL WIRE CHASE COLUMN  | MODEL #   | DESCRIPTION       | PRICE |
|--|-----------|-------------------|-------|
|  | BICB-P    | Wire Chase Column | 1,138 |
|  |           |                   |       |
| OPTIONS  | CODE      | PRICE             | NOTES |
| Polished Chrome Finish   | Add -PCCB | \$1,422           |       |
| <b>GENERAL INFORMATION</b> <ul style="list-style-type: none"> <li>To be used with (2) base tables (Not intended as a center support)</li> <li>Wire management opening is 9.75" x 6.375"</li> <li>Cannot be specified on 72"-long tables</li> </ul> |           |                   |       |
| <b>REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)</b><br>See appendix pages vi-vii for surface material options. <ul style="list-style-type: none"> <li>Choose Metal Finish</li> </ul>                                   |           |                   |       |

| TECH ZONE  | MODEL #    | DESCRIPTION   | SIMPLEX OUTLETS | OPEN DATA PORTS | CHARGING USB-A+C | PRICE |
|--|------------|---|-----------------|-----------------|------------------|-------|
|  | ZONE-DATA  | (2) Simplex receptacles, (2) Open data ports                      | 2               | 2               | -                | 341   |
|  | ZONE-USB-C | (2) Simplex receptacles, (1) Charging USB-A+C, (1) Open data port | 2               | 1               | 1                | 408   |
|  |            |   |                 |                 |                  |       |
|  |            |   |                 |                 |                  |       |
| <b>GENERAL INFORMATION</b> <ul style="list-style-type: none"> <li>72" long plug-in infeed cord</li> <li>Finish is black</li> <li>Includes a Voice/Data Adapter Kit to accept couplers and jacks when required</li> </ul> |            |   |                 |                 |                  |       |



# Appendix

---



# GENERAL INFORMATION

This price book supercedes all previous versions.

**Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.**

## Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

**Minimum Freight Charge: Any order below \$2,800 net will be assessed a \$450 net minimum freight charge (one per order).**

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

## Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

## Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

## Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

## Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

**Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.**

## Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

## Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



# GENERAL INFORMATION

## Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

## Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

## Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
  - Textiles
  - Electrical Components
  - Refrigeration Units
  - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

**Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.**

## Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

## Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

## iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to [www.nucraft.com/ispec](http://www.nucraft.com/ispec).





# FINISH INFORMATION

## Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

## Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,975 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

## Treatments

**Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.**

**Gloss:** Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

**Matte:** Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

## About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

## Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



# FINISH INFORMATION

## Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

## Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1975.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

## Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

## Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

## Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

## Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

## Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

## Touch Up Finish Kits

| Model # | Description | Price |
|---------|-------------|-------|
| KIT-M   | Metal Kit   | 80    |
| KIT-P   | Paint Kit   | 80    |
| KIT-S   | Stain Kit   | 80    |

## REQUIRED INFORMATION:

### (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

## General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



## WOOD FINISHES

### STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

|                     | Matte        | Gloss      |
|---------------------|--------------|------------|
| <b>Ash</b>          |              |            |
| Blanco              | <b>M44</b>   | G44        |
| Char                | <b>M50</b>   | G50        |
| <b>Rift Cut Oak</b> |              |            |
| Carbon              | M03          | <b>G03</b> |
| <b>Flat Cut Oak</b> |              |            |
| Dune                | <b>M05</b>   | G05        |
| Portobello          | <b>M7413</b> | G7413      |
| <b>Flaky Oak</b>    |              |            |
| Sahara              | <b>M61</b>   | G61        |
| <b>Cherry</b>       |              |            |
| Cognac              | M21          | <b>G21</b> |
| Auburn              | M93          | <b>G93</b> |
| <b>Walnut</b>       |              |            |
| Marron              | <b>M35</b>   | G35        |
| Mocha               | <b>M33</b>   | G33        |
| Zinc                | M30          | <b>G30</b> |
| Onyx                | M82          | <b>G82</b> |
| Otter               | M31          | <b>G31</b> |
| <b>Maple</b>        |              |            |
| Natural Maple       | M60          | <b>G60</b> |
| <b>Linea</b>        |              |            |
| Oak Linea           | <b>M08</b>   | G08        |
| Walnut Linea        | <b>M27</b>   | G27        |
| Euro Birch Linea    | <b>M09</b>   | G09        |
| Silver Birch Linea  | M10          | <b>G10</b> |
| <b>Paldao</b>       |              |            |
| Thicket             | <b>M75</b>   | G75        |
| Paldao              | <b>M76</b>   | G76        |
| Canyon              | M77          | <b>G77</b> |

### PLANK

Plank offers dramatic variations in veneer leaf color, length, and natural characteristics; it simulates randomly matched veneers

|                     | Matte | Gloss      |
|---------------------|-------|------------|
| <b>Plank Walnut</b> |       |            |
| Clear Coat          | M38   | <b>G38</b> |

## METAL FINISHES

### Powder Coat

|              |       |
|--------------|-------|
| Aged Bronze  | A8010 |
| Black        | A44   |
| Burnished    | A8009 |
| Cloud        | A8004 |
| Foil         | A8006 |
| Galaxy       | A8007 |
| Satin Bronze | A8011 |
| Shadow       | A8005 |
| Storm        | A8012 |

### Metal

|                   |     |
|-------------------|-----|
| Blackened Nickel* | ABN |
| Clear Anodized    | CA  |
| Polished Chrome*  | PC  |
| Satin Chrome*     | SC  |

\*Up-Charge applies. See specific product line pages for availability and details.

## PAINTS

|              |        |
|--------------|--------|
| Aged Bronze  | S8010  |
| Black        | S44    |
| Burnished    | S88    |
| Cloud        | S8004  |
| Foil         | S8006  |
| Galaxy       | S8007  |
| Oyster       | HS8003 |
| Satin Bronze | S8011  |
| Shadow       | S8005  |
| Moonlight    | S87    |
| Shadow       | S8005  |
| Storm        | S8012  |

### Paint to Match

To request a custom paint color, contact NuCraft Customer Service. A paint sample must be matched and approved prior to order.

## GLASS (SATIN OR GLOSS)

Note: Due to color variation inherent in the natural acid etching process, Satin Etched Glass is not available on tables longer than 180" or wider than 60"

|       | Satin | Gloss |
|-------|-------|-------|
| Black | BS    | -     |
| Clove | VS    | VG    |



|          |    |    |
|----------|----|----|
| Meringue | MS | MG |
| Quill    | QS | QG |
| White    | WS | WG |

## LAMINATES

|   | Code    | Coordinating Wood Finish | Suggested ABS Edgeband Coordinate |
|---|---------|--------------------------|-----------------------------------|
| <b>Wood Grain Laminates<sup>§</sup></b> |         |                          |                                   |
| Formica White Ash                       | 8841-58 | M8841                    | R02, R01                          |
| Formica Natural Ash                     | 8843-58 | M8843                    | R02                               |
| Formica Aged Ash                        | 8844-58 | M8844                    | R04                               |
| Formica Weathered Ash                   | 8842-58 | M8842                    | R05                               |
| Formica Oiled Legno                     | 8846-58 | M8846                    | R05                               |
| Formica Bleached Legno                  | 8845-58 | M8845                    | R0                                |
| Formica Blackened Legno                 | 8848-58 | M8848                    | R05                               |
| Formica Urban Planked Oak               | 9312-58 | M9312                    | R04                               |
| Formica Thermo Walnut                   | 6402-58 | M6402                    | R04                               |
| Formica Smoky Brown Pear                | 5488-58 | M5488                    | R05                               |
| Formica Espresso Pear                   | 5489-58 | M5489                    | R05                               |
| Formica White Knotty Maple              | 7410-58 | M7410                    | R02                               |
| Formica Sand Maple                      | 9237-58 | G60                      | R02                               |
| Formica Planked Coffee Oak              | 7413-58 | M7413                    | R05                               |

<sup>§</sup>Not available on multiple piece conference tables

## Wood Grain Laminates Suitable for Multiple Piece Conference Tables

|                           |         |       |     |
|---------------------------|---------|-------|-----|
| Formica Pecan Woodline    | 5883-58 | M5883 | R04 |
| Formica Chestnut Woodline | 5884-58 | M5884 | R05 |

## Solid Laminates

|                     |         |     |
|---------------------|---------|-----|
| Formica Brite White | 459-58  | R01 |
| Formica Dover White | 7197-58 | R01 |
| Formica Pearl       | 934-58  | R02 |
| Formica Graystone   | 464-58  | R02 |
| Formica Folkstone   | 927-58  | R03 |
| Formica Graphite    | 837-58  | R05 |

## Patterned Laminates

|                          |         |     |
|--------------------------|---------|-----|
| Nevamar Cool Chic        | VA7002T | R02 |
| Nevamar Serene Stardom   | VA5001T | R05 |
| Nevamar Calm Distinction | VA6001T | R05 |
| Nevamar Easy Elegance    | VA5002T | R05 |
| Wilsonart Sheer Mesh     | 4876-38 | R02 |
| Wilsonart Grey Mesh      | 4877-38 | R02 |
| Wilsonart Pewter Mesh    | 4878-38 | R05 |

## ABS FINISHES

|           |     |
|-----------|-----|
| Ashen     | R04 |
| Parchment | R02 |
| Shale     | R05 |
| Stone     | R03 |
| Whitecap  | R01 |