

**FLEET™**

# GSA Planning Guide + Price List

---

## QUICK LINKS

[PLANNING GUIDE](#)

[FLEET PRICING](#)

[POWER AND DATA OPTIONS](#)

[GENERAL INFORMATION](#)

[FINISH INFORMATION](#)


[SURFACE MATERIALS](#)



# TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi-vii
Statement of Line	3
Planning Guide	4-12
C-Leg Tables	13-16
T-Leg Tables	17-22
Connecting Tops	23
Accessories	24
Power and Data Options	25-28






# STATEMENT OF LINE

## STATIONARY TABLES

---

Pages 13-14,17-18,21




Rectangle


## NESTING TABLES

---

Pages 15-16,19-20, 22



C-Leg



T-Leg

## CONNECTING TOPS

---

Page 23




# LEG DESIGN STYLES AND MODESTY PANEL

## LEGS

- Two design styles:
  - C-Leg
  - T-Leg
    - Edge-Mount: Allows users to be seated along the long sides of the table and provides maximum leg space
    - Inset-Mount: Allows users to sit around all four sides of a table (offered only on larger table sizes). Legs are inset 13-1/2" from the table edge.
- Tables are standard with four locking casters
- Optional glides feature 1-1/4" of vertical adjustment
- Casters and glides are the same price and can be retrofitted in the field
- The vertical section of each leg includes a wire management channel along the inside surface. A removable cap hides cables running from the floor.


C-Leg



Casters

Glides

T-Leg



Casters

Glides


Leg Placement



C-Leg



T-Leg (Edge-Mount)



T-Leg (Inset-Mount)


Wire Management Channel




## MODESTY PANEL

- The modesty panel is hinged, allowing it to swivel when the top is flipped up (on Nesting tables).
- The modesty panel is inset 1-1/2" from each end of the table, flush with the outer edge of the leg, creating a minimal visual gap between modesty panels in ganged applications.
- Two material options:
  - Wood
  - Metal - when powder coated legs are specified, the metal modesty panel will match the finish of the legs; when High Polish legs are specified, the metal modesty panel will be Clear Anodized.

With Modesty Panel



Without Modesty Panel








# NESTING AND GANGING CONNECTOR

## NESTING

- Provides one-handed operation to flip the table top upward for dense storage when tables are not in use.
- Top rotates upward with pneumatic assistance for enhanced ergonomics.
- Available on both C-Leg and T-Leg tables.
- Nesting tables feature an offset nest; see illustrations to determine the dimensions of the tables while nested.




Offset nesting dimensions are the same for both C-Leg and T-Leg tables. (T-Leg Shown)



## GANGING CONNECTOR (OPTIONAL)

- Optional on all tables
- Allows ganging end-to-end, front-to-front and front-to-end.
- All tables ship with the necessary threaded inserts in the underside of the table to accept the ganging mechanism. This allows the ganging mechanism to be added to the table in the field.





# TECHNOLOGY ACCOMMODATION

## WIRE MANAGEMENT CHANNEL

The vertical section of each leg includes a wire management channel along the inside surface. A removable cap hides cables running from the floor.

## WIRE TROUGH


This cross rail between the legs can provide the means of supplying power to the table top power options listed on the next page or, for those customers who do not want connectivity to occur on the table top, can provide a location for making connections beneath the table top. There are two power options for this location:

### Plug Strip


- Inexpensive, flexible means of providing power outlets

### Two-Circuit Modular Power System


- 4-wire, 2-circuit modular system (20 amps)
- Transfers power between adjacent tables from a single point of entry
- Hardwired or direct plug infeed options. Power infeeds must be ordered separately.
- All components, except the direct plug infeed, are UL and cULus listed and meet NEC requirements; the direct plug infeed is not UL listed but does meet NEC standards.
- Each table ships with two duplex receptacles, as well as one jumper to connect to an adjacent table. Power infeeds must be ordered separately.




Plug Strip



Modular Power



20-Amp Plug-In Infeed



Hardwire Infeed




# TABLE TOP POWER OPTIONS

For easy access to power & data connectivity, the power options available here include:

## Power Matrix Compact

- Single door design
- Wood, glass and metal lids
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (data) connectors.


Power Matrix Compact



## Grommet

- 2" Removable metal cap
- Mounted flush to the table top


Grommet




## Tech Node

- Clear Anodized Aluminum
- Fluid one touch accessibility
- Overall dimensions - 4-7/16" x 8-5/16"
- Power: - 2 simplex receptacles
  - 12' 15-Amp plug-in power infeed (3' cord when specified with two-circuit modular power system)
  - UL Listed
- Voice/Data: Up to two mounting locations (includes adaptor kits)
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- Optional powered USB


Tech Node



Tech Node - Open Front View



Tech Node - Open Side View



All electrical components are UL listed.

## Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors. Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

## Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	<a href="http://www.tycoelectronics.com">www.tycoelectronics.com</a>
Avaya	1-866-462-8292	<a href="http://www.avaya.com">www.avaya.com</a>
Leviton	1-800-722-2082	<a href="http://www.leviton.com">www.leviton.com</a>
Panduit	1-800-777-3300	<a href="http://www.panduit.com">www.panduit.com</a>
Siemon	1-860-945-4200	<a href="http://www.siemon.com">www.siemon.com</a>

# TABLE TOP POWER OPTION: POWER MATRIX

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

## POWER

Power Matrix features two simplex receptacles for power connectivity. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired infeed options add flexibility.

## DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

## DESIGN


Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

## PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic.

## DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.






# TABLE TOP POWER OPTION: POWER MATRIX

## STANDARD CONFIGURATION

Power Matrix is offered with a pre-determined quantity of simplex outlets and AV faceplates. An optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.



### Compact

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates and one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord




## DIMENSIONS

The compact Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit.



## FIELD-WIRED

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' conduit with hot, ground and neutral wires.







# POWER LOCATION OPTIONS


## Grommet, Tech Node and Power Matrix Locations

### Rectangle


#### Grommet and Tech Node - C-Leg Tables





#### Grommet and Tech Node - Edge-Mount T-Leg Tables




#### Grommet and Tech Node - Inset-Mount T-Leg Tables



#### Power Matrix - C-Leg Tables



#### Power Matrix - T-Leg Tables (Not available on 24"-deep or Inset T-Leg Nesting Tables)






# FREESTANDING POWER: CHARGING CUBE AND TECH ZONE

## CHARGING CUBE

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.


- Two 4 amp USB-A fast charging ports
- One 4 amp USB-C smart charging port
- 11,600 mAh battery capacity
- Charges completely in 4 hours



Charging Cube - Top View




Charging Cube - Side View




## TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.


Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.



Tech Zone - Side View



ZONE-USB



ZONE-DATA



### ZONE-USB

Includes two simplex receptacles, one data port and one dual charging USB-A charging port

### ZONE-DATA

Includes two simplex receptacles and two open data ports




# FREESTANDING POWER: CHARGING STAND


## BATTERY-POWERED CHARGING STAND

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand  
Side View



Battery-Powered Charging Stand  
Top View



## CORDED CHARGING STAND

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

### STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

### STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

### STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand  
Side View



Corded Charging Stand  
Top View



## Base Plate Configuration Options



STAND-1C



STAND-3C




STAND-4C





# C-LEG / STATIONARY TABLES



C-LEG STATIONARY TABLE

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## C-LEG // STATIONARY TABLE

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-2042-CS	20	42	1,892	2,119	2,310
FLR-2048-CS	20	48	1,951	2,195	2,398
FLR-2054-CS	20	54	2,011	2,269	2,487
FLR-2060-CS	20	60	2,069	2,344	2,573
FLR-2066-CS	20	66	2,128	2,420	2,662
FLR-2072-CS	20	72	2,188	2,494	2,751
FLR-2442-CS	24	42	1,975	2,225	2,433
FLR-2448-CS	24	48	2,046	2,314	2,538
FLR-2454-CS	24	54	2,115	2,403	2,645
FLR-2460-CS	24	60	2,188	2,494	2,751
FLR-2466-CS	24	66	2,259	2,584	2,857
FLR-2472-CS	24	72	2,329	2,674	2,962
FLR-3042-CS	30	42	2,098	2,383	2,618
FLR-3048-CS	30	48	2,188	2,494	2,751
FLR-3054-CS	30	54	2,276	2,607	2,883
FLR-3060-CS	30	60	2,365	2,719	3,016
FLR-3066-CS	30	66	2,455	2,831	3,147
FLR-3072-CS	30	72	2,540	2,945	3,278

## OPTIONS

### CODE

### PRICE

### NOTES

#### Metal Modesty Panel Options:

42" Long	-MM42	\$441
48" Long	-MM48	\$462
54" Long	-MM54	\$482
60" Long	-MM60	\$505
66" Long	-MM66	\$528
72" Long	-MM72	\$551

#### Wood Modesty Panel Options:

42" Long	-WM42	\$571
48" Long	-WM48	\$603
54" Long	-WM54	\$630
60" Long	-WM60	\$795
66" Long	-WM66	\$829
72" Long	-WM72	\$862

Glides  
Ganging Connectors

Add -GB  
Add -GC

No Charge  
Add \$227 per table  
Add \$380 per table

- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections

High Polish Leg Finish

Add -HPF


Add \$380 per table

#### Wire Trough Power and Data Options


Modular Power System	Add -MOD	Add \$423 per table	- Includes two duplex receptacles per table and one jumper to connect to adjacent table - Power infeed must be specified separately (see page 25)
Plug Strip	Add -PLUG	Add \$150 per table	

#### Table Top Power and Data Options:

See pages 25-28



Glides  
-GB



Ganging Connector  
-GC

## EDGE PROFILES



ABS EDGE  
-3MP



SQUARE EDGE  
-SQP or -SQ



# C-LEG / STATIONARY TABLES

## GENERAL INFORMATION

---

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy leg have Black casters)

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.


#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

# C-LEG / NESTING TABLES



C-LEG NESTING TABLES

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## C-LEG // NESTING TABLE

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-2042-CN	20	42	2,634	2,863	3,053
FLR-2048-CN	20	48	2,693	2,938	3,140
FLR-2054-CN	20	54	2,753	3,013	3,230
FLR-2060-CN	20	60	2,812	3,086	3,316
FLR-2066-CN	20	66	2,871	3,162	3,406
FLR-2072-CN	20	72	2,930	3,237	3,494
FLR-2442-CN	24	42	2,718	2,966	3,176
FLR-2448-CN	24	48	2,788	3,058	3,282
FLR-2454-CN	24	54	2,859	3,147	3,387
FLR-2460-CN	24	60	2,930	3,237	3,494
FLR-2466-CN	24	66	3,001	3,328	3,599
FLR-2472-CN	24	72	3,074	3,418	3,705
FLR-3042-CN	30	42	2,842	3,124	3,362
FLR-3048-CN	30	48	2,930	3,237	3,494
FLR-3054-CN	30	54	3,018	3,349	3,625
FLR-3060-CN	30	60	3,109	3,464	3,759
FLR-3066-CN	30	66	3,197	3,575	3,889
FLR-3072-CN	30	72	3,284	3,688	4,022

## OPTIONS

### CODE

### PRICE

### NOTES

#### Metal Modesty Panel Options:

42" Long	-MM42	\$441
48" Long	-MM48	\$462
54" Long	-MM54	\$482
60" Long	-MM60	\$505
66" Long	-MM66	\$528
72" Long	-MM72	\$551

#### Wood Modesty Panel Options:

42" Long	-WM42	\$571
48" Long	-WM48	\$603
54" Long	-WM54	\$630
60" Long	-WM60	\$795
66" Long	-WM66	\$829
72" Long	-WM72	\$862

Glides  
Ganging Connectors

Add -GB  
Add -GC

No Charge  
Add \$227 per table

- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections

High Polish Leg Finish

Add -HPF


Add \$380 per table

#### Wire Trough Power and Data Options

Modular Power System	Add -MOD	Add \$423 per table	- Includes two duplex receptacles per table and one jumper to connect to adjacent table - Power infeed must be specified separately (see page 25)
Plug Strip	Add -PLUG	Add \$150 per table	

#### Table Top Power and Data Options:

See pages 25-28



Glides  
-GB



Ganging Connector  
-GC

## EDGE PROFILES



ABS EDGE  
-3MP



SQUARE EDGE  
-SQP or -SQ



# C-LEG / NESTING TABLES

## GENERAL INFORMATION

---

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy leg have Black casters)

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.


#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

# T-LEG / EDGE-MOUNTED STATIONARY TABLES



T-LEG EDGE-MOUNTED  
STATIONARY TABLE

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## T-LEG // EDGE-MOUNTED STATIONARY TABLE

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-2442-TES	24	42	1,975	2,225	2,433
FLR-2448-TES	24	48	2,046	2,314	2,538
FLR-2454-TES	24	54	2,115	2,403	2,645
FLR-2460-TES	24	60	2,188	2,494	2,751
FLR-2466-TES	24	66	2,259	2,584	2,857
FLR-2472-TES	24	72	2,329	2,674	2,962
FLR-3042-TES	30	42	2,098	2,383	2,618
FLR-3048-TES	30	48	2,188	2,494	2,751
FLR-3054-TES	30	54	2,276	2,607	2,883
FLR-3060-TES	30	60	2,365	2,719	3,016
FLR-3066-TES	30	66	2,455	2,831	3,147
FLR-3072-TES	30	72	2,540	2,945	3,278

## OPTIONS

### CODE

### PRICE

### NOTES

#### Metal Modesty Panel Options:

42" Long	-MM42	\$441
48" Long	-MM48	\$462
54" Long	-MM54	\$482
60" Long	-MM60	\$505
66" Long	-MM66	\$528
72" Long	-MM72	\$551

#### Wood Modesty Panel Options:

42" Long	-WM42	\$571
48" Long	-WM48	\$603
54" Long	-WM54	\$630
60" Long	-WM60	\$795
66" Long	-WM66	\$829
72" Long	-WM72	\$862

#### Glides

#### Ganging Connectors

#### High Polish Leg Finish

Add -GB

Add -GC

Add -HPF

No Charge

Add \$227 per table

Add \$380 per table

- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections

#### Wire Trough Power and Data Options

#### Modular Power System

#### Plug Strip

Add -MOD

Add -PLUG

Add \$423 per table

Add \$150 per table

- Includes two duplex receptacles per table and one jumper to connect to adjacent table  
- Power infeed must be specified separately (see page 25)

#### Table Top Power and Data Options:

See pages 25-28


## EDGE PROFILES



ABS EDGE  
-3MP




SQUARE EDGE  
-SQP or -SQ



Glides

-GB



Ganging Connector

-GC



# T-LEG / EDGE-MOUNTED STATIONARY TABLES

## GENERAL INFORMATION

---

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy leg have Black casters)
- Power Matrix and Modular Power not available on 24"-deep tables

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.


#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

# T-LEG / EDGE-MOUNTED NESTING TABLES



T-LEG EDGE-MOUNTED  
NESTING TABLES

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## T-LEG // EDGE-MOUNTED NESTING TABLES

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-2442-TEN	24	42	2,718	2,966	3,176
FLR-2448-TEN	24	48	2,788	3,058	3,282
FLR-2454-TEN	24	54	2,859	3,147	3,387
FLR-2460-TEN	24	60	2,930	3,237	3,494
FLR-2466-TEN	24	66	3,001	3,328	3,599
FLR-2472-TEN	24	72	3,074	3,418	3,705
FLR-3042-TEN	30	42	2,842	3,124	3,362
FLR-3048-TEN	30	48	2,930	3,237	3,494
FLR-3054-TEN	30	54	3,018	3,349	3,625
FLR-3060-TEN	30	60	3,109	3,464	3,759
FLR-3066-TEN	30	66	3,197	3,575	3,889
FLR-3072-TEN	30	72	3,284	3,688	4,022

## OPTIONS

### CODE

### PRICE

### NOTES

#### Metal Modesty Panel Options:

42" Long	-MM42	\$441
48" Long	-MM48	\$462
54" Long	-MM54	\$482
60" Long	-MM60	\$505
66" Long	-MM66	\$528
72" Long	-MM72	\$551

#### Wood Modesty Panel Options:

42" Long	-WM42	\$571
48" Long	-WM48	\$603
54" Long	-WM54	\$630
60" Long	-WM60	\$795
66" Long	-WM66	\$829
72" Long	-WM72	\$862

Glides	Add -GB	No Charge
Ganging Connectors	Add -GC	Add \$227 per table
High Polish Leg Finish	Add -HPF	Add \$380 per table

- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections

#### Wire Trough Power and Data Options

Modular Power System	Add -MOD	Add \$423 per table	- Includes two duplex receptacles per table and one jumper to connect to adjacent table - Power infeed must be specified separately (see page 25)
Plug Strip	Add -PLUG	Add \$150 per table	

#### Table Top Power and Data Options:

See pages 25-28


## EDGE PROFILES



ABS EDGE  
-3MP



SQUARE EDGE  
-SQP or -SQ





# T-LEG / EDGE-MOUNTED NESTING TABLES

## GENERAL INFORMATION

---

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)
- Power Matrix and Modular Power not available on 24"-deep tables

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.


#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

# T-LEG / INSET-MOUNTED STATIONARY TABLES




T-LEG INSET-MOUNTED  
STATIONARY TABLES

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## T-LEG // INSET-MOUNTED STATIONARY TABLE

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-3060-TIS	30	60	2,365	2,719	3,016
FLR-3066-TIS	30	66	2,455	2,831	3,147
FLR-3072-TIS	30	72	2,540	2,945	3,278



### OPTIONS

CODE	PRICE	NOTES
<b>Metal Modesty Panel Options:</b>		
60" Long -MM60	\$505	
66" Long -MM66	\$528	
72" Long -MM72	\$551	
<b>Wood Modesty Panel Options:</b>		
60" Long -WM60	\$795	
66" Long -WM66	\$829	
72" Long -WM72	\$862	
Glides Add -GB	No Charge	
Ganging Connectors Add -GC	Add \$227 per table	- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections
High Polish Leg Finish Add -HPF	Add \$380 per table	

### Table Top Power and Data Options:

See pages 25-28

## EDGE PROFILES



ABS EDGE  
-3MP



SQUARE EDGE  
-SQP or -SQ

## GENERAL INFORMATION

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)
- Wire trough power options not available on inset-mounted T-Leg tables
- Power Matrix and Modular Power not available on Inset-Mounted T-Leg tables

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.


#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

# T-LEG / INSET-MOUNTED NESTING TABLES




T-LEG INSET-MOUNTED  
NESTING TABLE

## TOP SURFACE MATERIAL KEY


3MP	Laminate Top with 2mm ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

## T-LEG // INSET-MOUNTED NESTING TABLE

MODEL #	DEPTH	WIDTH	-3MP	-SQP	-SQ
<b>WITHOUT MODESTY PANEL</b>					
FLR-3060-TIN	30	60	3,109	3,464	3,759
FLR-3066-TIN	30	66	3,197	3,575	3,889
FLR-3072-TIN	30	72	3,284	3,688	4,022



Glides  
-GB



Ganging Connector  
-GC

## OPTIONS

### Metal Modesty Panel Options:

60" Long	-MM60	\$505
66" Long	-MM66	\$528
72" Long	-MM72	\$551

### Wood Modesty Panel Options:

60" Long	-WM60	\$795
66" Long	-WM66	\$829
72" Long	-WM72	\$862

Glides	Add -GB	No Charge	- Ganging Connectors are for end-to-end, front-to-front and front-to-end connections
Ganging Connectors	Add -GC	Add \$227 per table	
High Polish Leg Finish	Add -HPF	Add \$380 per table	

### Table Top Power and Data Options:

See pages 25-28

## EDGE PROFILES



ABS EDGE  
-3MP



SQUARE EDGE  
-SQP or -SQ

## GENERAL INFORMATION

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)
- Wire trough power options not available on inset-mounted T-Leg tables
- Power Matrix and Modular Power not available on Inset-Mounted T-Leg tables

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.

#### Veneer Top with Square Wood Edge (-SQ)


- Choose Veneer Finish
- Choose Metal Finish. Add \$380 per table for HPF option.



# CONNECTING TOPS



30-DEGREE



90-DEGREE

## TOP SURFACE MATERIAL KEY

3MP	Laminate Top with ABS Edge
SQP	Laminate Top with Square Wood Edge
SQ	Veneer Top with Square Wood Edge

### 30-DEGREE CONNECTING TOP

MODEL #	DEPTH	-3MP	-SQP	-SQ
FLC-2030	20	1,130	1,370	1,573
FLC-2430	24	1,252	1,526	1,754
FLC-3030	30	1,479	1,813	2,093

### 90-DEGREE CONNECTING TOP

MODEL #	DEPTH	-3MP	-SQP	-SQ
FLC-2090	20	1,130	1,370	1,573
FLC-2490	24	1,252	1,526	1,754
FLC-3090	30	1,479	1,813	2,093

## OPTIONS

OPTIONS	CODE	PRICE	NOTES
Modular Power System	Add <b>-MODC</b>	Add \$333 per table	- Includes one jumper to connect to adjacent table

## EDGE PROFILES

ABS EDGE  
-3MPSQUARE EDGE  
-SQP or -SQ

## GENERAL INFORMATION

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/8" thick
- Connecting Tops include two ganging connectors. Tables to which Connecting Tops will be connected must also have ganging connectors.
- No table top power and data options available on connecting tops

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

#### Laminate Top with ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color

#### Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Veneer Finish


#### Veneer Top with Square Wood Edge (-SQ)

- Choose Veneer Finish



# ACCESSORIES

CASTERS	MODEL #	DESCRIPTION	PRICE
	FL-CST	Castors, set of 4	157




## GENERAL INFORMATION

- For retrofitting in the field
- All four casters feature lock
- Wheels are hard ABS edge

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Caster Color: Black or Smoke

GLIDES	MODEL #	DESCRIPTION	PRICE
	FL-GLD	Glides, set of 4	157




## GENERAL INFORMATION

- For retrofitting in the field
- All four glides include an adjustable glide with 1-1/4" range

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish

GANGING CONNECTOR	MODEL #	DESCRIPTION	PRICE
	FL-GNG	Ganging Connectors, set of 2	227



## GENERAL INFORMATION

- For retrofitting in the field




# POWER AND DATA OPTIONS

MODULAR POWER SYSTEM POWER INFEEDS	MODEL #	DESCRIPTION	PRICE
---------------------------------------	---------	-------------	-------



FLP-H




FLP-P

FLP-H	Hardwire Power Infeed (20 amp)	150
FLP-P	Plug-In Power Infeed (20 amp)	200

## GENERAL INFORMATION

- Plug-in power infeed will only utilize one circuit of the two-circuit modular power system. To utilize both circuits, the hardwire power infeed must be specified.
- Power infeeds can be placed at any location along a string of connected tables
- Plug-in power infeed can accommodate a maximum of 6 tables per infeed. Hardwire power infeed can accommodate a maximum of 12 tables per infeed.

PLUG STRIP RETROFIT KIT	MODEL #	W x D x H	PRICE
-------------------------	---------	-----------	-------



MOA-10

MOA-10	2.05 x 11.69 x 1.32	173
--------	---------------------	-----

## GENERAL INFORMATION

- 15 amps - Mounts into Wire Trough
- Includes (7) outlets, surge protection and 12' electrical cord

MODULAR POWER SYSTEM RETROFIT KITS - RECTANGLE TABLES	MODEL #	PRICE
---	---------	-------

F-MOD42R	423
F-MOD48R	423
F-MOD54R	423
F-MOD60R	423
F-MOD66R	423
F-MOD72R	423

OPTIONS	CODE	PRICE	NOTES
Two-Circuit Version	Add -2CIR	No Charge	- Includes two receptacles, each accessing a different circuit - Only works with hardwired power infeeds

## GENERAL INFORMATION

- Includes two receptacles (each on the same circuit unless the -2CIR option is specified) and one jumper to connect to adjacent table
- Standard version works with either hardwired or direct plug-in power infeeds (unless -2CIR option is selected, in which case it only works with hardwired power infeeds)

MODULAR POWER SYSTEM RETROFIT KITS - CONNECTING TOPS	MODEL #	PRICE
--	---------	-------


F-MOD30C	333
F-MOD90C	333

## GENERAL INFORMATION

- Includes a jumper to connect to adjacent tables
- Works with either hardwired or direct plug-in power infeeds



# POWER AND DATA OPTIONS

POWER MATRIX COMPACT	MODEL #	DESCRIPTION	W x D	SIMPLEX OUTLETS	BLANK	DATA*	PRICE
	PM-SM-G-C	Small - Glass Door	6 x 5.375	2	2	1	1,418
	PM-SM-M-C	Small - Glass Metal	6 x 5.375	2	2	1	1,418
	PM-SM-W-C	Small - Wood Door	6 x 5.375	2	2	1	1,788

\*Each data faceplate includes two RJ-45 (Data) connectors

OPTIONS	CODE	PRICE	NOTES
4 Simplex Receptacles	Add <b>-FOUR</b>	No Charge	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB-A	Add <b>-THREE</b>	No Charge	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB-A
USB-A Charging	Add <b>-USB</b>	\$110 per unit	Dual USB-A charger, replaces one of the simplex outlets
Polished Chrome Door	Add <b>-PD</b>	\$212 per unit	Only available with metal door option
Polished Chrome Bezel	Add <b>-PB</b>	\$302 per unit	Only available on glass and laminate top tables
Field-Wired	Add <b>-FW</b>	Deduct \$41 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

## GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only). If specified with modular power, the infeed will be 3' long.
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are below

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables


DATA FACEPLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	70
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	246
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	193
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	193
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	158
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	212
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	300
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	300
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	300
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	335
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	87
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	212
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	370
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	246

## GENERAL INFORMATION


- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black



# POWER AND DATA OPTIONS

TECH NODE	MODEL #	LOCATION	W X D	SIMPLEX RECEPTACLES	OPEN DATA PORTS	DUAL CHARGING USB	PRICE
	PUP	Centered, near edge	8 x 4	2	2	-	517
	PUP-C	Center of Table	8 x 4	2	2	-	517
	PUP-USB	Centered, near edge	8 x 4	2	1	1	616
	PUP-USB-C	Center of Table	8 x 4	2	1	1	616

PUP




PUP-USB

OPTIONS	CODE	PRICE	NOTES
Field-Wired	Add <b>-FW</b>	No Charge	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

## GENERAL INFORMATION

- 12' cord and a 15amp plug-in power infeed (3' cord when specified with two-circuit modular power system)
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- UL listed
- Not available on Connecting tops
- Centered near edge option not available on Inset-Mounted T-Leg Rectangle Tables
- Center of Table option only available on Inset-Mounted T-Leg Rectangle Tables
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required


GROMMET	MODEL #	DESCRIPTION	DIAMETER	PRICE
	GR	Centered, near edge	2" diameter	209
	GR2	Left & Right, near edge	2" diameter	418
	GR-C	Center of Table	2" diameter	209

## GENERAL INFORMATION

- Not available on Connecting tops
- Left & Right option not available on Trapezoid, Sight Line, 42" and 48"-wide Rectangle Tables, or on T-Leg Inset-Mounted Rectangle Tables
- Centered, near edge option not available on T-Leg Inset-mounted Rectangle Tables
- Center of Table option only available on 30"-deep T-Leg Rectangle Tables and Inset-mounted T-Leg Rectangle Tables
- Metal finish will default to metal finish on table if powder coated




# FREESTANDING POWER OPTIONS

CHARGING STAND (BATTERY-POWERED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-B-W	Battery-Powered White Unit	-	3	1	2,196
	STAND-B-B	Battery-Powered Black Unit	-	3	1	2,196


## GENERAL INFORMATION

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
  - 10-12 smart phones
  - 8-10 small tablets (5-7" in size)
  - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs

CHARGING STAND (CORDED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-1C-W	Corded White Unit	1	2	1	967
	STAND-3C-W	Corded White Unit	3	2	1	976
	STAND-4C-W	Corded White Unit	4	2	1	996
	STAND-1C-B	Corded Black Unit	1	2	1	967
	STAND-3C-B	Corded Black Unit	3	2	1	976
	STAND-4C-B	Corded Black Unit	4	2	1	996


## GENERAL INFORMATION

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs


TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	DUAL CHARGING USB	PRICE
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	324
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	388

## GENERAL INFORMATION


- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required




ZONE-USB



ZONE-DATA



ZONE-USB

CHARGING CUBE	MODEL #	DESCRIPTION	PRICE
	CUBE-W	White Power Cube	379
	CUBE-B	Black Power Cube	379

## GENERAL INFORMATION

- Includes (2) 4 Amp USB-A fast charging ports and (1) 4Amp USB-C smart charging port
- The Cube can be recharged completely in 4 hours



# Appendix

---



# GENERAL INFORMATION

This price book supercedes all previous versions.

**Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.**

## Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

**Minimum Freight Charge: Any order below \$2,700 net will be assessed a \$425 net minimum freight charge (one per order).**

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

## Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

## Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

## Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

## Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

**Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.**

## Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

## Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



# GENERAL INFORMATION

## Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

## Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

## Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
  - Textiles
  - Electrical Components
  - Refrigeration Units
  - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

**Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.**

## Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

## Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

## iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to [www.nucraft.com/ispec](http://www.nucraft.com/ispec).



# FINISH INFORMATION

## Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

## Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,875 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

## Treatments

**Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.**

**Gloss:** Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

**Matte:** Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

## About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

## Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



# FINISH INFORMATION

## Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

## Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1750.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the NuCraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

## Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

## Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

## Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

## Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, NuCraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. NuCraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

## Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Leather

Genuine leather requires very little care. NuCraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

## Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

## REQUIRED INFORMATION:

### (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

## General Information:

- Touch-up kits must be ordered on a purchase order separate from NuCraft product due to Hazmat shipping



## WOOD FINISHES

### STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
<b>Ash</b>		
Blanco	<b>M44</b>	G44
Char	<b>M50</b>	G50
<b>Rift Cut Oak</b>		
Carbon	M03	<b>G03</b>
<b>Flat Cut Oak</b>		
Dune	<b>M05</b>	G05
Portobello	<b>M7413</b>	G7413
<b>Flaky Oak</b>		
Sahara	<b>M61</b>	G61
<b>Cherry</b>		
Cognac	M21	<b>G21</b>
Auburn	M93	<b>G93</b>
<b>Walnut</b>		
Marron	<b>M35</b>	G35
Mocha	<b>M33</b>	G33
Zinc	M30	<b>G30</b>
Onyx	M82	<b>G82</b>
Otter	M31	<b>G31</b>
<b>Maple</b>		
Natural Maple	M60	<b>G60</b>
<b>Linea</b>		
Oak Linea	<b>M08</b>	G08
Walnut Linea	<b>M27</b>	G27
Euro Birch Linea	<b>M09</b>	G09
Silver Birch Linea	M10	<b>G10</b>
<b>Paldao</b>		
Thicket	<b>M75</b>	G75
Paldao	<b>M76</b>	G76
Canyon	M77	<b>G77</b>

## METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Clear Anodized**	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
High Polish Finish*	HPF
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

\*Up-Charge applies. See specific product line pages for availability and details.

\*\*Only available on modesty panels and Power Matrix metal doors.



## LAMINATES

	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
<b>Wood Grain Laminates</b>			
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R04
Formica Blackened Legno	8848-58	M8848	R05
Formica Pecan Woodline	5883-58	M5883	R04
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05
Formica White Knotty Maple	7410-58	M7410	R02
Formica Sand Maple	9237-58	G60	R02
Formica Planked Coffee Oak	7413-58	M7413	R05

### Solid Laminates

Formica Brite White	459-58	R01
Formica Dover White	7197-58	R01
Formica Pearl	934-58	R02
Formica Graystone	464-58	R02
Formica Folkstone	927-58	R03
Formica Graphite	837-58	R05

### Patterned Laminates

Nevamar Cool Chic	VA7002T	R02
Nevamar Serene Stardom	VA5001T	R05
Nevamar Calm Distinction	VA6001T	R05
Nevamar Easy Elegance	VA5002T	R05
Wilsonart Sheer Mesh	4876-38	R02
Wilsonart Grey Mesh	4877-38	R02
Wilsonart Pewter Mesh	4878-38	R05

## ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01