

# MYNE™ MEETING

## Planning Guide + Price List

---

### QUICK LINKS

[PLANNING GUIDE](#)[MYNE MEETING PRICING](#)[POWER AND DATA OPTIONS](#)[GENERAL INFORMATION](#)[FINISH INFORMATION](#)[SURFACE MATERIALS](#)



# TABLE OF CONTENTS


Click the shortcuts below to jump to each section.

|                     |        |
|---------------------|--------|
| General Information | ii-iii |
| Finish Information  | iv-v   |
| Surface Materials   | vi-vii |

|                        |   |
|------------------------|---|
| Statement of Line      | 3 |
| Specification Overview | 4 |

MYNE MEETING TABLES

|                        |       |
|------------------------|-------|
| Detail Overview        | 5-6   |
| Power Options          | 7-8   |
| Price List             |       |
| Meeting Tables         | 9-21  |
| Power and Data Options | 22-23 |








# STATEMENT OF LINE

## ROUND AND RADIUS SQUARE TABLES


Pages 9-13




30"H Round



36"H Round




30"H Radius Square




36"H Radius Square

## RADIUS RECTANGLE AND ELLIPSE TABLES



Pages 14-21





30"H Radius Rectangle



42"H Radius Rectangle



30"H Ellipse



42"H Ellipse



# SPECIFICATION OVERVIEW

## MYNE MEETING TABLES

### 1. Select the Top Shape and Size

Myne Meeting tables are available in four shapes; Round, Radius Square, Radius Rectangle, and Ellipse. The Single Column base is available at seated or counter height, in Round or Radius Square tops. The Trestle base is available in both seated and standing height, in Radius Rectangle and Ellipse tops.

### 2. Select the Top Surface Material and Finish

Myne Meeting tables are available with Veneer, Laminate with Birch, Solid or matching Woodgrain Edge, Linoleum with Birch or Solid Edge, Glass, and Solid Surface top options.

### 3. Select the Base Finish

Bases are available powder coated or with an optional Polished Chrome Leg finish.

### 4. Select Power Cap Option (if desired)

Myne Meeting tables offer a grommet or low profile yet robust power and data connections located in the center or either end of the table top. Power Cap is available in three configurations:

#### Power Cap - Four Port for Rectangle and Ellipse Tops

- Two Simplex receptacles and two USB-A+C chargers
- One simplex receptacle, one USB-A+C charger, and two single space Extron Architectural Adapter Plates (AAP's) for A/V connectivity
- Two simplex receptacles and two single space Extron Architectural Adaptor Plates (AAP's) for A/V connectivity

#### Power Cap - Two Port for Round and Radius Square Tops

- One Simplex receptacle and one USB-A+C charger
- Two Simplex receptacles

### SPECIFICATION EXAMPLE: MYRR-12048-V-CB-PCM

| MYRR-12048         | -V           | -CB                         | -PCM                        |
|--------------------|--------------|-----------------------------|-----------------------------|
| TOP SHAPE AND SIZE | TOP MATERIAL | BASE OPTION (IF APPLICABLE) | BASE FINISH (IF APPLICABLE) |

### SURFACE MATERIALS:

| M35        | A44         |
|------------|-------------|
| TOP FINISH | BASE FINISH |

### POWER:

| MYC-AC1-USB2-D2-B-PCP     |
|---------------------------|
| POWER CAP (IF APPLICABLE) |



# DETAIL OVERVIEW

## MYNE MEETING TABLE


Designed by Metrica in Milan, Myne tables offer a timeless aesthetic with a trestle leg structure that can accommodate a variety of tops. Smart yet simple, lightweight construction for both fixed and flexible arrangements provides support and cable concealment. Caster option helps facilitate dynamic team and collaborative work in a variety of settings and the adjustable glide option assists for uneven surfaces.

### TOP MATERIALS


Myne Meeting tables feature a broad range of top materials. 1/2"-thick clear or tinted glass placed on top of the beam and gusset support add visual interest while veneer, laminate, linoleum or 3/8"-thick back-painted glass add natural beauty and understated sophistication to any application.

Material choices include:


- 3/4" Veneer, Laminate, & Linoleum
  - Tops are 3/4" thick
  - Woodgrain Laminates will receive coordinating 2mm Woodgrain Edgeband
  - Birch edge finish is natural clear coat
  - One-piece tops require no subtop
  - Two-Piece tops require a 3/4" subtop
    - Top width will cantilever subtop with a 3" overhang
    - 132" top length will cantilever subtop with a 6" overhang
    - 144" top length will cantilever subtop with a 12" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
- 1/2" -thick clear (low-iron) glass
  - No subtop, available on 72" x 36" tables only
  - Tinted option available in smoke finish
- 3/8" Gloss & Satin Glass Tops
  - 3/8" thick back-painted low-iron glass
  - 3/4" thick subtop
    - Glass will cantilever subtop with a 3" overhang
    - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one-piece subtop, 3/8" glass is not available in sizes over 120" in length
- 1/2" Solid Surface Tops
  - 1/2"-thick
  - 3/4"-thick subtop
    - Solid Surface will cantilever subtop with a 3" overhang
    - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one piece subtop, solid surface is not available in sizes over 120" in length




Round and Radius Squares tables up to 48" in diameter  
Available in all top materials




1/2"-thick Clear Glass (72" x 36" Tables only)  
Radius Rectangle and Ellipse tables




3/4"-thick Laminate, Linoleum and Veneer  
Radius Rectangle and Ellipse tables  
144"-long two-piece top shown




3/4"-thick Veneer, Laminate or Linoleum Tops  
(Two-piece tops require a 3/4"-thick subtop)



3/8"-thick Gloss or Satin Back-Painted Glass Tops  
(3/4"-thick subtop)



1/2"-thick Solid Surface Tops  
(3/4"-thick subtop)



1/2"-thick Glass Tops  
(No subtop, 72" x 36" Tables only)




# DETAIL OVERVIEW



## Myne Meeting Bases

Myne Meeting tables offer two distinct base options:


- Single Column Base
  - Round and radius square tops
- Trestle Base
  - Radius rectangle and ellipse tops
- Bases available in powder coat finish
  - Optional Polished Chrome Leg finish
- Optional four locking casters to replace glides
  - Includes four chrome casters when polish chrome foot is specified




Single Column Base - Seated Height




Single Column Base - Counter Height




Shown with subtop



Optional Casters



Trestle Base - Seated Height



Trestle Base - Standing Height



# TABLE TOP POWER OPTION: POWER CAP

For table top access, Power Cap is offered in three configurations and two locations; center or on either end, based on table length and shape.

## POWER

Where more power is desired and AV connectivity is not required, the standard configuration includes two simplex receptacles and two USB-A+C chargers.


## DATA/AV FACEPLATES

Power Cap may include two Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity. Optional faceplates provide a wide range of AV connectivity choices.




## LOCATIONS

Power Cap or 2"-diameter grommet units can be specified at the center of tables. 108"-144"-long radius rectangle and ellipse top shapes are available with one Power Cap at each end and optional grommet at the center of the table.

**Four Port:**  
For use with Radius Rectangle and Ellipse Tops



**Two Port:**  
For use with Round and Radius Square Tops



## DESIGN

Power Cap's sleek profile and modest footprint features an aluminum body housing mounted to the crossbeam and protrudes through the surface for clean concealment of wire channeling. Available in powder coat and polished chrome finish options. Braided direct plug-in infeed cord with optional hardware infeed available.

## PERFORMANCE

Intended for high use and quick access, Power Cap's low-profile aesthetic is non-lidded for ample space for plug-heads of all sizes.

POWER CAP OR GROMMET LOCATIONS: ALL TABLE SIZES

| Table Size | Power Cap | CENTER |
|------------|-----------|--------|
| 36 x 36    | Two Port  | 18     |
| 42 x 42    | Two Port  | 21     |
| 48 x 48    | Two Port  | 24     |
| 36 Dia.    | Two Port  | 18     |
| 42 Dia.    | Two Port  | 21     |
| 48 Dia.    | Two Port  | 24     |
| 72 L       | Four Port | 36     |
| 84 L       | Four Port | 42     |
| 96 L       | Four Port | 48     |
| 108 L      | Four Port | 54     |
| 120 L      | Four Port | 60     |
| 132 L      | Four Port | 66     |
| 144 L      | Four Port | 72     |

POWER CAP AND GROMMET LOCATIONS: 108"-144"L

| Table Size | Power Cap | 1st Power Cap | CENTER Grommet | 2nd Power Cap |
|------------|-----------|---------------|----------------|---------------|
| 108 L      | Four Port | 29.25         | 54             | 78.75         |
| 120 L      | Four Port | 29.25         | 60             | 90.75         |
| 132 L      | Four Port | 35.25         | 66             | 96.75         |
| 144 L      | Four Port | 41.25         | 72             | 102.75        |



# TABLE TOP POWER OPTION: POWER CAP

## STANDARD CONFIGURATIONS

Power Cap is offered in two shapes, depending on top shape, and three configurations:

### Four Port: Radius Rectangle and Ellipse Tops

- Two simplex receptacles and two USB-A +C chargers
- One Simplex, one USB-A+C charger, and two single space Extron Architectural Adapter Plates (AAP's)
- Two Simplex receptacles and two single space Extron Architectural Adapter Plates (AAP's)

### Two Port: Round and Radius Square Tops

- One simplex receptacle, one USB-A+C charger
- Two Simplex receptacles

## DIMENSIONS

- Four Port Power Cap: 2" x 9"
- Two Port Power Cap: 5" x 5"
- Power Caps are 3/16" in height
- Grommet: 2" -diameter

## INFEEDS


When Power Caps units are specified, Myne tables include concealed wire management within the crossbeams and columns, allowing for a single point of connection to building power. When two power caps (one at each end) are specified, straight plug includes a circuit breaker.

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wire option may be specified for Power Caps. Each Power Cap will be supplied with a flexible metal conduit with hot, ground and neutral wires


Four Port Standard Configuration




Four Port Default Configurations






Two Port Standard Configuration






Two Port Default Configuration






Power Cap Centered Straight Plug



Power Cap at Each End Includes Circuit Breaker



Field-Wired Option





# LAMINATE, LINOLEUM AND VENEER TOPS

Top Shape Options



Round



Radius Square

Base Height Options



Seated Height



Counter Height

TOP SURFACE MATERIAL KEY

|    |                                |
|----|--------------------------------|
| PE | 3/4" Laminate with 2mm Edge    |
| PB | 3/4" Laminate with Birch Edge  |
| LE | 3/4" Linoleum with 2mm Edge    |
| LB | 3/4" Linoleum with Birch Edge  |
| V  | 3/4" Veneer with Hardwood Edge |

## ROUND // SEATED HEIGHT

| MODEL # | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -PE   | -PB   | -LE   | -LB   | -V    |
|---------|----------|--------------|------------------|-------|-------|-------|-------|-------|
| MYRD-42 | 42 x 30  | 1            | 4                | 4,192 | 4,192 | 4,192 | 4,192 | 4,632 |
| MYRD-48 | 48 x 30  | 1            | 5                | 4,853 | 4,853 | 4,853 | 4,853 | 5,362 |

## ROUND // COUNTER HEIGHT

| MODEL #   | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -PE   | -PB   | -LE   | -LB   | -V    |
|-----------|----------|--------------|------------------|-------|-------|-------|-------|-------|
| MYRD-36-C | 36 x 36  | 1            | 3                | 4,081 | 4,081 | 4,081 | 4,081 | 4,509 |
| MYRD-42-C | 42 x 36  | 1            | 4                | 4,239 | 4,239 | 4,239 | 4,239 | 4,683 |
| MYRD-48-C | 48 x 36  | 1            | 5                | 4,905 | 4,905 | 4,905 | 4,905 | 5,419 |

## RADIUS SQUARE // SEATED HEIGHT

| MODEL # | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -PE   | -PB   | -LE   | -LB   | -V    |
|---------|--------------|--------------|------------------|-------|-------|-------|-------|-------|
| MYRS-36 | 36 x 36 x 30 | 1            | 2                | 4,035 | 4,035 | 4,035 | 4,035 | 4,458 |
| MYRS-42 | 42 x 42 x 30 | 1            | 4                | 4,192 | 4,192 | 4,192 | 4,192 | 4,632 |
| MYRS-48 | 48 x 48 x 30 | 1            | 4                | 4,853 | 4,853 | 4,853 | 4,853 | 5,362 |

## RADIUS SQUARE // COUNTER HEIGHT

| MODEL #   | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -PE   | -PB   | -LE   | -LB   | -V    |
|-----------|--------------|--------------|------------------|-------|-------|-------|-------|-------|
| MYRS-36-C | 36 x 36 x 36 | 1            | 2                | 4,081 | 4,081 | 4,081 | 4,081 | 4,509 |
| MYRS-42-C | 42 x 42 x 36 | 1            | 4                | 4,239 | 4,239 | 4,239 | 4,239 | 4,683 |
| MYRS-48-C | 48 x 48 x 36 | 1            | 4                | 4,905 | 4,905 | 4,905 | 4,905 | 5,419 |



# LAMINATE, LINOLEUM AND VENEER TOPS

| OPTIONS             | CODE | PRICE        | NOTES                                                |
|---------------------|------|--------------|------------------------------------------------------|
| Casters             | -CB  | Deduct \$287 | per table                                            |
| Polished Chrome Leg | -PCM | \$798        | per table, includes four chrome casters if specified |

## POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

## GENERAL INFORMATION

- 3/4" Veneer, Laminate and Linoleum
  - Tops are 3/4" -thick
  - Veneer tops will receive a 3/16" -deep hardwood edge band
  - Birch edge finish is natural clear coat
  - Woodgrain Laminates will receive coordinating 2mm Woodgrain Edgeband
  - 2-3/4" radius corner on radius square tops
- Glide to match leg finish
- Caster
  - Caster color will default based on Leg Finish
  - Polished Chrome Finish: Chrome caster
  - Aged Bronze, Black, Burnished, Foil, Galaxy, Satin Bronze, Shadow, and Storm: Black caster
  - Cloud: White caster

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### LAMINATE TOP

- Choose Laminate Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish

#### LINOLEUM TOP

- Choose Linoleum Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish

#### VENEER TOP

- Choose Wood Species & Finish
- Choose Metal Finish



# BACK-PAINTED GLASS AND SOLID SURFACE TOPS

## Top Shape Options



Round



Radius Square

## Base Height Options



Seated Height



Counter Height

## TOP SURFACE MATERIAL KEY

|    |                               |
|----|-------------------------------|
| SG | 3/8" Back-painted Satin Glass |
| GG | 3/8" Back-painted Gloss Glass |
| SS | 1/2" Solid Surface            |

### ROUND // SEATED HEIGHT

| MODEL # | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -SG   | -GG   | -SS   |
|---------|----------|--------------|------------------|-------|-------|-------|
| MYRD-42 | 42 x 30  | 1            | 4                | 6,300 | 6,023 | 6,216 |
| MYRD-48 | 48 x 30  | 1            | 5                | 7,293 | 6,972 | 7,195 |

### ROUND // COUNTER HEIGHT

| MODEL #   | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -SG   | -GG   | -SS   |
|-----------|----------|--------------|------------------|-------|-------|-------|
| MYRD-36-C | 36 x 36  | 1            | 3                | 6,133 | 5,863 | 6,051 |
| MYRD-42-C | 42 x 36  | 1            | 4                | 6,370 | 6,089 | 6,284 |
| MYRD-48-C | 48 x 36  | 1            | 5                | 7,371 | 7,046 | 7,272 |

### RADIUS SQUARE // SEATED HEIGHT

| MODEL # | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -SG   | -GG   | -SS   |
|---------|--------------|--------------|------------------|-------|-------|-------|
| MYRS-36 | 36 x 36 x 30 | 1            | 2                | 6,064 | 5,796 | 5,982 |
| MYRS-42 | 42 x 42 x 30 | 1            | 4                | 6,300 | 6,023 | 6,216 |
| MYRS-48 | 48 x 48 x 30 | 1            | 4                | 7,293 | 6,972 | 7,195 |

### RADIUS SQUARE // COUNTER HEIGHT

| MODEL #   | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -SG   | -GG   | -SS   |
|-----------|--------------|--------------|------------------|-------|-------|-------|
| MYRS-36-C | 36 x 36 x 36 | 1            | 2                | 6,133 | 5,863 | 6,051 |
| MYRS-42-C | 42 x 42 x 36 | 1            | 4                | 6,370 | 6,089 | 6,284 |
| MYRS-48-C | 48 x 48 x 36 | 1            | 4                | 7,371 | 7,046 | 7,272 |



## BACK-PAINTED GLASS AND SOLID SURFACE TOPS

| OPTIONS             | CODE | PRICE | NOTES     |
|---------------------|------|-------|-----------|
| Polished Chrome Leg | -PCM | \$798 | per table |

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

### GENERAL INFORMATION

- Back-painted Gloss & Satin Glass Tops
  - 3/8" thick back-painted low iron glass
  - 3/4" thick subtop; glass cantilevers subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - 2-3/4" radius corner on radius square tops
- Glide to match leg finish
- 1/2" Solid Surface Tops
  - 1/2" -thick
  - 3/4" -thick subtop; solid surface cantilevers subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - Nucraft is not responsible for the installation of solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of solid surface materials on its products.

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

##### GLOSS & SATIN GLASS TOP

- Choose Paint Finish
- Choose Metal Finish

##### SOLID SURFACE TOP

- Choose Solid Surface Finish
- Choose Metal Finish



# CLEAR AND TINTED GLASS TOPS

Top Shape Options



Round



Radius Square

Base Height Options



Seated Height



Counter Height

TOP SURFACE MATERIAL KEY

|    |                   |
|----|-------------------|
| CG | 1/2" Clear Glass  |
| TG | 1/2" Tinted Glass |

## ROUND // SEATED HEIGHT

| MODEL # | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG   |
|---------|----------|--------------|------------------|-------|-------|
| MYRD-42 | 42 x 30  | 1            | 4                | 5,778 | 6,939 |
| MYRD-48 | 48 x 30  | 1            | 5                | 6,688 | 8,033 |

## ROUND // COUNTER HEIGHT

| MODEL #   | DIA. x H | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG   |
|-----------|----------|--------------|------------------|-------|-------|
| MYRD-36-C | 36 x 36  | 1            | 3                | 5,624 | 6,755 |
| MYRD-42-C | 42 x 36  | 1            | 4                | 5,841 | 7,016 |
| MYRD-48-C | 48 x 36  | 1            | 5                | 6,759 | 8,118 |

## RADIUS SQUARE // SEATED HEIGHT

| MODEL # | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG   |
|---------|--------------|--------------|------------------|-------|-------|
| MYRS-36 | 36 x 36 x 30 | 1            | 2                | 5,561 | 6,679 |
| MYRS-42 | 42 x 42 x 30 | 1            | 4                | 5,778 | 6,939 |
| MYRS-48 | 48 x 48 x 30 | 1            | 4                | 6,688 | 8,033 |

## RADIUS SQUARE // COUNTER HEIGHT

| MODEL #   | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG   |
|-----------|--------------|--------------|------------------|-------|-------|
| MYRS-36-C | 36 x 36 x 36 | 1            | 2                | 5,624 | 6,755 |
| MYRS-42-C | 42 x 42 x 36 | 1            | 4                | 5,841 | 7,016 |
| MYRS-48-C | 48 x 48 x 36 | 1            | 4                | 6,759 | 8,118 |

### OPTIONS

| OPTIONS             | CODE | PRICE | NOTES |
|---------------------|------|-------|-------|
| Polished Chrome Leg | -PCM | \$798 |       |

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

### GENERAL INFORMATION

- Clear or Tinted Glass
  - 1/2"-thick low-iron glass
  - 2-3/4" radius corner on radius square tops
  - No subtop
  - Tint available in Smoke

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### CLEAR GLASS TOP

- Choose Metal Finish

#### TINTED GLASS TOP

- Choose Glass Finish (-ST Smoke)
- Choose Metal Finish




# LAMINATE, LINOLEUM AND VENEER TOPS

Top Shape Option




Radius Rectangle

Base Height Options



Seated Height (30"H)



Standing Height (42"H)

TOP SURFACE MATERIAL KEY

|    |                                |
|----|--------------------------------|
| PE | 3/4" Laminate with 2mm Edge    |
| PB | 3/4" Laminate with Birch Edge  |
| LE | 3/4" Linoleum with 2mm Edge    |
| LB | 3/4" Linoleum with Birch Edge  |
| V  | 3/4" Veneer with Hardwood Edge |

## RADIUS RECTANGLE // SEATED HEIGHT

| MODEL #    | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -PE    | -PB    | -LE    | -LB    | -V     |
|------------|---------------|--------------|------------------|--------|--------|--------|--------|--------|
| MYRR-7236  | 72 x 36 x 30  | 1            | 6                | 7,050  | 7,050  | 7,050  | 7,050  | 7,789  |
| MYRR-8442  | 84 x 42 x 30  | 1            | 8                | 8,488  | 8,488  | 8,488  | 8,488  | 9,378  |
| MYRR-9642  | 96 x 42 x 30  | 1            | 8                | 9,092  | 9,092  | 9,092  | 9,092  | 10,046 |
| MYRR-9648  | 96 x 48 x 30  | 1            | 8                | 9,600  | 9,600  | 9,600  | 9,600  | 10,607 |
| MYRR-10842 | 108 x 42 x 30 | 1            | 10               | 9,770  | 9,770  | 9,770  | 9,770  | 10,795 |
| MYRR-10848 | 108 x 48 x 30 | 1            | 10               | 10,337 | 10,337 | 10,337 | 10,337 | 11,422 |
| MYRR-12042 | 120 x 42 x 30 | 1            | 10               | 10,467 | 10,467 | 10,467 | 10,467 | 11,565 |
| MYRR-12048 | 120 x 48 x 30 | 1            | 10               | 11,097 | 11,097 | 11,097 | 11,097 | 12,261 |
| MYRR-13242 | 132 x 42 x 30 | 2            | 10               | 11,093 | 11,093 | 11,093 | 11,093 | 12,257 |
| MYRR-13248 | 132 x 48 x 30 | 2            | 10               | 11,784 | 11,784 | 11,784 | 11,784 | 13,020 |
| MYRR-14442 | 144 x 42 x 30 | 2            | 12               | 11,734 | 11,734 | 11,734 | 11,734 | 12,965 |
| MYRR-14448 | 144 x 48 x 30 | 2            | 14               | 12,488 | 12,488 | 12,488 | 12,488 | 13,798 |

## RADIUS RECTANGLE // STANDING HEIGHT

| MODEL #       | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -PE    | -PB    | -LE    | -LB    | -V     |
|---------------|---------------|--------------|------------------|--------|--------|--------|--------|--------|
| MYRR-7236-SH  | 72 x 36 x 42  | 1            | 6                | 7,274  | 7,274  | 7,274  | 7,274  | 8,037  |
| MYRR-8442-SH  | 84 x 42 x 42  | 1            | 8                | 8,748  | 8,748  | 8,748  | 8,748  | 9,666  |
| MYRR-9642-SH  | 96 x 42 x 42  | 1            | 8                | 9,366  | 9,366  | 9,366  | 9,366  | 10,349 |
| MYRR-9648-SH  | 96 x 48 x 42  | 1            | 8                | 9,883  | 9,883  | 9,883  | 9,883  | 10,920 |
| MYRR-10842-SH | 108 x 42 x 42 | 1            | 10               | 10,060 | 10,060 | 10,060 | 10,060 | 11,115 |
| MYRR-10848-SH | 108 x 48 x 42 | 1            | 10               | 10,637 | 10,637 | 10,637 | 10,637 | 11,753 |
| MYRR-12042-SH | 120 x 42 x 42 | 1            | 10               | 10,771 | 10,771 | 10,771 | 10,771 | 11,901 |
| MYRR-12048-SH | 120 x 48 x 42 | 1            | 10               | 11,412 | 11,412 | 11,412 | 11,412 | 12,609 |
| MYRR-13242-SH | 132 x 42 x 42 | 2            | 10               | 11,410 | 11,410 | 11,410 | 11,410 | 12,607 |
| MYRR-13248-SH | 132 x 48 x 42 | 2            | 10               | 12,111 | 12,111 | 12,111 | 12,111 | 13,382 |
| MYRR-14442-SH | 144 x 42 x 42 | 2            | 12               | 12,063 | 12,063 | 12,063 | 12,063 | 13,329 |
| MYRR-14448-SH | 144 x 48 x 42 | 2            | 14               | 12,829 | 12,829 | 12,829 | 12,829 | 14,175 |

### OPTIONS

Casters  
Polished Chrome Leg

### CODE

-CB  
-PCM

### PRICE

Deduct \$287  
\$798

### NOTES

per table  
per table, includes four chrome casters if specified

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.



# LAMINATE, LINOLEUM AND VENEER TOPS

## GENERAL INFORMATION

- Veneer, Laminate, & Linoleum
  - Tops are 3/4" -thick
  - 2-3/4" radius corner on radius square tops
  - Veneer runs the length up to 96", longer than 96" the veneer runs the width
  - Veneer tops will receive a 3/16" -deep hardwood edge band
  - Woodgrain Laminates always run length
  - Woodgrain Laminates receive coordinating 2mm Woodgrain Edgeband
  - Birch edge finish is natural clear coat
  - One-piece tops require no subtop
  - Two-piece tops require a 3/4" subtop
    - Top width will cantilever subtop with a 3" overhang
    - 132"-length top will cantilever subtop with a 6" overhang
    - 144"-length top will cantilever subtop with a 12" overhang
  - Unless otherwise specified, subtop finish will match the base finish
- Glide to match leg finish
- Caster
  - Caster color will default based on Leg Finish
  - Polished Chrome Finish: Chrome caster
  - Aged Bronze, Black, Burnished, Foil, Galaxy, Satin Bronze, Shadow, and Storm: Black caster
  - Cloud: White caster

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### LAMINATE TOP

- Choose Laminate Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish

#### LINOLEUM TOP

- Choose Linoleum Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish


#### VENEER TOP

- Choose Wood Species & Finish
- Choose Metal Finish





# LAMINATE, LINOLEUM AND VENEER TOPS

Top Shape Option



Base Height Options



TOP SURFACE MATERIAL KEY

|    |                                |
|----|--------------------------------|
| PE | 3/4" Laminate with 2mm Edge    |
| PB | 3/4" Laminate with Birch Edge  |
| LE | 3/4" Linoleum with 2mm Edge    |
| LB | 3/4" Linoleum with Birch Edge  |
| V  | 3/4" Veneer with Hardwood Edge |

## ELLIPSE // SEATED HEIGHT

| MODEL #    | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -PE    | -PB    | -LE    | -LB    | -V     |
|------------|---------------|--------------|------------------|--------|--------|--------|--------|--------|
| MYEL-7236  | 72 x 36 x 30  | 1            | 6                | 7,050  | 7,050  | 7,050  | 7,050  | 7,789  |
| MYEL-8442  | 84 x 42 x 30  | 1            | 8                | 8,488  | 8,488  | 8,488  | 8,488  | 9,378  |
| MYEL-9642  | 96 x 42 x 30  | 1            | 8                | 9,092  | 9,092  | 9,092  | 9,092  | 10,046 |
| MYEL-9648  | 96 x 48 x 30  | 1            | 8                | 9,600  | 9,600  | 9,600  | 9,600  | 10,607 |
| MYEL-10848 | 108 x 48 x 30 | 1            | 10               | 10,337 | 10,337 | 10,337 | 10,337 | 11,422 |
| MYEL-12048 | 120 x 48 x 30 | 1            | 10               | 11,097 | 11,097 | 11,097 | 11,097 | 12,261 |
| MYEL-13248 | 132 x 48 x 30 | 2            | 10               | 11,784 | 11,784 | 11,784 | 11,784 | 13,020 |
| MYEL-14448 | 144 x 48 x 30 | 2            | 12               | 12,488 | 12,488 | 12,488 | 12,488 | 13,798 |

## ELLIPSE // STANDING HEIGHT

| MODEL #       | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -PE    | -PB    | -LE    | -LB    | -V     |
|---------------|---------------|--------------|------------------|--------|--------|--------|--------|--------|
| MYEL-7236-SH  | 72 x 36 x 42  | 1            | 6                | 7,274  | 7,274  | 7,274  | 7,274  | 8,037  |
| MYEL-8442-SH  | 84 x 42 x 42  | 1            | 8                | 8,748  | 8,748  | 8,748  | 8,748  | 9,666  |
| MYEL-9642-SH  | 96 x 42 x 42  | 1            | 8                | 9,366  | 9,366  | 9,366  | 9,366  | 10,349 |
| MYEL-9648-SH  | 96 x 48 x 42  | 1            | 8                | 9,883  | 9,883  | 9,883  | 9,883  | 10,920 |
| MYEL-10848-SH | 108 x 48 x 42 | 1            | 8                | 10,637 | 10,637 | 10,637 | 10,637 | 11,753 |
| MYEL-12048-SH | 120 x 48 x 42 | 1            | 10               | 11,412 | 11,412 | 11,412 | 11,412 | 12,609 |
| MYEL-13248-SH | 132 x 48 x 42 | 2            | 10               | 12,111 | 12,111 | 12,111 | 12,111 | 13,382 |
| MYEL-14448-SH | 144 x 48 x 42 | 2            | 12               | 12,829 | 12,829 | 12,829 | 12,829 | 14,175 |

### OPTIONS

| OPTIONS             | CODE | PRICE        | NOTES                                                |
|---------------------|------|--------------|------------------------------------------------------|
| Casters             | -CB  | Deduct \$287 | per table                                            |
| Polished Chrome Leg | -PCM | \$798        | per table, includes four chrome casters if specified |

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.



# LAMINATE, LINOLEUM AND VENEER TOPS

## GENERAL INFORMATION

- Veneer, Laminate, & Linoleum
  - Tops are 3/4" -thick
  - Veneer runs the length up to 96", longer than 96" the veneer runs the width
  - Veneer tops will receive a 3/16"-deep hardwood edge band
  - Woodgrain Laminates always run length
  - Woodgrain Laminates receive coordinating 2mm Woodgrain Edgeband
  - Birch edge finish is natural clear coat
  - One-piece tops require no subtop
  - Two-piece tops require a 3/4" subtop
    - Top width will cantilever subtop with a 3" overhang
    - 132"-length top will cantilever subtop with a 6" overhang
    - 144"-length top will cantilever subtop with a 12" overhang
  - Unless otherwise specified, subtop finish will match the base finish
- Glide to match leg finish
- Caster
  - Caster color will default based on Leg Finish
  - Polished Chrome Finish: Chrome caster
  - Aged Bronze, Black, Burnished, Foil, Galaxy, Satin Bronze, Shadow, and Storm: Black caster
  - Cloud: White caster

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### LAMINATE TOP

- Choose Laminate Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish

#### LINOLEUM TOP

- Choose Linoleum Finish
- Choose 2mm Edge Finish, if specified
- Choose Metal Finish

#### VENEER TOP

- Choose Wood Species & Finish
- Choose Metal Finish




# BACK-PAINTED GLASS AND SOLID SURFACE TOPS

Top Shape Option




Radius Rectangle

Base Height Options



Seated Height (30"H)



Standing Height (42"H)

TOP SURFACE MATERIAL KEY

|    |                               |
|----|-------------------------------|
| SG | 3/8" Back-painted Satin Glass |
| GG | 3/8" Back-painted Gloss Glass |
| SS | 1/2" Solid Surface            |

## RADIUS RECTANGLE // SEATED HEIGHT

| MODEL #    | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -SG    | -GG    | -SS    |
|------------|---------------|--------------|------------------|--------|--------|--------|
| MYRR-7236  | 72 x 36 x 30  | 1            | 6                | 10,594 | 10,127 | 10,452 |
| MYRR-8442  | 84 x 42 x 30  | 1            | 8                | 12,756 | 12,193 | 12,584 |
| MYRR-9642  | 96 x 42 x 30  | 1            | 8                | 13,664 | 13,061 | 13,480 |
| MYRR-9648  | 96 x 48 x 30  | 1            | 8                | 14,427 | 13,791 | 14,233 |
| MYRR-10842 | 108 x 42 x 30 | 1            | 10               | 14,683 | 14,035 | 14,485 |
| MYRR-10848 | 108 x 48 x 30 | 1            | 10               | 15,536 | 14,850 | 15,327 |
| MYRR-12042 | 120 x 42 x 30 | 1            | 10               | 15,730 | 15,036 | 15,518 |
| MYRR-12048 | 120 x 48 x 30 | 1            | 10               | 16,677 | 15,941 | 16,452 |

## RADIUS RECTANGLE // STANDING HEIGHT

| MODEL #       | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -SG    | -GG    | -SS    |
|---------------|---------------|--------------|------------------|--------|--------|--------|
| MYRR-7236-SH  | 72 x 36 x 42  | 1            | 6                | 10,932 | 10,449 | 10,785 |
| MYRR-8442-SH  | 84 x 42 x 42  | 1            | 8                | 13,147 | 12,567 | 12,970 |
| MYRR-9642-SH  | 96 x 42 x 42  | 1            | 8                | 14,076 | 13,455 | 13,887 |
| MYRR-9648-SH  | 96 x 48 x 42  | 1            | 8                | 14,853 | 14,198 | 14,653 |
| MYRR-10842-SH | 108 x 42 x 42 | 1            | 10               | 15,118 | 14,451 | 14,915 |
| MYRR-10848-SH | 108 x 48 x 42 | 1            | 10               | 15,986 | 15,281 | 15,771 |
| MYRR-12042-SH | 120 x 42 x 42 | 1            | 10               | 16,187 | 15,473 | 15,969 |
| MYRR-12048-SH | 120 x 48 x 42 | 1            | 10               | 17,150 | 16,393 | 16,919 |

### OPTIONS

Polished Chrome Leg

### CODE

-PCM

### PRICE

\$798

### NOTES

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

### GENERAL INFORMATION

- Gloss & Satin Glass Tops
  - 3/8"-thick back painted low iron glass
  - 3/4"-thick subtop; Glass will cantilever subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one-piece subtop, 3/8" glass is not available in sizes over 120" in length
  - 2-3/4" radius corner on radius square tops
- Solid Surface Tops
  - 1/2"-thick
  - 3/4"-thick subtop; Solid Surface will cantilever subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one-piece subtop, 3/8" glass is not available in sizes over 120" in length
  - Nucraft is not responsible for the installation of solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of solid surface materials on its products.
- Glide to match leg finish

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### GLOSS & SATIN GLASS TOP

- Choose Paint Color
- Choose Metal Finish


#### SOLID SURFACE TOP

- Choose Solid Surface Finish
- Choose Metal Finish





# BACK-PAINTED GLASS AND SOLID SURFACE TOPS

Top Shape Option



Base Height Options



TOP SURFACE MATERIAL KEY

|    |                               |
|----|-------------------------------|
| SG | 3/8" Back-painted Satin Glass |
| GG | 3/8" Back-painted Gloss Glass |
| SS | 1/2" Solid Surface            |

## ELLIPSE // SEATED HEIGHT

| MODEL #    | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -SG    | -GG    | -SS    |
|------------|---------------|--------------|------------------|--------|--------|--------|
| MYEL-9648  | 96 x 48 x 30  | 1            | 8                | 14,427 | 13,791 | 14,233 |
| MYEL-10848 | 108 x 48 x 30 | 1            | 8                | 15,536 | 14,850 | 15,327 |
| MYEL-12048 | 120 x 48 x 30 | 1            | 10               | 16,677 | 15,941 | 16,452 |

## ELLIPSE // STANDING HEIGHT

| MODEL #       | L x W x H     | TOP SECTIONS | SEATING CAPACITY | -SG    | -GG    | -SS    |
|---------------|---------------|--------------|------------------|--------|--------|--------|
| MYEL-9648-SH  | 96 x 48 x 42  | 1            | 8                | 14,853 | 14,198 | 14,653 |
| MYEL-10848-SH | 108 x 48 x 42 | 1            | 8                | 15,986 | 15,281 | 15,771 |
| MYEL-12048-SH | 120 x 48 x 42 | 1            | 10               | 17,150 | 16,393 | 16,919 |

### OPTIONS

Polished Chrome Leg

### CODE

-PCM

### PRICE

\$798

### NOTES

## POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

## GENERAL INFORMATION

- Gloss & Satin Glass Tops
  - 3/8"-thick back painted low iron glass
  - 3/4"-thick subtop; Glass will cantilever subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one-piece subtop, 3/8" glass is not available in sizes over 120" in length
- Solid Surface Tops
  - 1/2"-thick
  - 3/4"-thick subtop; Solid Surface will cantilever subtop with a 3" overhang
  - Unless otherwise specified, the subtop finish will match the base finish
  - Due to one-piece subtop, 3/8" glass is not available in sizes over 120" in length
  - Nucraft is not responsible for the installation of solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of solid surface materials on its products.
- Glide to match leg finish

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### GLOSS & SATIN GLASS TOP

- Choose Paint Finish
- Choose Metal Finish

#### SOLID SURFACE TOP

- Choose Solid Surface Finish
- Choose Metal Finish




# CLEAR AND TINTED GLASS TOPS

Top Shape Option




Radius Rectangle

Base Height Options



Seated Height (30"H)



Standing Height (42"H)

TOP SURFACE MATERIAL KEY

|    |                   |
|----|-------------------|
| CG | 1/2" Clear Glass  |
| TG | 1/2" Tinted Glass |

## RADIUS RECTANGLE // SEATED HEIGHT

| MODEL #   | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG    |
|-----------|--------------|--------------|------------------|-------|--------|
| MYRR-7236 | 72 x 36 x 30 | 1            | 6                | 9,715 | 11,668 |

## RADIUS RECTANGLE // STANDING HEIGHT

| MODEL #      | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG    | -TG    |
|--------------|--------------|--------------|------------------|--------|--------|
| MYRR-7236-SH | 72 x 36 x 42 | 1            | 6                | 10,024 | 12,040 |

### OPTIONS

Polished Chrome Leg

### CODE

-PCM

### PRICE

\$798

### NOTES

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

### GENERAL INFORMATION

- Clear or Tinted Glass
  - 1/2"-thick low-iron glass
  - No subtop
  - Tint available in Smoke
  - 2-3/4" radius corner on radius square tops
- Glide to match leg finish

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### CLEAR GLASS TOP

- Choose Metal Finish


#### TINTED GLASS TOP

- Choose Glass Finish (-ST Smoke)
- Choose Metal Finish




# CLEAR AND TINTED GLASS TOPS

Top Shape Option




Ellipse

Base Height Options



Seated Height (30"H)



Standing Height (42"H)

TOP SURFACE MATERIAL KEY

|    |                   |
|----|-------------------|
| CG | 1/2" Clear Glass  |
| TG | 1/2" Tinted Glass |

## ELLIPSE // SEATED HEIGHT

| MODEL #   | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG   | -TG    |
|-----------|--------------|--------------|------------------|-------|--------|
| MYEL-7236 | 72 x 36 x 30 | 1            | 6                | 9,715 | 11,668 |

## ELLIPSE // STANDING HEIGHT

| MODEL #      | L x W x H    | TOP SECTIONS | SEATING CAPACITY | -CG    | -TG    |
|--------------|--------------|--------------|------------------|--------|--------|
| MYEL-7236-SH | 72 x 36 x 42 | 1            | 6                | 10,024 | 12,040 |

### OPTIONS

| OPTIONS             | CODE | PRICE | NOTES |
|---------------------|------|-------|-------|
| Polished Chrome Leg | -PCM | \$798 |       |

### POWER & DATA OPTIONS

See pages 22-23 for Power Cap options.

### GENERAL INFORMATION

- Clear or Tinted Glass
  - 1/2"-thick low-iron glass
  - No subtop
  - Tint available in Smoke
- Glide to match leg finish

#### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION):

See appendix pages vi-vii for surface material options.

#### CLEAR GLASS TOP


- Choose Metal Finish

#### TINTED GLASS TOP

- Choose Glass Finish (-ST Smoke)
- Choose Metal Finish



# POWER AND DATA OPTIONS

| FOUR PORT POWER CAP                                                                                                                                                                                                                                                                                                                                 | MODEL #               | DESCRIPTION             | L x W              | SIMPLEX<br>OUTLETS                                                                                                       | USB-A+C | DATA | ONE UNIT<br>(CENTERED)<br>-1 | TWO UNITS<br>(ONE EACH END)<br>-2 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------|---------|------|------------------------------|-----------------------------------|
| <p>For use with Rectangle and Ellipse Tables</p>  <p>MYC-SUUS</p>  <p>MYC-SUAA</p>  <p>MYC-SSAA</p> | MYC-SUUS-B-C-[ ]      | Black Simplex           | 2 x 9              | 2                                                                                                                        | 2       | -    | 1,620                        | 3,240                             |
|                                                                                                                                                                                                                                                                                                                                                     | MYC-SUUS-W-C-[ ]      | White Simplex           | 2 x 9              | 2                                                                                                                        | 2       | -    | 1,620                        | 3,240                             |
|                                                                                                                                                                                                                                                                                                                                                     | MYC-SUAA-B-C-[ ]      | Black Simplex/AAP       | 2 x 9              | 1                                                                                                                        | 1       | 2    | 1,345                        | 2,690                             |
|                                                                                                                                                                                                                                                                                                                                                     | MYC-SUAA-W-C-[ ]      | White Simplex/Black AAP | 2 x 9              | 1                                                                                                                        | 1       | 2    | 1,345                        | 2,690                             |
|                                                                                                                                                                                                                                                                                                                                                     | MYC-SSAA-B-[ ]        | Black Simplex/AAP       | 2 x 9              | 2                                                                                                                        | -       | 2    | 1,180                        | 2,360                             |
|                                                                                                                                                                                                                                                                                                                                                     | MYC-SSAA-W-[ ]        | White Simplex/Black AAP | 2 x 9              | 2                                                                                                                        | -       | 2    | 1,180                        | 2,360                             |
|                                                                                                                                                                                                                                                                                                                                                     | OPTIONS               | CODE                    | PRICE              | NOTES                                                                                                                    |         |      |                              |                                   |
|                                                                                                                                                                                                                                                                                                                                                     | Polished Chrome Plate | Add <b>-PCP</b>         | \$73 per unit      |                                                                                                                          |         |      |                              |                                   |
|                                                                                                                                                                                                                                                                                                                                                     | Field-Wired           | Add <b>-FW</b>          | Add \$101 per unit | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |         |      |                              |                                   |

## GENERAL INFORMATION

- Available on Rectangular & Elliptical Tops only
- Data includes two single space Extron Architectural Adapter Plates (AAP's)

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish (unless Polished Chrome has been specified)



| AV CONNECTORS & MOUNTING PLATES | MODEL # | DESCRIPTION                                                                                  | STYLE  | W x H         | PRICE |
|---------------------------------|---------|----------------------------------------------------------------------------------------------|--------|---------------|-------|
|                                 | FLDF-1  | Blank faceplate, single height                                                               | Single | 3-1/2 x 5/8   | 77    |
|                                 | FLDF-2  | One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs | Single | 3-1/2 x 5/8   | 270   |
|                                 | FLDF-3  | One VGA 15-pin HD Female to Female Gender Changer                                            | Single | 3-1/2 x 5/8   | 212   |
|                                 | FLDF-4  | One RJ-11 Female to Punch Down - Phone                                                       | Single | 3-1/2 x 5/8   | 212   |
|                                 | FLDF-5  | One RJ-45 Female to Female Barrel - Data                                                     | Single | 3-1/2 x 5/8   | 173   |
|                                 | FLDF-6  | Two RJ-45 Female to Female Barrels, single height                                            | Single | 3-1/2 x 5/8   | 232   |
|                                 | FLDF-7  | Two RJ-45 Female to Punch Down for CAT 6 - AMP                                               | Single | 3-1/2 x 5/8   | 328   |
|                                 | FLDF-8  | Two RJ-45 Female to Punch Down for CAT 6 - Leviton                                           | Single | 3-1/2 x 5/8   | 328   |
|                                 | FLDF-10 | Two RJ-45 Female to Punch Down for CAT 6 - Panduit                                           | Single | 3-1/2 x 5/8   | 328   |
|                                 | FLDF-11 | Two USB A Female to Two USB A Female on 10" Pigtails                                         | Single | 3-1/2 x 5/8   | 367   |
|                                 | FLDF-12 | Blank faceplate, double height                                                               | Double | 3-1/2 x 1-3/8 | 96    |
|                                 | FLDF-13 | Two RJ-45 Female to Female Barrels, double height                                            | Double | 3-1/2 x 1-3/8 | 232   |
|                                 | FLDF-15 | One HDMI Female to Female Barrel                                                             | Single | 3-1/2 x 5/8   | 270   |

## GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black



# POWER AND DATA OPTIONS

| TWO PORT POWER CAP                                                                          | MODEL #                                                                                                                                                                                                                                                                | DESCRIPTION     | W x D              | SIMPLEX OUTLETS                                                                                                          | USB-A+C | DATA | ONE UNIT (CENTERED) -1 |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|--------------------------------------------------------------------------------------------------------------------------|---------|------|------------------------|
| For use with Round and Radius Square Tables                                                 | MYC-SU-B-C-[ ]                                                                                                                                                                                                                                                         | Black Simplex   | 5 x 5              | 1                                                                                                                        | 1       | -    | 1,183                  |
|                                                                                             | MYC-SU-W-C-[ ]                                                                                                                                                                                                                                                         | White Simplex   | 5 x 5              | 1                                                                                                                        | 1       | -    | 1,183                  |
|                                                                                             | MYC-SS-B-[ ]                                                                                                                                                                                                                                                           | Black Simplex   | 5 x 5              | 2                                                                                                                        | -       | -    | 1,016                  |
|                                                                                             | MYC-SS-W-[ ]                                                                                                                                                                                                                                                           | White Simplex   | 5 x 5              | 2                                                                                                                        | -       | -    | 1,016                  |
| <br>MYC-SU | OPTIONS                                                                                                                                                                                                                                                                | CODE            | PRICE              | NOTES                                                                                                                    |         |      |                        |
|                                                                                             | Polished Chrome Plate                                                                                                                                                                                                                                                  | Add <b>-PCP</b> | \$73 per unit      |                                                                                                                          |         |      |                        |
|                                                                                             | Field-Wired                                                                                                                                                                                                                                                            | Add <b>-FW</b>  | Add \$101 per unit | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |         |      |                        |
| <br>MYC-SS | GENERAL INFORMATION                                                                                                                                                                                                                                                    |                 |                    |                                                                                                                          |         |      |                        |
|                                                                                             | <ul style="list-style-type: none"><li>Available on Radius Square &amp; Round Tops only</li><li>Available at center location only</li></ul>                                                                                                                             |                 |                    |                                                                                                                          |         |      |                        |
|                                                                                             | <div>REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)</div> <div>See appendix pages vi-vii for surface material options.</div> <ul style="list-style-type: none"><li>Choose Metal Finish (unless Polished Chrome has been specified)</li></ul> |                 |                    |                                                                                                                          |         |      |                        |

| GROMMET                                                                                                                                                                                                                                                   | MODEL #         | DESCRIPTION   | DIAMETER | PRICE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|----------|-------|
|                                                                                                                                                                                                                                                           | GR              | Round Grommet | 2" Dia   | 290   |
|                                                                                                                                                                                                                                                           |                 |               |          |       |
| OPTIONS                                                                                                                                                                                                                                                   | CODE            | PRICE         | NOTES    |       |
| Polished Chrome Grommet                                                                                                                                                                                                                                   | Add <b>-PCG</b> | \$90 per unit |          |       |
| GENERAL INFORMATION                                                                                                                                                                                                                                       |                 |               |          |       |
| <div>▪ Available at center location only</div>                                                                                                                                                                                                            |                 |               |          |       |
| <div><b>REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)</b><br/>See appendix pages vi-vii for surface material options.<div>▪ Choose Metal Finish: Powder Coat, Clear Anodized or Polished Chrome (upcharge applies)</div></div> |                 |               |          |       |



# Appendix

---



This price book supercedes all previous versions.

**Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.**

## Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received. For current lead times, please review [www.nucraft.com/resources/lead-times](http://www.nucraft.com/resources/lead-times).

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

**Minimum Freight Charge: Any order below \$2,900 net will be assessed a \$475 net minimum freight charge (one per order).**

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date
- Specific time of day, morning or afternoon
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

## Freight Terms

Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet these criteria may be accommodated, but will incur a charge to cover additional shipping costs. Please **notify Nucraft a minimum of two weeks prior to shipment** to arrange special services and determine additional charges.

## Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

## Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

## Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. Inspect all cartons upon delivery. Details of visible damage should be noted on the delivery receipt. Do not destroy packaging, transport to site, or install product if damage is found upon inspection. Inspection of products should be completed upon delivery to the receiver. If visible damage is apparent, a claim should be filed immediately with Nucraft Customer Service. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Concealed damage claims must be filed within 15 days of receipt, **prior to transporting or installing any product.**

Do not destroy packing materials until shipment has been inspected. If damage is found, proceed to file a claim with Nucraft Customer Service.

**Failure to make any claims against Nucraft within 15 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.**

## Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

## Change Order Policy

Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



## Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

## Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

## Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
  - Textiles
  - Electrical Components
  - Refrigeration Units
  - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

**Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.**

## Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

## Computer Aided Planning

Nucraft products and pricing are available via CET and 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

Product symbols (Revit, 2D and 3D) are available on the Nucraft website at [www.nucraft.com/resources/product-symbols](http://www.nucraft.com/resources/product-symbols).

## iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to [www.nucraft.com/resources/ispec](http://www.nucraft.com/resources/ispec).



## Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

## Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$2,100 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

## Treatments

**Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.**

**Gloss:** Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

**Matte:** Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

## About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

## Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



## Laminates

Selected Formica®, Nevamar®, and Wilsonart® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns. It is important to note that wood grain laminates are unable to be grain matched over multi-piece table top applications.

## Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

Nucraft can support other laminate and linoleum options beyond what can be found as standard options on pages vi-viii. For pricing, please send a request to [quotes@nucraft.com](mailto:quotes@nucraft.com).

## Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

## Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

## Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

## Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

## Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

## Touch Up Finish Kits

| Model # | Description | Price |
|---------|-------------|-------|
| KIT-M   | Metal Kit   | 85    |
| KIT-P   | Paint Kit   | 85    |
| KIT-S   | Stain Kit   | 85    |

## REQUIRED INFORMATION:

### (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

## General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

## Retrofit & Replacements

If needing a partial placement or retrofit solution, please reach out to our quote team. Grain/color matched in a set.



## VENEER

### STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

|                     | Matte        | Gloss      |
|---------------------|--------------|------------|
| <b>Rift Cut Oak</b> |              |            |
| Carbon              | M03          | <b>G03</b> |
| <b>Flat Cut Oak</b> |              |            |
| Artisan             | <b>M68</b>   | G68        |
| Coco                | <b>M67</b>   | G67        |
| Dove                | <b>M66</b>   | G66        |
| Dune                | <b>M05</b>   | G05        |
| Midnight            | <b>M69</b>   | G69        |
| Portobello          | <b>M7413</b> | G7413      |
| Winter              | <b>M70</b>   | G70        |
| <b>Flaky Oak</b>    |              |            |
| Sahara              | <b>M61</b>   | G61        |
| <b>Cherry</b>       |              |            |
| Auburn              | M93          | <b>G93</b> |
| Cognac              | M21          | <b>G21</b> |
| <b>Walnut</b>       |              |            |
| Marron              | <b>M35</b>   | G35        |
| Mocha               | <b>M33</b>   | G33        |
| Onyx                | M82          | <b>G82</b> |
| Otter               | M31          | <b>G31</b> |
| Zinc                | M30          | <b>G30</b> |
| <b>Maple</b>        |              |            |
| Natural Maple       | M60          | <b>G60</b> |
| <b>Linea</b>        |              |            |
| Euro Birch Linea    | <b>M09</b>   | G09        |
| Oak Linea           | <b>M08</b>   | G08        |
| Silver Birch Linea  | M10          | <b>G10</b> |
| Walnut Linea        | <b>M27</b>   | G27        |
| <b>Paldao</b>       |              |            |
| Canyon              | M77          | <b>G77</b> |
| Paldao              | <b>M76</b>   | G76        |
| Thicket             | <b>M75</b>   | G75        |

## LAMINATE

Coordinating Veneer Finish and edgeband options listed below.

|                            |         |                | Solid<br>Edge Band     |
|----------------------------|---------|----------------|------------------------|
| Solid Laminates            |         |                |                        |
| Formica Brite White        | 459-58  |                | R01                    |
| Formica Dover White        | 7197-58 |                | R01                    |
| Formica Folkstone          | 927-58  |                | R03                    |
| Formica Graphite           | 837-58  |                | R05                    |
| Formica Graystone          | 464-58  |                | R02                    |
| Formica Pearl              | 934-58  |                | R02                    |
| Patterned Laminates        |         |                |                        |
| Nevamar Calm Distinction   | VA6001T |                | R05                    |
| Nevamar Cool Chic          | VA7002T |                | R02                    |
| Nevamar Easy Elegance      | VA5002T |                | R05                    |
| Nevamar Serene Stardom     | VA5001T |                | R05                    |
| Wilsonart Sheer Mesh       | 4876-38 |                | R02                    |
| Wilsonart Grey Mesh        | 4877-38 |                | R02                    |
| Wilsonart Pewter Mesh      | 4878-38 |                | R05                    |
|                            |         | Wood<br>Finish | Woodgrain<br>Edge Band |
| Wood Grain Laminates       |         |                |                        |
| Formica Aged Ash           | 8844-58 | M8844          | R8844                  |
| Formica Blackened Legno    | 8848-58 | M8848          | R8848                  |
| Formica Bleached Legno     | 8845-58 | M8845          | R8845                  |
| Formica Chestnut Woodline  | 5884-58 | M5884          | R5884                  |
| Formica Espresso Pear      | 5489-58 | M5489          | R5489                  |
| Formica Natural Ash        | 8843-58 | M8843          | R8843                  |
| Formica Oiled Legno        | 8846-58 | M8846          | R8846                  |
| Formica Pecan Woodline     | 5883-58 | M5883          | R5883                  |
| Formica Planked Coffee Oak | 7413-58 | M7413          | F7413                  |
| Formica Sand Maple         | 9237-58 | G60            | W7909                  |
| Formica Smoky Brown Pear   | 5488-58 | M5488          | R5488                  |
| Formica Thermo Walnut      | 6402-58 | M6402          | R6402                  |
| Formica Urban Planked Oak  | 9312-58 | M9312          | R9312                  |
| Formica Weathered Ash      | 8842-58 | M8842          | R8842                  |
| Formica White Ash          | 8841-58 | M8841          | R8841                  |

## SOLID SURFACE

|                          |      |
|--------------------------|------|
| Wilsonart Designer White | ST11 |
|--------------------------|------|



## GLASS

|                               | Satin | Gloss  |
|-------------------------------|-------|--------|
| <b>Satin or Gloss Glass</b>   |       |        |
| Black                         | BS    | -      |
| Clove                         | VS    | VG     |
| Meringue                      | MS    | MG     |
| Moonlight                     | MLS   | MLG    |
| Storm                         | STS   | STG    |
| Quill                         | QS    | QG     |
| White                         | WS    | WG     |
|                               | Clear | Tinted |
| <b>Clear and Tinted Glass</b> |       |        |
| Clear                         | CC    | -      |
| Smoke                         | -     | ST     |

## LINOLEUM

Coordinating edgeband options listed below.

|                        |      | Solid Edge Band |
|------------------------|------|-----------------|
| <b>Solid Linoleums</b> |      |                 |
| Forbo Ash              | 4132 | R03             |
| Forbo Nero             | 4023 | R05             |
| Forbo Mushroom         | 4176 | R02             |
| Forbo Iron             | 4178 | R05             |

## METAL

|                    |                    |       |
|--------------------|--------------------|-------|
| <b>Powder Coat</b> |                    |       |
| Aged Bronze        |                    | A8010 |
| Black              |                    | A44   |
| Burnished          |                    | A8009 |
| Cloud              |                    | A8004 |
| Foil               |                    | A8006 |
| Galaxy             |                    | A8007 |
| Moonlight          |                    | A87   |
| Satin Bronze       |                    | A8011 |
| Shadow             |                    | A8005 |
| Storm              |                    | A8012 |
| <b>Metal</b>       |                    |       |
| Polished Chrome    | (upcharge applies) | PC    |

## PAINT

|              |       |
|--------------|-------|
| Aged Bronze  | S8010 |
| Black        | S44   |
| Burnished    | S88   |
| Cloud        | S8004 |
| Foil         | S8006 |
| Galaxy       | S8007 |
| Moonlight    | S87   |
| Satin Bronze | S8011 |
| Shadow       | S8005 |
| Storm        | S8012 |

### Paint to Match

To request a custom paint color, contact NuCraft Customer Service.  
A paint sample must be matched and approved prior to order.

## EDGE BAND

|           |     |
|-----------|-----|
| Ashen     | R04 |
| Parchment | R02 |
| Shale     | R05 |
| Stone     | R03 |
| Whitecap  | R01 |