

NUCRAFT
Performance Credenza™





UTILITY PERFORMANCE CREDENZA Performance Credenzas feature a variety of convenient options to address a wide range of application needs, from technology to food and beverage service and storage. Utility widths range from 48" to 120" and console widths range from 59" to 94" and are available in two heights: 29" conference or 37" buffet, with depths of 28" (food service), 25" (utility) and 18" (console). Above: **120" utility credenza** with end trash/recycling unit, top and bottom refrigerator drawer fronts, three storage drawers and sliding equipment rack. Shown in Natural Paldao with Absolute Black Granite top.

Cover: **72" utility credenza** with refrigerator drawer fronts in buffet height. Shown in Oak Linea with Clove satin etched glass top. Back Cover: **48" utility credenza** with side trash/recycling unit in conference height. Shown in Dune Flat Cut Oak with Blizzard Quartz top.



Above: 96" utility credenza with top and bottom refrigerator drawer fronts, front trash/recycling unit. Shown in Natural Paldao with solid surface Designer White top and integrated pull.



a







b



c

FOOD SERVICE CREDENZA a. Food service credenza height 37" when closed, 63" when open, 72" wide and 28" deep
ADDITIONAL STORAGE OPTIONS b. Shelf storage with Foil powdercoat pull. | c. Three storage drawers. All shown in Walnut Linea.



TECHNOLOGY ACCOMMODATIONS a. Side view of trash/recycle, Foil powdercoat pull | b. Three Door Credenza with Equipment Rack, Foil powdercoat pull | c. Back view with cut-outs for thermostatically controlled fan or wire management, and open back for refrigerator option. All shown in Walnut Linea.

All pulls above shown on Cloud paint cases with Wilsonart Designer White solid surface top

