

# PERSPECTIVE COLLECTION

## Planning Guide + Price List

---

### QUICK LINKS

[PLANNING GUIDE](#)[PORTAL PRICING](#)[ASPECT PRICING](#)[GENERAL INFORMATION](#)[FINISH INFORMATION](#)[SURFACE MATERIALS](#)



# TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

|                        |         |
|------------------------|---------|
| General Information    | ii-iii  |
| Finish Information     | iv-v    |
| Surface Materials      | vi-viii |
| Specification Overview | 3       |
| Planning Guide         | 4-13    |
| Price List             | 14-21   |
| Portal                 | 14      |
| Aspect                 | 15-19   |
| Power and Data Options | 20-22   |



# SPECIFICATION OVERVIEW

---

**1. Select Table Line**

Choose from Portal (seats 1-3 people) or Aspect (seats 5-9 people).

**2. Select Top Material**

Choose from veneer, laminate, Fenix, glass or stone.

**3. Select Table Size**

Portal tables come in one size, while Aspect tables have eight standard sizes ranging from 57" to 102".

**4. Select Base Finish**

The bases are available in paint/veneer, or paint/paint.

**5. Select Power/AV Option (if desired)**

Options for power and AV connectivity include:

- Table Top: Grommet, Power Matrix (Compact)
- Under Surface: Power Rail, Data Rail, and Power Shelf



## DETAIL OVERVIEW: VENEER TOP

---

**PORTAL: 1-3 People**



**VENEER EDGE PROFILE**



**ASPECT (SINGLE BASE): 5-6 People**



**ASPECT (DUAL BASE): 7-9 People**





## DETAIL OVERVIEW: LAMINATE TOP WITH SQUARE EDGE

---

**PORTAL: 1-3 People**



**LAMINATE EDGE PROFILE**



**ASPECT (SINGLE BASE): 5-6 People**



**ASPECT (DUAL BASE): 7-9 People**





## DETAIL OVERVIEW: FENIX TOP

---

**PORTAL: 1-3 People**



**ASPECT (SINGLE BASE): 5-6 People**



**ASPECT (DUAL BASE): 7-9 People**



**FENIX EDGE PROFILE**





## DETAIL OVERVIEW: GLASS TOP

---

**PORTAL: 1-3 People**



**GLASS EDGE PROFILE**



**ASPECT (SINGLE BASE): 5-6 People**



**ASPECT (DUAL BASE): 7-9 People**





## DETAIL OVERVIEW: STONE TOP

---

**PORTAL: 1-3 People**



**FENIX EDGE PROFILE**



**ASPECT (SINGLE BASE): 5-6 People**



**ASPECT (DUAL BASE): 7-9 People**





# TABLE TOP POWER OPTION: POWER MATRIX

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

## POWER

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional USB-A+C charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired Infeed options add flexibility.

## DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

## DESIGN

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate, glass or stone/quartz table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

## PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

## DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

## FIELD-WIRED

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.

## LOCATION CODES

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

Veneer Top Table with Veneer Door Power Matrix



Laminate Top Table with Metal Door Power Matrix



Glass Top Table with Glass Door Power Matrix



Marble Top Table with Metal Door Power Matrix



| POWER MATRIX SMALL | LOCATION      | QUANTITY OF<br>UNITS TO ORDER |
|--------------------|---------------|-------------------------------|
| PS-1               | One at center | 1                             |
| PS-1F              | One at front  | 1                             |
| PS-1B              | One at back   | 1                             |
| PS-2               | Two at center | 2                             |



# UNDER SURFACE POWER OPTION: POWER RAIL

## POWER RAIL

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top and appreciate the inherent flexibility of the Power Rail to be removed at a later date as they transition to a truly wireless environment.


Held in place with screws, Power Rail units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.

Power Rails are available in three configurations:




- Two simplex receptacles (UL Listed)
- One simplex receptacle and one powered USB-A+C connector (UL Listed)
- Two single space A/V faceplates designed for use with Extron Architectural Adaptor Plates (AAPs)

When Power Rails are specified on a Two4Six table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system. Maximum of 12 Power Rails per table.

Front Elevation



Side Elevation





## UNDER SURFACE POWER OPTION: POWER SHELF

---

### POWER SHELF

The Power Shelf is an alternate option to the Power Rail, providing small storage on either side of the power unit. Planned and specified just like the Power Rail, the Power Shelf adds a different visual and storage capability to Nucraft's subtop power offering.

Held in place with screws, Power Shelf units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.

When Power Shelves are specified on a Perspective table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system.






# UNDER SURFACE POWER OPTION PLANNING


## MAXIMUM AVAILABLE SUBTOP POWER / DATA ATTACHMENT POINTS PER TABLE SIZE AND TOP MATERIAL

|          | PORTAL | ASPECT 57 | ASPECT 62 | ASPECT 67 | ASPECT 82 | ASPECT 87 | ASPECT 92 | ASPECT 97 | ASPECT 102 |
|----------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| VENEER   | 1      | 3         | 3         | 3         | 4         | 4         | 4         | 5         | 5          |
| LAMINATE | 1      | 3         | 3         | 3         | 4         | 4         | 5         | 5         | 5          |
| FENIX    | 1      | 3         | 3         | 3         | 4         | 4         | 5         | 5         | 5          |
| GLASS    | 1      | 3         | 3         | 3         | 4         | 4         | 4         | 5         | 5          |
| STONE    | 1      | 3         | 3         | 3         | 4         | 4         | 4         | 4         | 5          |


PORTAL  
All Top Materials




ASPECT (SINGLE BASE)  
57, 62, 67 - All Top Materials



ASPECT (DUAL BASE)  
82, 87 - All Top Materials  
92 - Veneer, Glass, Stone  
97 - Stone



ASPECT (DUAL BASE)  
92 - Laminate, Fenix  
97 - Veneer, Laminate, Fenix, Glass  
102 - All Top Materials





## POWER PLANNING

---

### VERTICAL STORAGE (SHERPA)

Perspective Collection tables are standard with a “Sherpa” or vertical storage rack that allows for AV teams to manage cables or mount small scale AV equipment.





# PORTAL



## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #  | L x W x H    | SEATING CAPACITY | TOP MATERIAL              | -VB    | -PB    |
|----------|--------------|------------------|---------------------------|--------|--------|
| PPL-4842 | 48 x 42 x 29 | 2                | Laminate with Square Edge | 7,618  | 7,618  |
| PPV-4842 | 48 x 42 x 29 | 2                | Veneer with Hardwood Edge | 7,855  | 7,855  |
| PPF-4842 | 48 x 42 x 29 | 2                | Fenix with Square Edge    | 8,530  | 8,530  |
| PPG-4842 | 48 x 42 x 29 | 2                | Glass                     | 10,725 | 10,725 |
| PPT-4842 | 48 x 42 x 29 | 2                | Stone                     | 13,362 | 13,362 |

## OPTIONS

### CODE

### PRICE

### NOTES

Satin Glass

Add **-PSG**

\$792

## REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Top Material and Finish
- Choose Veneer Finish, if Veneer Base (-VB) is specified
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Veneer, Fenix and Laminate tops do not have a subtop
- Glass and Stone tops have a painted subtop
- Power Shelf is always powder coated
- Retractors are not available
- Veneer tops have a bullnose hardwood edge
- Laminate and Fenix tops have a square edge
- Stone edge profile is a full bullnose and has a subtop that is inset 3/4"
- Glass tops are 3/8"-thick and have a half bullnose subtop that is inset 1/4"
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# ASPECT VENEER TOP



SINGLE BASE



DUAL BASE

## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #            | L x W x H     | SEATING CAPACITY | -VB    | -PB    |
|--------------------|---------------|------------------|--------|--------|
| <b>SINGLE BASE</b> |               |                  |        |        |
| PAV-5770           | 57 x 70 x 29  | 5                | 11,453 | 11,453 |
| PAV-6270           | 62 x 70 x 29  | 5                | 12,154 | 12,154 |
| PAV-6770           | 67 x 70 x 29  | 6                | 12,861 | 12,861 |
| <b>DUAL BASE</b>   |               |                  |        |        |
| PAV-8270           | 82 x 70 x 29  | 7                | 15,588 | 15,588 |
| PAV-8770           | 87 x 70 x 29  | 7                | 16,290 | 16,290 |
| PAV-9270           | 92 x 70 x 29  | 8                | 16,997 | 16,997 |
| PAV-9770           | 97 x 70 x 29  | 8                | 17,698 | 17,698 |
| PAV-10270          | 102 x 70 x 29 | 9                | 18,400 | 18,400 |

## REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Veneer Finish
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Veneer tops do not have a subtop
- Power Shelf is always powder coated
- Retractors are not available
- Veneer tops have a bullnose hardwood edge
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# ASPECT LAMINATE TOP WITH SQUARE EDGE



SINGLE BASE



DUAL BASE

## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #            | L x W x H     | SEATING CAPACITY | -VB    | -PB    |
|--------------------|---------------|------------------|--------|--------|
| <b>SINGLE BASE</b> |               |                  |        |        |
| PAL-5770           | 57 x 70 x 29  | 5                | 10,582 | 10,582 |
| PAL-6270           | 62 x 70 x 29  | 5                | 11,215 | 11,215 |
| PAL-6770           | 67 x 70 x 29  | 6                | 11,848 | 11,848 |
| <b>DUAL BASE</b>   |               |                  |        |        |
| PAL-8270           | 82 x 70 x 29  | 7                | 14,823 | 14,823 |
| PAL-8770           | 87 x 70 x 29  | 7                | 15,456 | 15,456 |
| PAL-9270           | 92 x 70 x 29  | 8                | 16,089 | 16,089 |
| PAL-9770           | 97 x 70 x 29  | 8                | 16,722 | 16,722 |
| PAL-10270          | 102 x 70 x 29 | 9                | 17,355 | 17,355 |

## REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Laminate Finish
- Choose Edge Band Finish
- Choose Veneer Finish, if Veneer Base (-VB) is specified
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Laminate tops do not have a subtop
- Power Shelf is always powder coated
- Retractors are not available
- Laminate tops have a square edge
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# ASPECT FENIX TOP WITH SQUARE EDGE



SINGLE BASE



DUAL BASE

## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #            | L x W x H     | SEATING CAPACITY | -VB    | -PB    |
|--------------------|---------------|------------------|--------|--------|
| <b>SINGLE BASE</b> |               |                  |        |        |
| PAF-5770           | 57 x 70 x 29  | 5                | 11,853 | 11,853 |
| PAF-6270           | 62 x 70 x 29  | 5                | 12,560 | 12,560 |
| PAF-6770           | 67 x 70 x 29  | 6                | 13,272 | 13,272 |
| <b>DUAL BASE</b>   |               |                  |        |        |
| PAF-8270           | 82 x 70 x 29  | 7                | 16,601 | 16,601 |
| PAF-8770           | 87 x 70 x 29  | 7                | 17,313 | 17,313 |
| PAF-9270           | 92 x 70 x 29  | 8                | 18,020 | 18,020 |
| PAF-9770           | 97 x 70 x 29  | 8                | 18,727 | 18,727 |
| PAF-10270          | 102 x 70 x 29 | 9                | 19,439 | 19,439 |

## REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Fenix Finish
- Choose Edge Band Finish
- Choose Veneer Finish, if Veneer Base (-VB) is specified
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Fenix tops do not have a subtop
- Power Shelf is always powder coated
- Retractors are not available
- Fenix tops have a square edge
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# ASPECT GLASS TOP



SINGLE BASE



DUAL BASE

## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #            | L x W x H     | SEATING CAPACITY | -VB    | -PB    |
|--------------------|---------------|------------------|--------|--------|
| <b>SINGLE BASE</b> |               |                  |        |        |
| PAG-5770           | 57 x 70 x 29  | 5                | 14,765 | 14,765 |
| PAG-6270           | 62 x 70 x 29  | 5                | 15,767 | 15,767 |
| PAG-6770           | 67 x 70 x 29  | 6                | 16,770 | 16,770 |
| <b>DUAL BASE</b>   |               |                  |        |        |
| PAG-8270           | 82 x 70 x 29  | 7                | 21,480 | 21,480 |
| PAG-8770           | 87 x 70 x 29  | 7                | 22,483 | 22,483 |
| PAG-9270           | 92 x 70 x 29  | 8                | 23,485 | 23,485 |
| PAG-9770           | 97 x 70 x 29  | 8                | 24,487 | 24,487 |
| PAG-10270          | 102 x 70 x 29 | 9                | 25,489 | 25,489 |

## OPTIONS

Satin Glass

## CODE

Add **-PSG**

## PRICE

\$792

## NOTES

### REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if Veneer Base (-VB) is specified
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Glass tops have a painted subtop
- Power Shelf is always powder coated
- Retractors are not available
- Glass tops are 3/8"-thick and have a half bullnose subtop that is inset 1/4"
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# ASPECT STONE TOP



SINGLE BASE



DUAL BASE

## BASE KEY

VB Veneer Base  
PB Painted Base

| MODEL #            | L x W x H     | SEATING CAPACITY | -VB    | -PB    |
|--------------------|---------------|------------------|--------|--------|
| <b>SINGLE BASE</b> |               |                  |        |        |
| PAT-5770           | 57 x 70 x 29  | 5                | 18,146 | 18,146 |
| PAT-6270           | 62 x 70 x 29  | 5                | 19,360 | 19,360 |
| PAT-6770           | 67 x 70 x 29  | 6                | 20,573 | 20,573 |
| <b>DUAL BASE</b>   |               |                  |        |        |
| PAT-8270           | 82 x 70 x 29  | 7                | 25,099 | 25,099 |
| PAT-8770           | 87 x 70 x 29  | 7                | 26,312 | 26,312 |
| PAT-9270           | 92 x 70 x 29  | 8                | 27,525 | 27,525 |
| PAT-9770           | 97 x 70 x 29  | 8                | 28,739 | 28,739 |
| PAT-10270          | 102 x 70 x 29 | 9                | 29,952 | 29,952 |

## REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.


- Choose Stone Finish
- Choose Veneer Finish, if Veneer Base (-VB) is specified
- Choose a single Paint Finish for the Shroud and Plinth, if Painted Base (-PB) is specified

## GENERAL INFORMATION

- Veneer on base panels is vertical
- Stone tops have a painted subtop
- Power Shelf is always powder coated
- Retractors are not available
- Stone edge profile is a full bullnose and has a subtop that is inset 3/4"
- Plinth and base upper shroud are always the same color
- Middle section of base is available in veneer or paint



# POWER AND DATA OPTIONS

| POWER MATRIX COMPACT                                                              | MODEL #   | DESCRIPTION          | W x D     | SIMPLEX OUTLETS | BLANK | DATA* | PRICE |
|-----------------------------------------------------------------------------------|-----------|----------------------|-----------|-----------------|-------|-------|-------|
|  | PM-SM-G-C | Compact - Glass Door | 6 x 5.375 | 2               | 2     | 2     | 1,635 |
|                                                                                   | PM-SM-M-C | Compact - Metal Door | 6 x 5.375 | 2               | 2     | 2     | 1,635 |
|                                                                                   | PM-SM-W-C | Compact - Wood Door  | 6 x 5.375 | 2               | 2     | 2     | 2,062 |

\*Each data faceplate includes two RJ-45 (Data) connectors

| OPTIONS                                | CODE                | PRICE                | NOTES                                                                                                                    |
|----------------------------------------|---------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------|
| 4 Simplex Receptacles                  | Add <b>-FOUR</b>    | No Charge            | Replace AAP's with 2 additional simplex receptacles                                                                      |
| 3 Simplex Receptacles/Charging USB-A+C | Add <b>-THREE-C</b> | No Charge            | Replace AAP's with 1 additional simplex receptacle and 1 charging USB-A+C                                                |
| USB-A+C Charging                       | Add <b>-USB-C</b>   | \$128 per unit       | USB-A+C charger, replaces one of the simplex outlets                                                                     |
| Polished Chrome Door                   | Add <b>-PD</b>      | \$245 per unit       | Only available with metal door option                                                                                    |
| Polished Chrome Bezel                  | Add <b>-PB</b>      | \$349 per unit       | Only available on glass, stone and laminate top tables                                                                   |
| Field-Wired                            | Add <b>-FW</b>      | Deduct \$48 per unit | May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. |
| Single Infeed Option Available         | See page 21         |                      |                                                                                                                          |


## GENERAL INFORMATION

- Compact Power Matrix is the only option available with Portal
- For Veneer, Glass or Solid Surface tables, Power Matrix will be bezel free and the door will match the table top
- For Stone tables, Power Matrix will be bezel free and the door can be specified as metal or glass
- For Laminate or Fenix tables, Power Matrix will have a bezel and the door can be specified as metal or glass
- Wood species and finish will default to the same as the table top if wood door version is specified
- Power Matrix cord is 144" long
- Glass doors are 3/8"-thick, metal doors are 1/8"-thick
- Wood doors are 1/4"-thick
- Metal doors are 5/16"-thick
- Glass door is back-painted low-iron glass
- Glass door is square, and does not have the "file folder" design like the Metal and Wood Power Matrix doors
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- Additional data/AV faceplate options are on page 22

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose location code & quantity from the chart on page 17
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

| POWER RAIL                                                                          | MODEL #      | DESCRIPTION            | (2) SIMPLEX<br>-S2 | (1) SIMPLEX / (1) CHARGING USB<br>-S3 |
|-------------------------------------------------------------------------------------|--------------|------------------------|--------------------|---------------------------------------|
|  | PP-RAIL-FW   | Field-Wired Power Rail | 764                | 764                                   |
|                                                                                     | PP-RAIL      | Individual Power Rail  | 861                | 861                                   |
|                                                                                     | PP-RAIL-DATA | Data Rail              | 664                | 664                                   |

## GENERAL INFORMATION

- Cord Single Infeed is 9' long
- Cord Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Field Wired Includes 9' flexible metal conduit and requires a hardwire connection. May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the PP-RAIL-FW option.
- Individual Power Rails do not include a modular power system. Each Power Rail must directly plug into a floor core with a 9'-corded 15-amp plug-in infeed. (Typically used with smaller tables, such as rounds, squares, and soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powder coat finishes are specified. Black simplex receptacles will be used for all other powder coat finishes.
- Power Rails not available in Clear or Black Anodized



# POWER AND DATA OPTIONS

| POWER SHELF | MODEL # | DESCRIPTION                   | PRICE |
|-------------|---------|-------------------------------|-------|
|             | -PSH    | (1) Power Shelf - Corded      | 735   |
|             | -PSHFW  | (1) Power Shelf - Field-Wired | 828   |

## GENERAL INFORMATION

- Corded Single Infeed is 9' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Field Wired includes 9' flexible metal conduit and required a hardwire connection. May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the -PSHFW option.
- Corded Power Shelves do not include a modular power system. Each Power Rail must directly plug into a floor core with a 9'-corded 15-amp plug-in infeed. (Typically used with smaller tables, such as rounds, squares, and soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powder coat finishes are specified. Black simplex receptacles will be used for all other powder coat finishes.
- Power Shelves not available in Clear or Black Anodized

| GROMMET                                                                           | MODEL # | DESCRIPTION   | DIAMETER | PRICE |
|-----------------------------------------------------------------------------------|---------|---------------|----------|-------|
|  | GR      | Round Grommet | 2" Dia   | 242   |

| OPTIONS                 | CODE     | PRICE         | NOTES |
|-------------------------|----------|---------------|-------|
| Polished Chrome Grommet | Add -PCG | \$98 per unit |       |

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-viii for surface material options.

- Choose Metal Finish: Powder Coat, Clear Anodized or Polished Chrome (upcharge applies)

| LOCATION CODES | POWER MATRIX COMPACT | GROMMET | LOCATION      | QUANTITY OF UNITS TO ORDER |
|----------------|----------------------|---------|---------------|----------------------------|
|                | PS-1                 | GR-C    | One at center | 1                          |
|                | PS-1F                | GR-F    | One at front  | 1                          |
|                | PS-1B                | GR-B    | One at back   | 1                          |
|                | PS-2                 | GR-2    | Two at center | 2                          |

| SINGLE INFEE OPTION | MODEL # | DESCRIPTION                             | PRICE |
|---------------------|---------|-----------------------------------------|-------|
|                     | SI-H    | Single In-Feed Option, Hard-wired       | 608   |
|                     | SI-C    | Single In-Feed Option, Corded (Plug-in) | 734   |

## GENERAL INFORMATION

- Include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 4' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option
- Corded Single Infeed option will require a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit



# POWER AND DATA OPTIONS

| DATA FACEPLATES | MODEL # | DESCRIPTION                                                                                  | STYLE  | W x H         | PRICE |
|-----------------|---------|----------------------------------------------------------------------------------------------|--------|---------------|-------|
|                 | FLDF-1  | Blank faceplate, single height                                                               | Single | 3-1/2 x 5/8   | 81    |
|                 | FLDF-2  | One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs | Single | 3-1/2 x 5/8   | 284   |
|                 | FLDF-3  | One VGA 15-pin HD Female to Female Gender Changer                                            | Single | 3-1/2 x 5/8   | 223   |
|                 | FLDF-4  | One RJ-11 Female to Punch Down - Phone                                                       | Single | 3-1/2 x 5/8   | 223   |
|                 | FLDF-5  | One RJ-45 Female to Female Barrel - Data                                                     | Single | 3-1/2 x 5/8   | 182   |
|                 | FLDF-6  | Two RJ-45 Female to Female Barrels, single height                                            | Single | 3-1/2 x 5/8   | 244   |
|                 | FLDF-7  | Two RJ-45 Female to Punch Down for CAT 6 - AMP                                               | Single | 3-1/2 x 5/8   | 345   |
|                 | FLDF-8  | Two RJ-45 Female to Punch Down for CAT 6 - Leviton                                           | Single | 3-1/2 x 5/8   | 345   |
|                 | FLDF-10 | Two RJ-45 Female to Punch Down for CAT 6 - Panduit                                           | Single | 3-1/2 x 5/8   | 345   |
|                 | FLDF-11 | Two USB A Female to Two USB A Female on 10" Pigtails                                         | Single | 3-1/2 x 5/8   | 386   |
|                 | FLDF-12 | Blank faceplate, double height                                                               | Double | 3-1/2 x 1-3/8 | 101   |
|                 | FLDF-13 | Two RJ-45 Female to Female Barrels, double height                                            | Double | 3-1/2 x 1-3/8 | 244   |
|                 | FLDF-14 | Cable Pass-Through Set - one top, one bottom                                                 | Double | 3-1/2 x 1-3/8 | 426   |
|                 | FLDF-15 | One HDMI Female to Female Barrel                                                             | Single | 3-1/2 x 5/8   | 284   |

## GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each PA-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black



# Appendix

---



This price book supercedes all previous versions.

**Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.**

## Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received. For current lead times, please review [www.nucraft.com/resources/lead-times](http://www.nucraft.com/resources/lead-times).

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

**Minimum Freight Charge: Any order below \$3,000 net will be assessed a \$500 net minimum freight charge (one per order).**

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date
- Specific time of day, morning or afternoon
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

## Freight Terms

Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet these criteria may be accommodated, but will incur a charge to cover additional shipping costs. Please **notify Nucraft a minimum of two weeks prior to shipment** to arrange special services and determine additional charges.

## Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

## Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

## Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. Inspect all cartons upon delivery. Details of visible damage should be noted on the delivery receipt. Do not destroy packaging, transport to site, or install product if damage is found upon inspection. Inspection of products should be completed upon delivery to the receiver. If visible damage is apparent, a claim should be filed immediately with Nucraft Customer Service. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Concealed damage claims must be filed within 15 days of receipt, **prior to transporting or installing any product.**

Do not destroy packing materials until shipment has been inspected. If damage is found, proceed to file a claim with Nucraft Customer Service.

**Failure to make any claims against Nucraft within 15 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.**

## Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

## Change Order Policy

Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



## Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

## Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

## Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
  - Textiles
  - Electrical Components
  - Refrigeration Units
  - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

**Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.**

## Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

## Computer Aided Planning

Nucraft products and pricing are available via CET and 2020 Worksheet, an AutoCAD®-based space planning tool.

2020 Worksheet is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

Product symbols (Revit, 2D and 3D) are available on the Nucraft website at [www.nucraft.com/resources/designer-tools/product-symbols](http://www.nucraft.com/resources/designer-tools/product-symbols).

## iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, visit [www.nucraft.com/resources/designer-tools/ispec](http://www.nucraft.com/resources/designer-tools/ispec).



## Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

## Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$2,200 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

## Treatments

**Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.**

**Gloss:** Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

**Matte:** Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

## About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

## Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



## Laminates

Selected Formica®, Nevamar®, and Wilsonart® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns. It is important to note that wood grain laminates are unable to be grain matched over multi-piece table top applications.

## Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

Nucraft can support other laminate and linoleum options beyond what can be found as standard options on pages vi-viii. For pricing, please send a request to quotes@nucraft.com.

## Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

## Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

## Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

## Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

## Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

## Touch Up Finish Kits

| Model # | Description | Price |
|---------|-------------|-------|
| KIT-M   | Metal Kit   | 85    |
| KIT-P   | Paint Kit   | 85    |
| KIT-S   | Stain Kit   | 85    |

## REQUIRED INFORMATION:

### (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

## General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

## Retrofit & Replacements

If needing a partial placement or retrofit solution, please reach out to our quote team. Grain/color matched in a set.



## VENEER

### STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

|                     | Matte        | Gloss      |
|---------------------|--------------|------------|
| <b>Rift Cut Oak</b> |              |            |
| Carbon              | M03          | <b>G03</b> |
| <b>Flat Cut Oak</b> |              |            |
| Artisan             | <b>M68</b>   | G68        |
| Coco                | <b>M67</b>   | G67        |
| Dove                | <b>M66</b>   | G66        |
| Dune                | <b>M05</b>   | G05        |
| Midnight            | <b>M69</b>   | G69        |
| Portobello          | <b>M7413</b> | G7413      |
| Winter              | <b>M70</b>   | G70        |
| <b>Flaky Oak</b>    |              |            |
| Sahara              | <b>M61</b>   | G61        |
| <b>Cherry</b>       |              |            |
| Auburn              | M93          | <b>G93</b> |
| Cognac              | M21          | <b>G21</b> |
| <b>Walnut</b>       |              |            |
| Marron              | <b>M35</b>   | G35        |
| Mocha               | <b>M33</b>   | G33        |
| Onyx                | M82          | <b>G82</b> |
| Otter               | M31          | <b>G31</b> |
| Zinc                | M30          | <b>G30</b> |
| <b>Maple</b>        |              |            |
| Natural Maple       | M60          | <b>G60</b> |
| <b>Linea*</b>       |              |            |
| Euro Birch Linea    | <b>M09</b>   | G09        |
| Oak Linea           | <b>M08</b>   | G08        |
| Silver Birch Linea  | M10          | <b>G10</b> |
| Walnut Linea        | <b>M27</b>   | G27        |
| <b>Paldao</b>       |              |            |
| Canyon              | M77          | <b>G77</b> |
| Paldao              | <b>M76</b>   | G76        |
| Thicket             | <b>M75</b>   | G75        |

\*Available on Aspect and Portal base only

## LAMINATE

Coordinating wood finish and edgeband options listed below.

|                            |         | Solid Edge Band |                     |
|----------------------------|---------|-----------------|---------------------|
| Solid Laminates            |         |                 |                     |
| Formica Brite White        | 459-58  |                 | R01                 |
| Formica Dover White        | 7197-58 |                 | R01                 |
| Formica Folkstone          | 927-58  |                 | R03                 |
| Formica Graphite           | 837-58  |                 | R05                 |
| Formica Graystone          | 464-58  |                 | R02                 |
| Formica Pearl              | 934-58  |                 | R02                 |
| Patterned Laminates        |         |                 |                     |
| Nevamar Calm Distinction   | VA6001T |                 | R05                 |
| Nevamar Cool Chic          | VA7002T |                 | R02                 |
| Nevamar Easy Elegance      | VA5002T |                 | R05                 |
| Nevamar Serene Stardom     | VA5001T |                 | R05                 |
| Wilsonart Sheer Mesh       | 4876-38 |                 | R02                 |
| Wilsonart Grey Mesh        | 4877-38 |                 | R02                 |
| Wilsonart Pewter Mesh      | 4878-38 |                 | R05                 |
|                            |         | Wood Finish     | Woodgrain Edge Band |
| Wood Grain Laminates       |         |                 |                     |
| Formica Aged Ash           | 8844-58 | M8844           | R8844               |
| Formica Blackened Legno    | 8848-58 | M8848           | R8848               |
| Formica Bleached Legno     | 8845-58 | M8845           | R8845               |
| Formica Chestnut Woodline  | 5884-58 | M5884           | R5884               |
| Formica Espresso Pear      | 5489-58 | M5489           | R5489               |
| Formica Natural Ash        | 8843-58 | M8843           | R8843               |
| Formica Oiled Legno        | 8846-58 | M8846           | R8846               |
| Formica Pecan Woodline     | 5883-58 | M5883           | R5883               |
| Formica Planked Coffee Oak | 7413-58 | M7413           | F7413               |
| Formica Sand Maple         | 9237-58 | G60             | W7909               |
| Formica Smoky Brown Pear   | 5488-58 | M5488           | R5488               |
| Formica Thermo Walnut      | 6402-58 | M6402           | R6402               |
| Formica Urban Planked Oak  | 9312-58 | M9312           | R9312               |
| Formica Weathered Ash      | 8842-58 | M8842           | R8842               |
| Formica White Ash          | 8841-58 | M8841           | R8841               |

## GLASS

|                             | <b>Satin</b> | <b>Gloss</b> |
|-----------------------------|--------------|--------------|
| <b>Satin or Gloss Glass</b> |              |              |
| Black                       | BS           | -            |
| Clove                       | VS           | VG           |
| Meringue                    | MS           | MG           |
| Moonlight                   | MLS          | MLG          |
| Storm                       | STS          | STG          |
| Quill                       | QS           | QG           |
| White                       | WS           | WG           |

Note: Due to color variation inherent in the natural acid etching process, Satin Etched Glass is not available on tables longer than 180" or wider than 60".



## STONE

Stone orders may affect lead times. Contact Nucraft Customer Service for details.

| Stone                        | Subtop Paint |       |
|------------------------------|--------------|-------|
| Absolute Black Honed Granite | ST01         | S8007 |
| Carrara Marble               | ST16         | S8004 |

### Quartz | Cambria® Signature

|               |        |       |
|---------------|--------|-------|
| Ainsley       | STC100 | S8004 |
| Armitage      | STC101 | S44   |
| Avalene       | STC192 | S8004 |
| Bellingham    | STC102 | S8004 |
| Berkeley      | STC103 | S8004 |
| Berwyn        | STC104 | S8004 |
| Blackbrook    | STC105 | S44   |
| Bradshaw      | STC106 | S8004 |
| Bradwell      | STC107 | S8004 |
| Cambria Black | STC109 | S44   |
| Carrick       | STC110 | S44   |
| Charlestown   | STC207 | S8004 |
| Charston      | STC208 | S8004 |
| Clifton       | STC112 | S8004 |
| Colton        | STC113 | S8004 |
| Copeland      | STC200 | S8004 |
| Crowndale     | STC114 | S8004 |
| Devon         | STC115 | S44   |
| Dovestone     | STC209 | S8004 |
| Fairbourne    | STC116 | S8004 |
| Fieldstone    | STC117 | S44   |
| Hadley        | STC201 | S8004 |
| Halewood      | STC119 | S8004 |
| Hermitage     | STC120 | S8004 |
| Kendal        | STC122 | S8004 |
| Laneshaw      | STC124 | S44   |
| MacBeth       | STC202 | S8004 |
| Malvern       | STC125 | S8004 |
| Montgomery    | STC128 | S8004 |
| New Quay      | STC130 | S8004 |
| Pendle Hill   | STC131 | S8004 |
| Praa Sands    | STC132 | S8004 |
| Ridgegate     | STC203 | S8004 |
| Rose Bay      | STC133 | S8004 |
| Sandgate      | STC135 | S8004 |
| Seacourt      | STC204 | S8004 |
| Smithfield    | STC136 | S8004 |
| Sutherland    | STC138 | S8004 |
| Swanbridge    | STC139 | S8004 |
| Torquay       | STC140 | S8004 |
| Trafalgar     | STC205 | S8004 |
| Travella      | STC141 | S8004 |
| Weybourne     | STC143 | S8004 |
| Whitendale    | STC206 | S8004 |
| Whitney       | STC144 | S8004 |
| Woodcroft     | STC146 | S44   |

### Quartz | Cambria® Luxury

|                        |        |       |
|------------------------|--------|-------|
| Abbey                  | STC147 | S8004 |
| Annaleigh - Luxe       | STC193 | S8004 |
| Annicca                | STC148 | S8004 |
| Beckington             | STC150 | S8004 |
| Bentley                | STC151 | S8004 |
| Blackpool Matte        | STC152 | S44   |
| Brighton               | STC212 | S8004 |
| Brittanica             | STC153 | S8004 |
| Brittanica Gold Cool   | STC154 | S8004 |
| Brittanica Gold Warm   | STC155 | S8004 |
| Brittanica Warm        | STC156 | S8004 |
| Clovelly               | STC158 | S8004 |
| Delamere               | STC159 | S44   |
| Delgatie               | STC160 | S8004 |
| Ella                   | STC161 | S8004 |
| Everleigh              | STC162 | S8004 |
| Everleigh Warm         | STC191 | S8004 |
| Gladstone              | STC163 | S8004 |
| Golden Dragon          | STC164 | S44   |
| Hailey                 | STC165 | S8004 |
| Harlow                 | STC166 | S8004 |
| Hemsworth              | STC167 | S8004 |
| Huntley                | STC168 | S8004 |
| Inverness Blakeley     | STC190 | S8004 |
| Inverness Bristol Bay  | STC169 | S8004 |
| Inverness Bronze       | STC170 | S8004 |
| Inverness Cobalt       | STC171 | S8004 |
| Inverness Everleigh    | STC172 | S8004 |
| Inverness Frost        | STC196 | S8004 |
| Inverness Gold         | STC197 | S8004 |
| Inverness Platinum     | STC173 | S8004 |
| Inverness Swansea      | STC174 | S8004 |
| Ironsbridge            | STC175 | S8004 |
| Iverness Frost         | STC176 | S8004 |
| Iverness Gold          | STC177 | S8004 |
| Lakedale               | STC179 | S8004 |
| Mayfair                | STC181 | S8004 |
| Mersey                 | STC182 | S44   |
| MonTaaj - Luxe & Satin | STC199 | S8004 |
| Notting Hill           | STC183 | S8004 |
| Oakleigh               | STC184 | S8004 |
| Portrush               | STC185 | S8004 |
| Queen Anne             | STC186 | S8006 |
| Remington Brass Satin  | STC210 | S44   |
| Remington Steel Satin  | STC211 | S44   |
| Skara Brae             | STC187 | S8004 |
| Southport              | STC188 | S8004 |
| White Cliff            | STC189 | S8004 |

### Quartz | Wilsonart

|                |      |       |
|----------------|------|-------|
| Carrara Codena | ST21 | S8004 |
| Serene         | ST17 | S8004 |



## FENIX

Coordinating edge band option listed below.

|                |       | Edge Band |
|----------------|-------|-----------|
| <b>Fenix</b>   |       |           |
| Bianco Kos     | J0032 | J0032     |
| Castoro Ottawa | J0717 | J0717     |
| Grigio Bromo   | J0724 | J0724     |
| Grigio Efeso   | J0725 | J0725     |
| Grigio Londra  | J0718 | J0718     |
| Nero Ingo      | J0720 | J0720     |

## METAL

### Powder Coat

|              |       |
|--------------|-------|
| Aged Bronze  | A8010 |
| Black        | A44   |
| Burnished    | A8009 |
| Cloud        | A8004 |
| Foil         | A8006 |
| Galaxy       | A8007 |
| Moonlight    | A87   |
| Satin Bronze | A8011 |
| Shadow       | A8005 |
| Storm        | A8012 |

### Metal

|                      |                    |     |
|----------------------|--------------------|-----|
| Brushed Stainless    | (upcharge applies) | BSS |
| Clear Anodized       | (upcharge applies) | CA  |
| Polished Stainless   | (upcharge applies) | APS |
| Satin Bronze Plating | (upcharge applies) | SBP |

## PAINT

### Paint to Match Powder Coat

|              |       |
|--------------|-------|
| Aged Bronze  | S8010 |
| Black        | S44   |
| Burnished    | S88   |
| Cloud        | S8004 |
| Foil         | S8006 |
| Galaxy       | S8007 |
| Moonlight    | S87   |
| Nero Ingo    | S0720 |
| Satin Bronze | S8011 |
| Shadow       | S8005 |
| Storm        | S8012 |

### Paint to Match Fenix

|                |       |
|----------------|-------|
| Bianco Kos     | S0032 |
| Castoro Ottawa | S0717 |
| Grigio Bromo   | S0724 |
| Grigio Efeso   | S0725 |
| Grigio Londra  | S0718 |
| Nero Ingo      | S0720 |

### Paint to Match

To request a custom paint color, contact NuCraft Customer Service.  
A paint sample must be matched and approved prior to order.

## EDGE BAND

|           |     |
|-----------|-----|
| Ashen     | R04 |
| Parchment | R02 |
| Shale     | R05 |
| Stone     | R03 |
| Whitecap  | R01 |