

TESANO™

GSA Planning Guide + Price List

QUICK LINKS



[PLANNING GUIDE](#)[TESANO PRICING](#)[POWER AND DATA OPTIONS](#)[GENERAL INFORMATION](#)[FINISH INFORMATION](#)[SURFACE MATERIALS](#)



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi-vii
Statement of Line	3
Planning Guide	4
Conference Tables	19-22
Monitor Tables	23-24
Benches	25
Power and Data Options	26-30






STATEMENT OF LINE


SEATED HEIGHT CONFERENCE TABLES

Pages 19 and 21




STANDING HEIGHT CONFERENCE TABLES

Pages 20 and 22



MONITOR TABLES

Pages 23-24



BENCHES

Page 25







TABLE STYLES

Tesano is a high performance table that addresses the need for conference and standing height tables in collaborative settings. Such settings could include lobbies, conference rooms, or any open spaces in an office setting. Designed by Joey Ruiters, Tesano is a combination of beautiful simplicity and elegantly executed functionality. With a variety of technology accommodation features and surface material options and finishes, Tesano can address a wide range of application needs.

Tesano is available in two table types:

CONFERENCE TABLE


This style includes a panel base at both ends of the table and is available in three depths and in lengths from 48" to 132" (in 12" increments).



Height: 30", 42"
 Depths: 24", 30", 36", 42"
 Widths: 48", 60", 72", 84", 96", 108", 120", 132"

MONITOR TABLE

this style includes a panel base at one end and a column base at the other end, with a vertical panel (finished on the back side) onto which a monitor can be mounted. This style is available in three depths and in lengths from 48" to 108" (in 12" increments).



Height: 42"
 Depths: 30", 36", 42"
 Widths: 48", 60", 72", 84", 96", 108"



DESIGN DETAILS

Tesano features a variety of design details that make this hard working table as much a design statement as a highly functional addition to any environment.

3"-THICK DESIGN

This overall thickness strikes an appropriate balance between mass and lightness, giving Tesano tables a sense of both structural integrity and clean lines. An internal steel frame provides structural support, allowing for 132"-long Tesano tables with just two bases.

MITERED CORNERS

This design element gives Tesano tables a more refined aesthetic and invokes a sense of solid wood.

METAL ACCENTS



Each Tesano conference table includes two ½"-thick metal accents inset 9" from each end of the table and flush to adjacent surfaces. These accents are available in clear or black anodized aluminum, and provide an elegant touch of metal at the joints between the end panels and the center top section.

WRAPPED VENEER DESIGN


When specified with standard veneers, Tesano features a unique reverse flip veneer lay-up design that results in a superior aesthetic. Each individual veneer leaf is flipped and reversed, resulting in a continuous flow of veneer that is both unidirectional and balanced, has no visible seams, and gives the table a natural appearance, reminiscent of a solid slab of wood. An optional Plank Veneer layup offers dramatic variations in veneer leaf color, length and natural characteristics, resulting in the appearance of randomly matched veneers.

GLASS TOP OPTION

Available on both Conference and Monitor tables, this top option is 1/4"-thick, tempered, back-painted glass in either standard gloss or satin etched top finishes. The glass top option covers the entire top of the table on Monitor tables. For Conference tables, it is only in the center section of the table, between the two metal trim pieces, and is flush with the top of the metal trim and the adjacent 9" end sections.



1/4" glass inlay




BASE STYLES

Tesano tables feature two base styles depending on the table type and base location.


Panel Base

This base is standard on both ends of Conference tables and on one end of Monitor tables. It is the same width as the table top and features a removable panel on the inside surface of the base to access the hollow core of the base for cable management. A scallop at the bottom of the base panel provides access and egress for cables.

With Panel




Panel Removed






Monitor Table Column Base

On the opposite end of the Monitor table from the Panel base is the Column base.

With Front Access Panel



With Back Panel Removed






OPTIONAL FOOT RAIL

CONFERENCE TABLE FOOT RAIL

Optional Foot Rail available on standing height conference tables. Tables more than 96" in length will include a center support. Available in powder coat and polished chrome finish options. Foot Rail is located 5" in from the edge of the base and measures 2.5" high x 1.5" deep.

Conference Table with Optional Foot Rail



MONITOR TABLE FOOT RAIL

Optional Foot Rail available on monitor tables. Tables 96" in length and longer will include a center support. Available in powder coat and polished chrome finish options. Foot Rail is located 5" in from the edge of the base and measures 2.5" high x 1.5" deep.

Monitor Table with Optional Foot Rail





TABLE TOP POWER OPTION: TECH NODE


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Tech Node components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"
- Optional powered USB

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Closed




Tech Node Placement



Tech Node - Open Front View



Tech Node - Open Side View



VOICE/DATA PLANNING

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.


Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

TABLE TOP POWER OPTION: TECH NODE


TECH NODE LOCATION OPTIONS

*Not available on 24"-wide tables



TN-1

TN-1 or SP-1	
Length	Center of Tech Node
48	24
60	30
72	36
84	42
96	48
108	54
120	60
132	66



TN-2

TN-2 or SP-2		
Length	Center of 1st Tech Node	Center of 2nd Tech Node
84	21	63
96	24	72
108	27	81
120	30	90
132	33	99




TABLE TOP POWER OPTION: POWER SPEC AND USB SPEC

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed

Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout
- UL Listed

USB Spec




UNDER SURFACE POWER OPTION: POWER RAIL

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top. Power Rails are available in three configurations:


- Two simplex receptacles
- One simplex receptacle and two USB chargers
- Blank faceplate designed for use with two Single Space Extron Architectural Adaptor Plates (AAPs)

Mounted to the underside of the table top near the edge of the long sides of the table, these units can be placed anywhere along the length of the table. The flexible mounting design allows units to be installed closer to the edge of the table top or recessed further back. Additional units can be added as necessary, or can be removed altogether when no longer needed.


Power Rail




Front Elevation




Side Elevation



Mounted Near Edge
(Side Elevation)



Mounted Recessed
(Side Elevation)



Maximum Number of Power Rails per Table Size


Table Length	48"	60"	72"	84"	96"	108"	120"	132"
Total maximum combined number of power and data rails that can fit onto the table	6	8	12	14	16	18	20	20
Total maximum number of power rails that can go on the table	4	4	8	8	8	8	8	8

UNDER SURFACE POWER OPTION: CHARGING TRAC


Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.

Charging Trac Wire Management


(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration




FREESTANDING POWER: CHARGING CUBE AND TECH ZONE

CHARGING CUBE

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Two 4 amp USB-A fast charging ports
- One 4 amp USB-C smart charging port
- 11,600 mAh battery capacity
- Charges completely in 4 hours



Charging Cube - Top View




Charging Cube - Side View




TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.



Tech Zone - Side View



ZONE-USB



ZONE-DATA



ZONE-USB

Includes two simplex receptacles, one data port and one dual charging USB-A charging port

ZONE-DATA


Includes two simplex receptacles and two open data ports

FREESTANDING POWER: CHARGING STAND


BATTERY-POWERED CHARGING STAND

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



CORDED CHARGING STAND

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand
Side View



Corded Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C




MODULAR ELECTRICAL SYSTEM

With either of the two power & data connectivity options on Tesano, a modular electrical system is available with the table with a direct plug-in connection or a hardwired connection. If the direct plug-in connection option is selected, all outlets will be on a single circuit. If the hardwired connection option is selected, the modular electrical system will have two circuits. The modular power system includes two duplex receptacles for tables 60" and shorter, and four duplex receptacles for tables longer than 60". The duplex receptacles are concealed beneath the table top and are designed to be used in conjunction with the Power Rail and Tech Node units.

- 4-wire, 20-amp modular electrical system
- One-circuit system with plug-in infeed two-circuit system when specified with the hardwired infeed connector
- All tables are pre-wired
- When specified with the hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source. The hardwire power connector is 84" long. The infeed will travel from the last duplex down the leg where there will be approximately 9" of cord that will extend beyond the base. It is important that the floor core is near or under the base.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed
- When ordering Power Rails that require power (simplex receptacles), the maximum quantity per table will be based on the number of power receptacles included with the modular power system, as follows:
 - Tables 60" and shorter - four power receptacles
 - Tables over 60" long - eight power receptacles

Electrical Diagram — Hardwired Power Connection Only





WIRE MANAGEMENT

Tesano tables specified with power options also require a modular electrical system, available with either a hardwired or direct plug-in connection option (if no selection is made, the table will ship with the direct plug-in option as standard). This power system is housed behind a metal shroud allowing access to duplex receptacles while concealing power jumpers. Cable management clips allow cables to be neatly stored and concealed beneath the table top.

MONITOR AREA


- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel

Wire Management Cross Section




BASE DIMENSIONS AND WIRE MANAGEMENT OPENINGS


PANEL BASE




COLUMN BASE




Base Dimensions




Base Dimensions



Wire Management Openings









Wire Management Openings






BENCH AND CLEARANCE DIMENSIONS

Bench



Bench Clearance (when used with a Tesano table)




Tesano Bench Clearance (C)

Tesano Table Length (A)	48"			
	60"	0		
	72"	6	0	
	84"	12	6	0
	96"	18	12	6
	108"	24	18	12
	120"	30	24	18
	132"	36	30	24
		42	36	30
		48"	60"	72"

Tesano Bench Length (B)



VENEER AND PLANK VENEER



SEATED HEIGHT

SURFACE MATERIAL KEY

V	Veneer
V-G	Veneer with Inset Glass Top
PW	Plank Veneer
PW-G	Plank Veneer with Inset Glass Top

SEATED HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-V	-V-G	-PW	-PW-G
TETC-4824-30	48 x 24 x 30	2	4	Seated Height	7,074	7,524	8,843	9,292
TETC-4830-30	48 x 30 x 30	2	4	Seated Height	7,291	7,853	9,114	9,676
TETC-4836-30	48 x 36 x 30	2	4	Seated Height	7,509	8,184	9,387	10,061
TETC-4842-30	48 x 42 x 30	2	4	Seated Height	7,726	8,513	9,658	10,445
TETC-6024-30	60 x 24 x 30	2	4	Seated Height	7,291	7,927	9,114	9,750
TETC-6030-30	60 x 30 x 30	2	4	Seated Height	7,563	8,358	9,454	10,249
TETC-6036-30	60 x 36 x 30	2	4	Seated Height	7,835	8,789	9,794	10,747
TETC-6042-30	60 x 42 x 30	2	4	Seated Height	8,106	9,219	10,133	11,245
TETC-7224-30	72 x 24 x 30	2	4	Seated Height	7,509	8,331	9,387	10,208
TETC-7230-30	72 x 30 x 30	2	4	Seated Height	7,835	8,862	9,794	10,821
TETC-7236-30	72 x 36 x 30	2	4	Seated Height	8,161	9,394	10,202	11,434
TETC-7242-30	72 x 42 x 30	2	4	Seated Height	8,487	9,925	10,609	12,047
TETC-8424-30	84 x 24 x 30	2	6	Seated Height	7,726	8,734	9,658	10,665
TETC-8430-30	84 x 30 x 30	2	6	Seated Height	8,106	9,366	10,133	11,392
TETC-8436-30	84 x 36 x 30	2	6	Seated Height	8,487	9,999	10,609	12,120
TETC-8442-30	84 x 42 x 30	2	6	Seated Height	8,867	10,631	11,084	12,847
TETC-9624-30	96 x 24 x 30	2	6	Seated Height	7,943	9,137	9,929	11,123
TETC-9630-30	96 x 30 x 30	2	6	Seated Height	8,378	9,870	10,473	11,965
TETC-9636-30	96 x 36 x 30	2	6	Seated Height	8,813	10,604	11,017	12,807
TETC-9642-30	96 x 42 x 30	2	6	Seated Height	9,248	11,337	11,560	13,649
TETC-10824-30	108 x 24 x 30	2	8	Seated Height	8,161	9,541	10,202	11,581
TETC-10830-30	108 x 30 x 30	2	8	Seated Height	8,650	10,375	10,813	12,537
TETC-10836-30	108 x 36 x 30	2	8	Seated Height	9,139	11,209	11,424	13,493
TETC-10842-30	108 x 42 x 30	2	8	Seated Height	9,628	12,043	12,035	14,450
TETC-12024-30	120 x 24 x 30	2	8	Seated Height	8,378	9,944	10,473	12,038
TETC-12030-30	120 x 30 x 30	2	8	Seated Height	8,921	10,878	11,152	13,109
TETC-12036-30	120 x 36 x 30	2	8	Seated Height	9,465	11,814	11,832	14,180
TETC-12042-30	120 x 42 x 30	2	8	Seated Height	10,008	12,748	12,510	15,250
TETC-13224-30	132 x 24 x 30	2	10	Seated Height	8,595	-	10,744	-
TETC-13230-30	132 x 30 x 30	2	10	Seated Height	9,193	-	11,492	-
TETC-13236-30	132 x 36 x 30	2	10	Seated Height	9,791	-	12,239	-
TETC-13242-30	132 x 42 x 30	2	10	Seated Height	10,389	-	12,987	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108"x30" - 120"x42" tables
-------------	------------------	--

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$179
-----------------------------	-----------------	-------

Power and Data Options

See pages 26-30

GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)



VENEER AND PLANK VENEER



STANDING HEIGHT

SURFACE MATERIAL KEY

V	Veneer
V-G	Veneer with Inset Glass Top
PW	Plank Veneer
PW-G	Plank Veneer with Inset Glass Top

STANDING HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-V	-V-G	-PW	-PW-G
TETC-4824-42	48 x 24 x 42	2	4	Standing Height	8,214	8,664	10,268	10,717
TETC-4830-42	48 x 30 x 42	2	4	Standing Height	8,431	8,993	10,539	11,101
TETC-4836-42	48 x 36 x 42	2	4	Standing Height	8,649	9,324	10,812	11,486
TETC-4842-42	48 x 42 x 42	2	4	Standing Height	8,866	9,653	11,083	11,870
TETC-6024-42	60 x 24 x 42	2	4	Standing Height	8,431	9,067	10,539	11,175
TETC-6030-42	60 x 30 x 42	2	4	Standing Height	8,703	9,498	10,879	11,674
TETC-6036-42	60 x 36 x 42	2	4	Standing Height	8,975	9,929	11,219	12,172
TETC-6042-42	60 x 42 x 42	2	4	Standing Height	9,246	10,359	11,558	12,670
TETC-7224-42	72 x 24 x 42	2	4	Standing Height	8,649	9,471	10,812	11,633
TETC-7230-42	72 x 30 x 42	2	4	Standing Height	8,975	10,002	11,219	12,246
TETC-7236-42	72 x 36 x 42	2	4	Standing Height	9,301	10,534	11,627	12,859
TETC-7242-42	72 x 42 x 42	2	4	Standing Height	9,627	11,065	12,034	13,472
TETC-8424-42	84 x 24 x 42	2	6	Standing Height	8,866	9,874	11,083	12,090
TETC-8430-42	84 x 30 x 42	2	6	Standing Height	9,246	10,506	11,558	12,817
TETC-8436-42	84 x 36 x 42	2	6	Standing Height	9,627	11,139	12,034	13,545
TETC-8442-42	84 x 42 x 42	2	6	Standing Height	10,007	11,771	12,509	14,272
TETC-9624-42	96 x 24 x 42	2	6	Standing Height	9,083	10,277	11,354	12,548
TETC-9630-42	96 x 30 x 42	2	6	Standing Height	9,518	11,010	11,898	13,390
TETC-9636-42	96 x 36 x 42	2	6	Standing Height	9,953	11,744	12,442	14,232
TETC-9642-42	96 x 42 x 42	2	6	Standing Height	10,388	12,477	12,985	15,074
TETC-10824-42	108 x 24 x 42	2	8	Standing Height	9,301	10,681	11,627	13,006
TETC-10830-42	108 x 30 x 42	2	8	Standing Height	9,790	11,515	12,238	13,962
TETC-10836-42	108 x 36 x 42	2	8	Standing Height	10,279	12,349	12,849	14,918
TETC-10842-42	108 x 42 x 42	2	8	Standing Height	10,768	13,183	13,460	15,875
TETC-12024-42	120 x 24 x 42	2	8	Standing Height	9,518	11,084	11,898	13,463
TETC-12030-42	120 x 30 x 42	2	8	Standing Height	10,061	12,018	12,577	14,534
TETC-12036-42	120 x 36 x 42	2	8	Standing Height	10,605	12,954	13,257	15,605
TETC-12042-42	120 x 42 x 42	2	8	Standing Height	11,148	13,888	13,935	16,675
TETC-13224-42	132 x 24 x 42	2	10	Standing Height	9,735	-	12,169	-
TETC-13230-42	132 x 30 x 42	2	10	Standing Height	10,333	-	12,917	-
TETC-13236-42	132 x 36 x 42	2	10	Standing Height	10,931	-	13,664	-
TETC-13242-42	132 x 42 x 42	2	10	Standing Height	11,529	-	14,412	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108"x30" - 120"x42" tables	
-------------	------------------	--	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,576 for 48"-84" \$2,125 for 96"-132"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,715 for 48"-84" \$2,535 for 96"-132"	Available on Standing Height Tables only

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$179	
-----------------------------	-----------------	-------	--

Power and Data Options

See pages 26-30


GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.



TETC-9630-42-V-FR



WOOD GRAIN LAMINATE AND NOVAWRAP



SEATED HEIGHT

SURFACE MATERIAL KEY

PL	Wood Grain Laminate
PL-G	Wood Grain Laminate with Inset Glass Top
NW	Novawrap
NW-G	Novawrap with Inset Glass Top

SEATED HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-PL	-PL-G	-NW	-NW-G
TETC-4824-30	48 x 24 x 30	2	4	Seated Height	6,685	7,135	8,560	9,054
TETC-4830-30	48 x 30 x 30	2	4	Seated Height	6,890	7,452	8,823	9,440
TETC-4836-30	48 x 36 x 30	2	4	Seated Height	7,097	7,771	9,086	9,829
TETC-4842-30	48 x 42 x 30	2	4	Seated Height	7,302	8,088	9,349	10,215
TETC-6024-30	60 x 24 x 30	2	4	Seated Height	6,890	7,526	8,823	9,522
TETC-6030-30	60 x 30 x 30	2	4	Seated Height	7,148	7,942	9,152	10,025
TETC-6036-30	60 x 36 x 30	2	4	Seated Height	7,405	8,358	9,481	10,529
TETC-6042-30	60 x 42 x 30	2	4	Seated Height	7,661	8,773	9,809	11,032
TETC-7224-30	72 x 24 x 30	2	4	Seated Height	7,097	7,918	9,086	9,990
TETC-7230-30	72 x 30 x 30	2	4	Seated Height	7,405	8,431	9,481	10,611
TETC-7236-30	72 x 36 x 30	2	4	Seated Height	7,713	8,945	9,876	11,231
TETC-7242-30	72 x 42 x 30	2	4	Seated Height	8,021	9,458	10,270	11,851
TETC-8424-30	84 x 24 x 30	2	6	Seated Height	7,302	8,309	9,349	10,458
TETC-8430-30	84 x 30 x 30	2	6	Seated Height	7,661	8,920	9,809	11,194
TETC-8436-30	84 x 36 x 30	2	6	Seated Height	8,021	9,532	10,270	11,932
TETC-8442-30	84 x 42 x 30	2	6	Seated Height	8,380	10,143	10,729	12,669
TETC-9624-30	96 x 24 x 30	2	6	Seated Height	7,507	8,700	9,612	10,924
TETC-9630-30	96 x 30 x 30	2	6	Seated Height	7,918	9,410	10,138	11,779
TETC-9636-30	96 x 36 x 30	2	6	Seated Height	8,329	10,119	10,665	12,634
TETC-9642-30	96 x 42 x 30	2	6	Seated Height	8,740	10,828	11,190	13,488
TETC-10824-30	108 x 24 x 30	2	8	Seated Height	7,713	9,092	9,876	11,393
TETC-10830-30	108 x 30 x 30	2	8	Seated Height	8,175	9,899	10,467	12,364
TETC-10836-30	108 x 36 x 30	2	8	Seated Height	8,637	10,706	11,058	13,335
TETC-10842-30	108 x 42 x 30	2	8	Seated Height	9,099	11,513	11,650	14,306
TETC-12024-30	120 x 24 x 30	2	8	Seated Height	7,918	9,483	10,138	11,860
TETC-12030-30	120 x 30 x 30	2	8	Seated Height	8,431	10,388	10,795	12,947
TETC-12036-30	120 x 36 x 30	2	8	Seated Height	8,945	11,293	11,453	14,036
TETC-12042-30	120 x 42 x 30	2	8	Seated Height	9,458	12,198	12,110	15,124
TETC-13224-30	132 x 24 x 30	2	10	Seated Height	8,123	-	10,401	-
TETC-13230-30	132 x 30 x 30	2	10	Seated Height	8,688	-	11,124	-
TETC-13236-30	132 x 36 x 30	2	10	Seated Height	9,253	-	11,848	-
TETC-13242-30	132 x 42 x 30	2	10	Seated Height	9,818	-	12,571	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108"x30" - 120"x42" tables
-------------	------------------	--

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$179
-----------------------------	-----------------	-------

Power and Data Options

See pages 26-30

GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate, if applicable
- Choose Novawrap Color, if applicable: NW-30 White
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above). If Novawrap with Inset Glass Top option is selected, finish defaults to back-painted white to coordinate with Novawrap.



WOOD GRAIN LAMINATE AND NOVAWRAP



STANDING HEIGHT

SURFACE MATERIAL KEY

PL	Wood Grain Laminate
PL-G	Wood Grain Laminate with Inset Glass Top
NW	Novawrap
NW-G	Novawrap with Inset Glass Top

STANDING HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-PL	-PL-G	-NW	-NW-G
TETC-4824-42	48 x 24 x 42	2	4	Standing Height	7,763	8,212	9,940	10,434
TETC-4830-42	48 x 30 x 42	2	4	Standing Height	7,968	8,530	10,203	10,820
TETC-4836-42	48 x 36 x 42	2	4	Standing Height	8,174	8,848	10,465	11,208
TETC-4842-42	48 x 42 x 42	2	4	Standing Height	8,379	9,165	10,728	11,594
TETC-6024-42	60 x 24 x 42	2	4	Standing Height	7,968	8,603	10,203	10,901
TETC-6030-42	60 x 30 x 42	2	4	Standing Height	8,225	9,019	10,531	11,405
TETC-6036-42	60 x 36 x 42	2	4	Standing Height	8,482	9,435	10,860	11,909
TETC-6042-42	60 x 42 x 42	2	4	Standing Height	8,738	9,850	11,188	12,411
TETC-7224-42	72 x 24 x 42	2	4	Standing Height	8,174	8,995	10,465	11,370
TETC-7230-42	72 x 30 x 42	2	4	Standing Height	8,482	9,509	10,860	11,990
TETC-7236-42	72 x 36 x 42	2	4	Standing Height	8,790	10,022	11,255	12,610
TETC-7242-42	72 x 42 x 42	2	4	Standing Height	9,098	10,536	11,649	13,231
TETC-8424-42	84 x 24 x 42	2	6	Standing Height	8,379	9,386	10,728	11,837
TETC-8430-42	84 x 30 x 42	2	6	Standing Height	8,738	9,997	11,188	12,573
TETC-8436-42	84 x 36 x 42	2	6	Standing Height	9,098	10,609	11,649	13,311
TETC-8442-42	84 x 42 x 42	2	6	Standing Height	9,457	11,220	12,109	14,048
TETC-9624-42	96 x 24 x 42	2	6	Standing Height	8,584	9,777	10,991	12,304
TETC-9630-42	96 x 30 x 42	2	6	Standing Height	8,995	10,487	11,517	13,158
TETC-9636-42	96 x 36 x 42	2	6	Standing Height	9,406	11,196	12,044	14,013
TETC-9642-42	96 x 42 x 42	2	6	Standing Height	9,817	11,906	12,570	14,868
TETC-10824-42	108 x 24 x 42	2	8	Standing Height	8,790	10,169	11,255	12,772
TETC-10830-42	108 x 30 x 42	2	8	Standing Height	9,252	10,976	11,846	13,743
TETC-10836-42	108 x 36 x 42	2	8	Standing Height	9,714	11,783	12,438	14,715
TETC-10842-42	108 x 42 x 42	2	8	Standing Height	10,176	12,590	13,030	15,685
TETC-12024-42	120 x 24 x 42	2	8	Standing Height	8,995	10,561	11,517	13,240
TETC-12030-42	120 x 30 x 42	2	8	Standing Height	9,508	11,465	12,175	14,326
TETC-12036-42	120 x 36 x 42	2	8	Standing Height	10,022	12,370	12,833	15,415
TETC-12042-42	120 x 42 x 42	2	8	Standing Height	10,535	13,275	13,489	16,503
TETC-13224-42	132 x 24 x 42	2	10	Standing Height	9,200	-	11,780	-
TETC-13230-42	132 x 30 x 42	2	10	Standing Height	9,765	-	12,504	-
TETC-13236-42	132 x 36 x 42	2	10	Standing Height	10,330	-	13,228	-
TETC-13242-42	132 x 42 x 42	2	10	Standing Height	10,895	-	13,950	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108"x30" - 120"x42" tables	
-------------	------------------	--	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,576 for 48"-84" \$2,125 for 96"-132"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,715 for 48"-84" \$2,535 for 96"-132"	Available on Standing Height Tables only

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$179	
-----------------------------	-----------------	-------	--

Power and Data Options

See pages 26-30


GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4" -thick, back-painted low-iron glass, located between the metal accents
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Laminate, if applicable
- Choose Novawrap Color, if applicable: NW-30 White
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above). If Novawrap with Inset Glass Top option is selected, finish defaults to back-painted white to coordinate with Novawrap.
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.



TETC-9630-42-PL-FR



VENEER AND PLANK VENEER



STANDING HEIGHT

SURFACE MATERIAL KEY

V	Veneer
V-G	Veneer with Inset Glass Top
PW	Plank Veneer
PW-G	Plank Veneer with Inset Glass Top

MONITOR TABLE

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-V	-V-G	-PW	-PW-G
TEMP-4830-42	48 x 30 x 42	2	4	Standing Height	8,729	9,291	10,912	11,474
TEMP-4836-42	48 x 36 x 42	2	4	Standing Height	8,947	9,622	11,184	11,858
TEMP-4842-42	48 x 42 x 42	2	4	Standing Height	9,164	9,951	11,455	12,242
TEMP-6030-42	60 x 30 x 42	2	4	Standing Height	9,001	9,796	11,252	12,046
TEMP-6036-42	60 x 36 x 42	2	4	Standing Height	9,273	10,227	11,592	12,545
TEMP-6042-42	60 x 42 x 42	2	4	Standing Height	9,544	10,657	11,930	13,043
TEMP-7230-42	72 x 30 x 42	2	4	Standing Height	9,273	10,300	11,592	12,619
TEMP-7236-42	72 x 36 x 42	2	4	Standing Height	9,599	10,832	11,999	13,231
TEMP-7242-42	72 x 42 x 42	2	4	Standing Height	9,925	11,363	12,407	13,844
TEMP-8430-42	84 x 30 x 42	2	6	Standing Height	9,544	10,804	11,930	13,190
TEMP-8436-42	84 x 36 x 42	2	6	Standing Height	9,925	11,437	12,407	13,918
TEMP-8442-42	84 x 42 x 42	2	6	Standing Height	10,305	12,069	12,882	14,645
TEMP-9630-42	96 x 30 x 42	2	6	Standing Height	9,816	11,308	12,270	13,762
TEMP-9636-42	96 x 36 x 42	2	6	Standing Height	10,251	12,042	12,814	14,604
TEMP-9642-42	96 x 42 x 42	2	6	Standing Height	10,686	12,775	13,358	15,447
TEMP-10830-42	108 x 30 x 42	2	8	Standing Height	10,088	-	12,610	-
TEMP-10836-42	108 x 36 x 42	2	8	Standing Height	10,577	-	13,222	-
TEMP-10842-42	108 x 42 x 42	2	8	Standing Height	11,066	-	13,833	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:


Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108" tables	
-------------	-----------	---	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,576 for 48"-72" \$2,125 for 84"-108"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,715 for 48"-72" \$2,535 for 84"-108"	Available on Standing Height Tables only

Power and Data Options

See pages 26-30



TEMP-9630-42-V-FR

GENERAL INFORMATION

- Glass top option is 1/4" thick, back-painted low-iron glass
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables ship knocked down (KD)
- Footrails on tables 96" and longer will have a center support
- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.



WOOD GRAIN LAMINATE



STANDING HEIGHT

SURFACE MATERIAL KEY

PL	Wood Grain Laminate
PL-G	Wood Grain Laminate with Inset Glass Top

MONITOR TABLE

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-PL	-PL-G
TEMP-4830-42	48 x 30 x 42	2	4	Standing Height	8,249	8,811
TEMP-4836-42	48 x 36 x 42	2	4	Standing Height	8,455	9,130
TEMP-4842-42	48 x 42 x 42	2	4	Standing Height	8,660	9,447
TEMP-6030-42	60 x 30 x 42	2	4	Standing Height	8,506	9,301
TEMP-6036-42	60 x 36 x 42	2	4	Standing Height	8,763	9,717
TEMP-6042-42	60 x 42 x 42	2	4	Standing Height	9,020	10,132
TEMP-7230-42	72 x 30 x 42	2	4	Standing Height	8,763	9,790
TEMP-7236-42	72 x 36 x 42	2	4	Standing Height	9,072	10,304
TEMP-7242-42	72 x 42 x 42	2	4	Standing Height	9,380	10,817
TEMP-8430-42	84 x 30 x 42	2	6	Standing Height	9,020	10,279
TEMP-8436-42	84 x 36 x 42	2	6	Standing Height	9,380	10,891
TEMP-8442-42	84 x 42 x 42	2	6	Standing Height	9,739	11,502
TEMP-9630-42	96 x 30 x 42	2	6	Standing Height	9,277	10,768
TEMP-9636-42	96 x 36 x 42	2	6	Standing Height	9,688	11,478
TEMP-9642-42	96 x 42 x 42	2	6	Standing Height	10,099	12,187
TEMP-10830-42	108 x 30 x 42	2	8	Standing Height	9,534	-
TEMP-10836-42	108 x 36 x 42	2	8	Standing Height	9,996	-
TEMP-10842-42	108 x 42 x 42	2	8	Standing Height	10,458	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:


Satin Glass	Add -TSSG	\$364 for 48"x30" - 72"x30" tables \$509 for 72"x36" - 96"x42" tables \$653 for 108" tables	
-------------	-----------	---	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,576 for 48"-72" \$2,125 for 84"-108"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,715 for 48"-72" \$2,535 for 84"-108"	Available on Standing Height Tables only

Power and Data Options

See pages 26-30



TEMP-9630-42-V-FR

GENERAL INFORMATION

- Glass top option is 1/4"-thick, back-painted low-iron glass
- Tables ship knocked down (KD)
- Footrails on tables 96" and longer will have a center support
- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Laminate, if applicable
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above).
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.




NOVAWRAP, WOOD GRAIN LAMINATE, VENEER & PLANK VENEER



BENCH



SHOWN WITH OPTIONAL PAD



NOVAWRAP BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-NW	48 x 15 x 17	1.25	-	5,497	5,661	5,830	6,005	6,185	6,370	6,560	6,758	6,962
TETB-60-NW	60 x 15 x 17	1.75	-	5,722	5,896	6,074	6,254	6,442	6,636	6,833	7,040	7,250
TETB-72-NW	72 x 15 x 17	2.15	-	5,952	6,131	6,316	6,505	6,699	6,904	7,108	7,324	7,541

WOOD GRAIN LAMINATE BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-PL	48 x 15 x 17	1.25	3,969	4,088	4,210	4,338	4,468	4,600	4,738	4,881	5,028	5,178
TETB-60-PL	60 x 15 x 17	1.75	4,134	4,258	4,386	4,518	4,652	4,790	4,936	5,081	5,237	5,394
TETB-72-PL	72 x 15 x 17	2.15	4,298	4,429	4,561	4,698	4,837	4,983	5,135	5,289	5,446	5,609

VENEER BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-V	48 x 15 x 17	1.25	4,409	4,541	4,678	4,817	4,964	5,112	5,265	5,423	5,585	5,753
TETB-60-V	60 x 15 x 17	1.75	4,594	4,732	4,872	5,019	5,169	5,325	5,485	5,649	5,819	5,991
TETB-72-V	72 x 15 x 17	2.15	4,776	4,920	5,069	5,221	5,376	5,538	5,703	5,875	6,050	6,233

PLANK VENEER BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-PW	48 x 15 x 17	1.25	5,513	5,678	5,848	6,022	6,203	6,389	6,582	6,777	6,980	7,189
TETB-60-PW	60 x 15 x 17	1.75	5,742	5,913	6,090	6,273	6,462	6,655	6,855	7,060	7,273	7,490
TETB-72-PW	72 x 15 x 17	2.15	5,971	6,149	6,335	6,526	6,720	6,921	7,128	7,342	7,563	7,789

OPTIONS

CODE

PRICE

NOTES

Black Anodized Metal Accent Option:

Black Anodized Metal Accent Add **-MBA** \$179

GENERAL INFORMATION

- All products ship assembled
- Pad is 1/4" thick for bench material protection, not intended to serve as a cushion
- Metal accents default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified



REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Wood Species & Finish, if applicable
- Choose Novawrap Finish, if applicable
- Choose Wood Grain Laminate Finish, if applicable
- Choose Metal Finish: Clear Anodized (-CA) or Black Anodized (-MBA). Upcharge applies for -MBA option
- Choose Upholstery or Leather Finish, if applicable



POWER AND DATA OPTIONS



TECH NODE	MODEL #	W X D	SIMPLEX RECEPTACLES	OPEN DATA PORTS	DUAL CHARGING USB	PRICE
 PUP	PUP	8 x 4	2	2	-	517
	PUP-USB	8 x 4	2	1	1	616
	OPTIONS	CODE	PRICE	NOTES		
	Field-Wired	Add -FW	No Charge	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.		

GENERAL INFORMATION

- 12' cord and a 15 amp plug-in power infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color is Clear Anodized. Also available in Black Anodized.
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- UL Listed
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose location code and quantity from chart on page 27



POWER SPEC	MODEL #	DESCRIPTION	PRICE
 PWR-R-W	PWR-R-B	Round Power Spec with Black Faceplate	110
	PWR-R-W	Round Power Spec with White Faceplate	110
 PWR-SQ-W	PWR-SQ-B	Square Power Spec with Black Faceplate	110
	PWR-SQ-W	Square Power Spec with Faceplate	110

GENERAL INFORMATION

- Includes one simplex receptable
- 12' cord
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

USB SPEC	MODEL #	DESCRIPTION	PRICE
 USB-R-W	USB-R-B	Round Data Spec with Black Faceplate	231
	USB-R-W	Round Data Spec with White Faceplate	231
 USB-SQ-W	USB-SQ-B	Square Data Spec with Black Faceplate	231
	USB-SQ-W	Square Data Spec with Faceplate	231

GENERAL INFORMATION

- Includes one 2-port charging USB
- 6' cord
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)



POWER AND DATA OPTIONS

SINGLE INFEED OPTION	MODEL #	DESCRIPTION	PRICE
	SI-H	Single In-Feed Option, Hard-wired	526
	SI-C	Single In-Feed Option, Corded (Plug-in)	636

GENERAL INFORMATION

- Tables 72" - 120" in length include 2 duplex receptacles with the modular power system
- Tables 132" in length include 3 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option


LOCATION CODES	TECH NODE	POWER SPEC	USB SPEC	LOCATION	QUANTITY OF UNITS TO ORDER
Please Note: 24"-wide tables not available with table top power options	TN-1	SP-1	SP-1	One at center	1
	TN-2	SP-2	SP-2	One at each end*	2
		SP-3	SP-3	One at center and one at each end	3
		SP-4	SP-4	Four equally spaced	4

*TN-2 only offered on tables 84" and longer




POWER AND DATA OPTIONS

HARDWIRE INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S1
(Includes Power Rails, Hardwire Infeed and Modular Power Components)	TE-RAIL-1-H	1	2	1,267	1	1,267
	TE-RAIL-2-H	2	4	2,013	2	2,013
	TE-RAIL-3-H	3	6	2,757	3	2,757
	TE-RAIL-4-H	4	8	3,501	4	3,501
	TE-RAIL-5-H	5	10	4,246	5	4,246
	TE-RAIL-6-H	6	12	4,989	6	4,989
	TE-RAIL-7-H	7	14	5,732	7	5,732
	TE-RAIL-8-H	8	16	6,476	8	6,476



-S2



-S1

GENERAL INFORMATION


- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

CORDED INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S1
(Includes Power Rails, Corded Infeed and Modular Power Components)	TE-RAIL-1-C	1	2	1,379	1	1,379
	TE-RAIL-2-C	2	4	2,125	2	2,125
	TE-RAIL-3-C	3	6	2,868	3	2,868
	TE-RAIL-4-C	4	8	3,611	4	3,611
	TE-RAIL-5-C	5	10	4,355	5	4,355
	TE-RAIL-6-C	6	12	5,101	6	5,101
	TE-RAIL-7-C	7	14	5,845	7	5,845
	TE-RAIL-8-C	8	16	6,588	8	6,588



-S2



-S1

GENERAL INFORMATION


- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

DATA RAIL	MODEL #	DESCRIPTION	PRICE
	TE-RAIL-DATA	Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate	575



TE-RAIL-DATA

GENERAL INFORMATION

- Data Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



POWER AND DATA OPTIONS

FIELD-WIRED	MODEL #	DESCRIPTION	(2) SIMPLEX -S2	(1) SIMPLEX / (1) CHARGING USB -S1
-------------	---------	-------------	--------------------	---------------------------------------



-S2



-S1

GENERAL INFORMATION

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TW-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

AV CONNECTORS AND MOUNTING PLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	70
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	246
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	193
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	193
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	158
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	212
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	300
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	300
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	300
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	335
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	87
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	212
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	370
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	246

GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each TE-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black

CHARGING TRAC	MODEL #	TOTAL BRACKETS	# OF USB PORTS	PRICE
	TRAC-2	2	4	1,922
	TRAC-4	4	8	3,243



GENERAL INFORMATION

- Plug-in Infeed only
- Field Installed
- 15 amp


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish




FREESTANDING POWER OPTIONS

CHARGING STAND (BATTERY-POWERED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-B-W	Battery-Powered White Unit	-	3	1	2,196
	STAND-B-B	Battery-Powered Black Unit	-	3	1	2,196


GENERAL INFORMATION

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs

CHARGING STAND (CORDED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-1C-W	Corded White Unit	1	2	1	967
	STAND-3C-W	Corded White Unit	3	2	1	976
	STAND-4C-W	Corded White Unit	4	2	1	996
	STAND-1C-B	Corded Black Unit	1	2	1	967
	STAND-3C-B	Corded Black Unit	3	2	1	976
	STAND-4C-B	Corded Black Unit	4	2	1	996

GENERAL INFORMATION

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	DUAL CHARGING USB	PRICE
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	324
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	388

GENERAL INFORMATION


- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



ZONE-DATA



ZONE-USB

CHARGING CUBE	MODEL #	DESCRIPTION	PRICE
	CUBE-W	White Power Cube	379
	CUBE-B	Black Power Cube	379

GENERAL INFORMATION

- Includes (2) 4 Amp USB-A fast charging ports and (1) 4 Amp USB-C smart charging port
- The Cube can be recharged completely in 4 hours



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,700 net will be assessed a \$425 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,875 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1750.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Blanco	M44	G44
Char	M50	G50
Rift Cut Oak		
Carbon	M03	G03
Flat Cut Oak		
Dune	M05	G05
Portobello	M7413	G7413
Flaky Oak		
Sahara	M61	G61
Cherry		
Cognac	M21	G21
Auburn	M93	G93
Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Maple		
Natural Maple	M60	G60
Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Euro Birch Linea	M09	G09
Silver Birch Linea	M10	G10
Paldao		
Thicket	M75	G75
Paldao	M76	G76
Canyon	M77	G77

PLANK

Plank offers dramatic variations in veneer leaf color, length, and natural characteristics; it simulates randomly matched veneers

	Matte	Gloss
Plank Walnut		
Clear Coat	M38	G38

NOVAWRAP

Only available on Tesano

White	NW-30
-------	-------

METAL FINISHES

Available on metal trim pieces for Tesano table and Tech Node

Black Anodized*	MBA
Clear Anodized	CA

*Up-Charge applies.

Available on Power Rail and Foot Rail

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Finish option available on Foot Rail only. Up-Charge applies.



GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

Wood Grain Laminates

Formica White Ash	8841-58
Formica Natural Ash	8843-58
Formica Aged Ash	8844-58
Formica Weathered Ash	8842-58
Formica Oiled Legno	8846-58
Formica Bleached Legno	8845-58
Formica Blackened Legno	8848-58
Formica Pecan Woodline	5883-58
Formica Chestnut Woodline	5884-58
Formica Urban Planked Oak	9312-58
Formica Thermo Walnut	6402-58
Formica Smoky Brown Pear	5488-58
Formica Espresso Pear	5489-58
Formica White Knotty Maple	7410-58
Formica Sand Maple	9237-58
Formica Planked Coffee Oak	7413-58



UPHOLSTERY FABRICS

Applies to Benches

Nucraft is pleased to have partnered with KnollTextiles, Spinneybeck, and UltraFabrics to offer a concise selection of standard upholstery fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

Knoll Felt* | K1207 | Grade C

Ivory	1
Apple	3
Canary	5
Poppy	7
Cadet	11
Mocha	15
Pewter	17
Tar	20

Knoll Hopsack* | K1206 | Grade C

Buff	1
Stucco	2
Lime	4
Magenta	9
Red	10
Admiral	11
Putty	13
Black	16

Knoll Hourglass* | K1523 | Grade A

Gull	2
Sandbar	3
Flax	5
Beeswax	6
Sizzle	9
Tart	11
Bluebird	13
Spring	16
Bark	21
Misty	24
Alley	27

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics from some of the biggest names in the textile industry have been graded into this price list. For a current list of graded-in manufacturers and additional information on our graded-in fabrics program, please go to www.nucraft.com. All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

NET PRICE PER YARD	NUCRAFT GRADE
\$0 - \$20.00	A
\$20.01 - \$35.00	B
\$35.01 - \$50.00	C
\$50.01 - \$65.00	D
\$65.01 - \$80.00	E
\$80.01 - \$95.00	F
\$95.01 - \$110.00	G
\$110.01 - \$125.00	H



COM SPECIFICATIONS

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric
For 48" wide fabrics allow 15% additional fabric
For 45" wide fabrics allow 20% additional fabric
For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric
15" to 19" repeat allow 20% additional fabric
20" to 27" repeat allow 25% additional fabric
28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

The fabric should be sent to the following address:

Nucraft Furniture Company
5151 West River Drive
Comstock Park, MI 49321
Attn: Order Processing

FIRE RESISTANCE

Nucraft will only work with textiles that meet the ACT Voluntary Performance Guidelines:

- Nucraft fabric tack panels incorporate fabrics that meet the ASTM E 84 standard US flammability test for wrapped panels.
- Nucraft upholstery fabrics for benches and cushions must meet one or more of the following flammability tests; NFPA 260, NFPA 701, or CAL 117.
- All COM fabrics must meet the required flammability standards per fabric application.
- Nucraft reserves the right to decline any fabrics that do not meet ACT standard flammability requirements.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.