

TESANO™

Planning Guide + Price List

QUICK LINKS


[PLANNING GUIDE](#)[TESANO PRICING](#)[POWER AND DATA OPTIONS](#)[GENERAL INFORMATION](#)[FINISH INFORMATION](#)[SURFACE MATERIALS](#)



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi-vii
Statement of Line	3
Planning Guide	4-15
Conference Tables	16-19
Benches	20
Power and Data Options	21-25






STATEMENT OF LINE


SEATED HEIGHT CONFERENCE TABLES

Pages 16 and 18




STANDING HEIGHT CONFERENCE TABLES

Pages 17 and 19



BENCHES

Page 20






CONFERENCE TABLE

Tesano is a high performance table that addresses the need for conference and standing height tables in collaborative settings. Such settings could include lobbies, conference rooms, or any open spaces in an office setting. Designed by Joey Ruiter, Tesano is a combination of beautiful simplicity and elegantly executed functionality. With a variety of technology accommodation features and surface material options and finishes, Tesano can address a wide range of application needs.

CONFERENCE TABLE

The Tesano Conference Table is available in both seated and standing heights, with a panel base at both ends of the table. It is available in four depths and in lengths from 48" to 132" (in 12" increments).




Height: 30", 42"
 Depths: 24", 30", 36", 42"
 Widths: 48", 60", 72", 84", 96", 108", 120", 132"


PANEL BASE

This Panel Base is standard on both ends of Conference tables. It is the same width as the table top and features a removable panel on the inside surface of the base to access the hollow core of the base for cable management. A scallop at the bottom of the base panel provides access and egress for cables.

With Panel




Panel Removed



FOOT RAIL

The optional Foot Rail is available on standing height conference tables only. Tables more than 96" in length will include a center support. Available in powder coat and polished chrome finish options. Foot Rail is located 5" in from the edge of the base and measures 2.5" high x 1.5" deep.

Conference Table with Optional Foot Rail





DESIGN DETAILS

Tesano features a variety of design details that make this hard working table as much a design statement as a highly functional addition to any environment.

3"-THICK DESIGN


This overall thickness strikes an appropriate balance between mass and lightness, giving Tesano tables a sense of both structural integrity and clean lines. An internal steel frame provides structural support, allowing for 132"-long Tesano tables with just two bases.

MITERED CORNERS

This design element gives Tesano tables a more refined aesthetic and invokes a sense of solid wood.


METAL ACCENTS

Each Tesano conference table includes two ½"-thick metal accents inset 9" from each end of the table and flush to adjacent surfaces. These accents are available in clear or black anodized aluminum, and provide an elegant touch of metal at the joints between the end panels and the center top section.



WRAPPED VENEER DESIGN

When specified with standard veneers, Tesano features a unique reverse flip veneer lay-up design that results in a superior aesthetic. Each individual veneer leaf is flipped and reversed, resulting in a continuous flow of veneer that is both unidirectional and balanced, has no visible seams, and gives the table a natural appearance, reminiscent of a solid slab of wood. An optional Plank Veneer layup offers dramatic variations in veneer leaf color, length and natural characteristics, resulting in the appearance of randomly matched veneers.



GLASS TOP OPTION

The glass top option is 1/4"-thick, tempered, back-painted glass in either standard gloss or satin etched top finishes. It is only in the center section of the table, between the two metal trim pieces, and is flush with the top of the metal trim and the adjacent 9" end sections.

1/4" glass inlay




TABLE TOP POWER OPTION: TECH NODE


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Tech Node components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"
- Optional powered USB-A+C

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB-A+C




Tech Node - Cover Closed




Tech Node Placement



Tech Node - Open Front View



Tech Node - Open Side View



VOICE/DATA PLANNING

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.


Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

TABLE TOP POWER OPTION: TECH NODE


TECH NODE LOCATION OPTIONS

*Not available on 24"-wide tables



TN-1

TN-1 or SP-1	
Length	Center of Tech Node
48	24
60	30
72	36
84	42
96	48
108	54
120	60
132	66



TN-2

TN-2 or SP-2		
Length	Center of 1st Tech Node	Center of 2nd Tech Node
84	21	63
96	24	72
108	27	81
120	30	90
132	33	99




TABLE TOP POWER OPTION: POWER SPEC AND USB SPEC

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed

Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB-A+C
- 1-3/4" cutout
- UL Listed

USB Spec




UNDER SURFACE POWER OPTION: POWER RAIL

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top. Power Rails are available in three configurations:


- Two simplex receptacles
- One simplex receptacle and one USB-A+C charger
- Blank faceplate designed for use with two Single Space Extron Architectural Adaptor Plates (AAPs)

Mounted to the underside of the table top near the edge of the long sides of the table, these units can be placed anywhere along the length of the table. The flexible mounting design allows units to be installed closer to the edge of the table top or recessed further back. Additional units can be added as necessary, or can be removed altogether when no longer needed.


Power Rail




Front Elevation




Side Elevation



Mounted Near Edge
(Side Elevation)



Mounted Recessed
(Side Elevation)



Maximum Number of Power Rails per Table Size


Table Length	48"	60"	72"	84"	96"	108"	120"	132"
Total maximum combined number of power and data rails that can fit onto the table	6	8	12	14	16	18	20	20
Total maximum number of power rails that can go on the table	4	4	8	8	8	8	8	8




UNDER SURFACE POWER OPTION: CHARGING TRAC

Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.


Charging Trac Wire Management (Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration





FREESTANDING POWER OPTION: TECH ZONE

TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.


Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.

ZONE-USB-C


Includes two simplex receptacles, one data port and one charging USB-A+C charging port

ZONE-DATA

Includes two simplex receptacles and two open data ports



Tech Zone - Side View



ZONE-USB-C



ZONE-DATA




MODULAR ELECTRICAL SYSTEM

With either of the two power & data connectivity options on Tesano, a modular electrical system is available with the table with a direct plug-in connection or a hardwired connection. If the direct plug-in connection option is selected, all outlets will be on a single circuit. If the hardwired connection option is selected, the modular electrical system will have two circuits. The modular power system includes two duplex receptacles for tables 60" and shorter, and four duplex receptacles for tables longer than 60". The duplex receptacles are concealed beneath the table top and are designed to be used in conjunction with the Power Rail and Tech Node units.

- 4-wire, 20-amp modular electrical system
- One-circuit system with plug-in infeed two-circuit system when specified with the hardwired infeed connector
- All tables are pre-wired
- When specified with the hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source. The hardwire power connector is 84" long. The infeed will travel from the last duplex down the leg where there will be approximately 9" of cord that will extend beyond the base. It is important that the floor core is near or under the base.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed
- When ordering Power Rails that require power (simplex receptacles), the maximum quantity per table will be based on the number of power receptacles included with the modular power system, as follows:
 - Tables 60" and shorter - four power receptacles
 - Tables over 60" long - eight power receptacles

Electrical Diagram — Hardwired Power Connection Only







WIRE MANAGEMENT


Tesano tables specified with power options also require a modular electrical system, available with either a hardwired or direct plug-in connection option (if no selection is made, the table will ship with the direct plug-in option as standard). This power system is housed behind a metal shroud allowing access to duplex receptacles while concealing power jumpers. Cable management clips allow cables to be neatly stored and concealed beneath the table top.

Wire Management Cross Section




BASE DIMENSIONS AND WIRE MANAGEMENT OPENINGS


PANEL BASE




COLUMN BASE




Base Dimensions




Base Dimensions



Wire Management Openings









Wire Management Openings






BENCH AND CLEARANCE DIMENSIONS

Bench



Bench Clearance (when used with a Tesano table)




Tesano Bench Clearance (C)

Tesano Table Length (A)	48"			
	60"	0		
	72"	6	0	
	84"	12	6	0
	96"	18	12	6
	108"	24	18	12
	120"	30	24	18
	132"	36	30	24
		42	36	30
		48"	60"	72"

Tesano Bench Length (B)



VENEER AND PLANK VENEER



SEATED HEIGHT

SURFACE MATERIAL KEY

V	Veneer
V-G	Veneer with Inset Glass Top
PW	Plank Veneer
PW-G	Plank Veneer with Inset Glass Top

SEATED HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-V	-V-G	-PW	-PW-G
TETC-4824-30	48 x 24 x 30	2	4	Seated Height	7,435	7,909	9,294	9,768
TETC-4830-30	48 x 30 x 30	2	4	Seated Height	7,664	8,257	9,580	10,173
TETC-4836-30	48 x 36 x 30	2	4	Seated Height	7,892	8,603	9,865	10,576
TETC-4842-30	48 x 42 x 30	2	4	Seated Height	8,120	8,949	10,150	10,979
TETC-6024-30	60 x 24 x 30	2	4	Seated Height	7,664	8,334	9,580	10,250
TETC-6030-30	60 x 30 x 30	2	4	Seated Height	7,949	8,787	9,937	10,774
TETC-6036-30	60 x 36 x 30	2	4	Seated Height	8,234	9,239	10,293	11,297
TETC-6042-30	60 x 42 x 30	2	4	Seated Height	8,520	9,692	10,650	11,822
TETC-7224-30	72 x 24 x 30	2	4	Seated Height	7,892	8,758	9,865	10,731
TETC-7230-30	72 x 30 x 30	2	4	Seated Height	8,234	9,317	10,293	11,375
TETC-7236-30	72 x 36 x 30	2	4	Seated Height	8,577	9,876	10,722	12,020
TETC-7242-30	72 x 42 x 30	2	4	Seated Height	8,919	10,434	11,149	12,664
TETC-8424-30	84 x 24 x 30	2	6	Seated Height	8,120	9,182	10,150	11,212
TETC-8430-30	84 x 30 x 30	2	6	Seated Height	8,520	9,848	10,650	11,978
TETC-8436-30	84 x 36 x 30	2	6	Seated Height	8,919	10,512	11,149	12,742
TETC-8442-30	84 x 42 x 30	2	6	Seated Height	9,318	11,176	11,648	13,506
TETC-9624-30	96 x 24 x 30	2	6	Seated Height	8,348	9,606	10,435	11,693
TETC-9630-30	96 x 30 x 30	2	6	Seated Height	8,805	10,378	11,007	12,579
TETC-9636-30	96 x 36 x 30	2	6	Seated Height	9,261	11,148	11,577	13,463
TETC-9642-30	96 x 42 x 30	2	6	Seated Height	9,718	11,919	12,148	14,349
TETC-10824-30	108 x 24 x 30	2	8	Seated Height	8,577	10,031	10,722	12,175
TETC-10830-30	108 x 30 x 30	2	8	Seated Height	9,090	10,908	11,363	13,180
TETC-10836-30	108 x 36 x 30	2	8	Seated Height	9,604	11,785	12,005	14,186
TETC-10842-30	108 x 42 x 30	2	8	Seated Height	10,117	12,661	12,647	15,191
TETC-12024-30	120 x 24 x 30	2	8	Seated Height	8,805	10,455	11,007	12,656
TETC-12030-30	120 x 30 x 30	2	8	Seated Height	9,375	11,438	11,719	13,781
TETC-12036-30	120 x 36 x 30	2	8	Seated Height	9,946	12,421	12,433	14,907
TETC-12042-30	120 x 42 x 30	2	8	Seated Height	10,517	13,404	13,147	16,034
TETC-13224-30	132 x 24 x 30	2	10	Seated Height	9,033	-	11,292	-
TETC-13230-30	132 x 30 x 30	2	10	Seated Height	9,661	-	12,077	-
TETC-13236-30	132 x 36 x 30	2	10	Seated Height	10,288	-	12,860	-
TETC-13242-30	132 x 42 x 30	2	10	Seated Height	10,916	-	13,645	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$382 for 48"x30" - 72"x30" tables \$535 for 72"x36" - 96"x42" tables \$686 for 108"x30" - 120"x42" tables
-------------	------------------	--

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$188
-----------------------------	-----------------	-------

Power and Data Options

See pages 21-25

GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)



VENEER AND PLANK VENEER



STANDING HEIGHT

SURFACE MATERIAL KEY

V	Veneer
V-G	Veneer with Inset Glass Top
PW	Plank Veneer
PW-G	Plank Veneer with Inset Glass Top

STANDING HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-V	-V-G	-PW	-PW-G
TETC-4824-42	48 x 24 x 42	2	4	Standing Height	8,625	9,099	10,782	11,255
TETC-4830-42	48 x 30 x 42	2	4	Standing Height	8,854	9,447	11,068	11,660
TETC-4836-42	48 x 36 x 42	2	4	Standing Height	9,082	9,793	11,353	12,063
TETC-4842-42	48 x 42 x 42	2	4	Standing Height	9,310	10,139	11,638	12,467
TETC-6024-42	60 x 24 x 42	2	4	Standing Height	8,854	9,524	11,068	11,738
TETC-6030-42	60 x 30 x 42	2	4	Standing Height	9,139	9,977	11,424	12,261
TETC-6036-42	60 x 36 x 42	2	4	Standing Height	9,424	10,429	11,780	12,785
TETC-6042-42	60 x 42 x 42	2	4	Standing Height	9,710	10,882	12,138	13,310
TETC-7224-42	72 x 24 x 42	2	4	Standing Height	9,082	9,948	11,353	12,219
TETC-7230-42	72 x 30 x 42	2	4	Standing Height	9,424	10,507	11,780	12,863
TETC-7236-42	72 x 36 x 42	2	4	Standing Height	9,767	11,066	12,209	13,508
TETC-7242-42	72 x 42 x 42	2	4	Standing Height	10,109	11,624	12,637	14,152
TETC-8424-42	84 x 24 x 42	2	6	Standing Height	9,310	10,372	11,638	12,700
TETC-8430-42	84 x 30 x 42	2	6	Standing Height	9,710	11,038	12,138	13,465
TETC-8436-42	84 x 36 x 42	2	6	Standing Height	10,109	11,702	12,637	14,229
TETC-8442-42	84 x 42 x 42	2	6	Standing Height	10,508	12,366	13,135	14,993
TETC-9624-42	96 x 24 x 42	2	6	Standing Height	9,538	10,796	11,923	13,181
TETC-9630-42	96 x 30 x 42	2	6	Standing Height	9,995	11,568	12,494	14,066
TETC-9636-42	96 x 36 x 42	2	6	Standing Height	10,451	12,338	13,064	14,951
TETC-9642-42	96 x 42 x 42	2	6	Standing Height	10,908	13,109	13,635	15,836
TETC-10824-42	108 x 24 x 42	2	8	Standing Height	9,767	11,221	12,209	13,663
TETC-10830-42	108 x 30 x 42	2	8	Standing Height	10,280	12,098	12,850	14,668
TETC-10836-42	108 x 36 x 42	2	8	Standing Height	10,794	12,975	13,493	15,673
TETC-10842-42	108 x 42 x 42	2	8	Standing Height	11,307	13,851	14,134	16,678
TETC-12024-42	120 x 24 x 42	2	8	Standing Height	9,995	11,645	12,494	14,144
TETC-12030-42	120 x 30 x 42	2	8	Standing Height	10,565	12,628	13,207	15,269
TETC-12036-42	120 x 36 x 42	2	8	Standing Height	11,136	13,611	13,920	16,395
TETC-12042-42	120 x 42 x 42	2	8	Standing Height	11,707	14,594	14,634	17,521
TETC-13224-42	132 x 24 x 42	2	10	Standing Height	10,223	-	12,779	-
TETC-13230-42	132 x 30 x 42	2	10	Standing Height	10,851	-	13,564	-
TETC-13236-42	132 x 36 x 42	2	10	Standing Height	11,478	-	14,348	-
TETC-13242-42	132 x 42 x 42	2	10	Standing Height	12,106	-	15,133	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$382 for 48"x30" - 72"x30" tables \$535 for 72"x36" - 96"x42" tables \$686 for 108"x30" - 120"x42" tables	
-------------	------------------	--	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,655 for 48"-84" \$2,232 for 96"-132"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,801 for 48"-84" \$2,662 for 96"-132"	Available on Standing Height Tables only

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$188	
-----------------------------	-----------------	-------	--

Power and Data Options

See pages 21-25


GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.



TETC-9630-42-V-FR



WOOD GRAIN LAMINATE AND NOVAWRAP



SEATED HEIGHT

SURFACE MATERIAL KEY

PL	Wood Grain Laminate
PL-G	Wood Grain Laminate with Inset Glass Top
NW	Novawrap
NW-G	Novawrap with Inset Glass Top

SEATED HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-PL	-PL-G	-NW	-NW-G
TETC-4824-30	48 x 24 x 30	2	4	Seated Height	7,027	7,500	8,988	9,507
TETC-4830-30	48 x 30 x 30	2	4	Seated Height	7,243	7,835	9,265	9,912
TETC-4836-30	48 x 36 x 30	2	4	Seated Height	7,458	8,169	9,541	10,321
TETC-4842-30	48 x 42 x 30	2	4	Seated Height	7,674	8,503	9,817	10,726
TETC-6024-30	60 x 24 x 30	2	4	Seated Height	7,243	7,913	9,265	9,999
TETC-6030-30	60 x 30 x 30	2	4	Seated Height	7,512	8,349	9,610	10,527
TETC-6036-30	60 x 36 x 30	2	4	Seated Height	7,782	8,786	9,956	11,056
TETC-6042-30	60 x 42 x 30	2	4	Seated Height	8,052	9,224	10,300	11,584
TETC-7224-30	72 x 24 x 30	2	4	Seated Height	7,458	8,324	9,541	10,490
TETC-7230-30	72 x 30 x 30	2	4	Seated Height	7,782	8,864	9,956	11,142
TETC-7236-30	72 x 36 x 30	2	4	Seated Height	8,106	9,404	10,370	11,793
TETC-7242-30	72 x 42 x 30	2	4	Seated Height	8,429	9,944	10,784	12,444
TETC-8424-30	84 x 24 x 30	2	6	Seated Height	7,674	8,736	9,817	10,981
TETC-8430-30	84 x 30 x 30	2	6	Seated Height	8,052	9,379	10,300	11,754
TETC-8436-30	84 x 36 x 30	2	6	Seated Height	8,429	10,021	10,784	12,529
TETC-8442-30	84 x 42 x 30	2	6	Seated Height	8,806	10,664	11,266	13,303
TETC-9624-30	96 x 24 x 30	2	6	Seated Height	7,889	9,147	10,093	11,471
TETC-9630-30	96 x 30 x 30	2	6	Seated Height	8,321	9,893	10,645	12,368
TETC-9636-30	96 x 36 x 30	2	6	Seated Height	8,752	10,639	11,199	13,266
TETC-9642-30	96 x 42 x 30	2	6	Seated Height	9,184	11,385	11,750	14,163
TETC-10824-30	108 x 24 x 30	2	8	Seated Height	8,106	9,559	10,370	11,963
TETC-10830-30	108 x 30 x 30	2	8	Seated Height	8,591	10,408	10,991	12,983
TETC-10836-30	108 x 36 x 30	2	8	Seated Height	9,076	11,257	11,611	14,002
TETC-10842-30	108 x 42 x 30	2	8	Seated Height	9,561	12,105	12,233	15,022
TETC-12024-30	120 x 24 x 30	2	8	Seated Height	8,321	9,971	10,645	12,453
TETC-12030-30	120 x 30 x 30	2	8	Seated Height	8,860	10,922	11,335	13,595
TETC-12036-30	120 x 36 x 30	2	8	Seated Height	9,399	11,874	12,026	14,738
TETC-12042-30	120 x 42 x 30	2	8	Seated Height	9,939	12,826	12,716	15,881
TETC-13224-30	132 x 24 x 30	2	10	Seated Height	8,537	-	10,922	-
TETC-13230-30	132 x 30 x 30	2	10	Seated Height	9,130	-	11,681	-
TETC-13236-30	132 x 36 x 30	2	10	Seated Height	9,723	-	12,441	-
TETC-13242-30	132 x 42 x 30	2	10	Seated Height	10,316	-	13,200	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$382 for 48"x30" - 72"x30" tables \$535 for 72"x36" - 96"x42" tables \$686 for 108"x30" - 120"x42" tables
-------------	------------------	--

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$188
-----------------------------	-----------------	-------

Power and Data Options

See pages 21-25

GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate, if applicable
- Choose Novawrap Color, if applicable: NW-30 White
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above). If Novawrap with Inset Glass Top option is selected, finish defaults to back-painted white to coordinate with Novawrap.



WOOD GRAIN LAMINATE AND NOVAWRAP



STANDING HEIGHT

SURFACE MATERIAL KEY

PL	Wood Grain Laminate
PL-G	Wood Grain Laminate with Inset Glass Top
NW	Novawrap
NW-G	Novawrap with Inset Glass Top

STANDING HEIGHT CONFERENCE TABLES

MODEL #	L x W x H	BASE QTY	SEATING CAPACITY	DESCRIPTION	-PL	-PL-G	-NW	-NW-G
TETC-4824-42	48 x 24 x 42	2	4	Standing Height	8,151	8,625	10,437	10,956
TETC-4830-42	48 x 30 x 42	2	4	Standing Height	8,368	8,960	10,714	11,361
TETC-4836-42	48 x 36 x 42	2	4	Standing Height	8,583	9,293	10,989	11,769
TETC-4842-42	48 x 42 x 42	2	4	Standing Height	8,798	9,627	11,265	12,174
TETC-6024-42	60 x 24 x 42	2	4	Standing Height	8,368	9,037	10,714	11,447
TETC-6030-42	60 x 30 x 42	2	4	Standing Height	8,637	9,474	11,058	11,976
TETC-6036-42	60 x 36 x 42	2	4	Standing Height	8,906	9,911	11,403	12,505
TETC-6042-42	60 x 42 x 42	2	4	Standing Height	9,176	10,348	11,748	13,032
TETC-7224-42	72 x 24 x 42	2	4	Standing Height	8,583	9,449	10,989	11,939
TETC-7230-42	72 x 30 x 42	2	4	Standing Height	8,906	9,988	11,403	12,590
TETC-7236-42	72 x 36 x 42	2	4	Standing Height	9,230	10,529	11,818	13,241
TETC-7242-42	72 x 42 x 42	2	4	Standing Height	9,554	11,068	12,232	13,893
TETC-8424-42	84 x 24 x 42	2	6	Standing Height	8,798	9,860	11,265	12,429
TETC-8430-42	84 x 30 x 42	2	6	Standing Height	9,176	10,504	11,748	13,202
TETC-8436-42	84 x 36 x 42	2	6	Standing Height	9,554	11,146	12,232	13,977
TETC-8442-42	84 x 42 x 42	2	6	Standing Height	9,931	11,788	12,715	14,751
TETC-9624-42	96 x 24 x 42	2	6	Standing Height	9,014	10,272	11,541	12,920
TETC-9630-42	96 x 30 x 42	2	6	Standing Height	9,446	11,018	12,093	13,816
TETC-9636-42	96 x 36 x 42	2	6	Standing Height	9,877	11,763	12,647	14,714
TETC-9642-42	96 x 42 x 42	2	6	Standing Height	10,309	12,509	13,199	15,612
TETC-10824-42	108 x 24 x 42	2	8	Standing Height	9,230	10,684	11,818	13,411
TETC-10830-42	108 x 30 x 42	2	8	Standing Height	9,715	11,532	12,439	14,431
TETC-10836-42	108 x 36 x 42	2	8	Standing Height	10,201	12,381	13,060	15,451
TETC-10842-42	108 x 42 x 42	2	8	Standing Height	10,686	13,230	13,682	16,470
TETC-12024-42	120 x 24 x 42	2	8	Standing Height	9,446	11,095	12,093	13,902
TETC-12030-42	120 x 30 x 42	2	8	Standing Height	9,984	12,047	12,784	15,043
TETC-12036-42	120 x 36 x 42	2	8	Standing Height	10,524	12,999	13,475	16,186
TETC-12042-42	120 x 42 x 42	2	8	Standing Height	11,064	13,951	14,164	17,329
TETC-13224-42	132 x 24 x 42	2	10	Standing Height	9,661	-	12,369	-
TETC-13230-42	132 x 30 x 42	2	10	Standing Height	10,255	-	13,130	-
TETC-13236-42	132 x 36 x 42	2	10	Standing Height	10,847	-	13,890	-
TETC-13242-42	132 x 42 x 42	2	10	Standing Height	11,441	-	14,648	-

OPTIONS

CODE

PRICE

NOTES

Satin Glass Option:

Satin Glass	Add -TSSG	\$382 for 48"x30" - 72"x30" tables \$535 for 72"x36" - 96"x42" tables \$686 for 108"x30" - 120"x42" tables	
-------------	------------------	--	--

Foot Rail Options:

Foot Rail	Add -FR	\$1,655 for 48"-84" \$2,232 for 96"-132"	Available on Standing Height Tables only
Polished Chrome Foot Rail	Add -PCFR	\$1,801 for 48"-84" \$2,662 for 96"-132"	Available on Standing Height Tables only

Black Anodized Metal Accent Option:

Black Anodized Metal Accent	Add -MBA	\$188	
-----------------------------	-----------------	-------	--

Power and Data Options

See pages 21-25


GENERAL INFORMATION

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4" thick, back-painted low-iron glass, located between the metal accents
- Tables 96" x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Laminate, if applicable
- Choose Novawrap Color, if applicable: NW-30 White
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above). If Novawrap with Inset Glass Top option is selected, finish defaults to back-painted white to coordinate with Novawrap.
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.




TETC-9630-42-PL-FR




NOVAWRAP, WOOD GRAIN LAMINATE, VENEER & PLANK VENEER



BENCH



SHOWN WITH OPTIONAL PAD



NOVAWRAP BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-NW	48 x 15 x 17	1.25	-	5,772	5,945	6,122	6,306	6,495	6,689	6,888	7,096	7,311
TETB-60-NW	60 x 15 x 17	1.75	-	6,009	6,191	6,378	6,567	6,765	6,968	7,175	7,392	7,613
TETB-72-NW	72 x 15 x 17	2.15	-	6,250	6,438	6,632	6,831	7,034	7,250	7,464	7,691	7,919

WOOD GRAIN LAMINATE BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-PL	48 x 15 x 17	1.25	4,168	4,293	4,421	4,555	4,692	4,830	4,975	5,126	5,280	5,437
TETB-60-PL	60 x 15 x 17	1.75	4,341	4,471	4,606	4,744	4,885	5,030	5,183	5,215	5,499	5,664
TETB-72-PL	72 x 15 x 17	2.15	4,513	4,651	4,790	4,933	5,079	5,233	5,392	5,554	5,719	5,890

VENEER BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-V	48 x 15 x 17	1.25	4,630	4,769	4,912	5,058	5,213	5,368	5,529	5,695	5,865	6,041
TETB-60-V	60 x 15 x 17	1.75	4,824	4,969	5,116	5,270	5,428	5,592	5,760	5,932	6,110	6,291
TETB-72-V	72 x 15 x 17	2.15	5,015	5,166	5,323	5,483	5,645	5,815	5,989	6,169	6,353	6,545

PLANK VENEER BENCH

MODEL #	L x W x H	BASE QTY	WITHOUT PAD PRICE	COM	A	B	C	D	E	F	G	H
TETB-48-PW	48 x 15 x 17	1.25	5,789	5,962	6,141	6,324	6,514	6,709	6,912	7,116	7,329	7,549
TETB-60-PW	60 x 15 x 17	1.75	6,030	6,209	6,395	6,587	6,786	6,988	7,198	7,413	7,637	7,865
TETB-72-PW	72 x 15 x 17	2.15	6,270	6,457	6,652	6,853	7,056	7,268	7,485	7,710	7,942	8,179

OPTIONS

CODE

PRICE

NOTES

Black Anodized Metal Accent Option:

Black Anodized Metal Accent Add **-MBA** \$188

GENERAL INFORMATION

- All products ship assembled
- Pad is 1/4" thick for bench material protection, not intended to serve as a cushion
- Metal accents default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Wood Species & Finish, if applicable
- Choose Novawrap Finish, if applicable
- Choose Wood Grain Laminate Finish, if applicable
- Choose Metal Finish: Clear Anodized (-CA) or Black Anodized (-MBA). Upcharge applies for -MBA option
- Choose Upholstery or Leather Finish, if applicable



POWER AND DATA OPTIONS



TECH NODE	MODEL #	W X D	SIMPLEX RECEPTACLES	OPEN DATA PORTS	CHARGING USB-A+C	PRICE
 PUP	PUP	8 x 4	2	2	-	543
	PUP-USB-AC	8 x 4	2	1	1	647
OPTIONS		CODE	PRICE	NOTES		
Field-Wired		Add -FW	No Charge	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.		

GENERAL INFORMATION

- 12' cord and a 15 amp plug-in power infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color is Clear Anodized. Also available in Black Anodized.
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- UL Listed
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose location code and quantity from chart on page 22



POWER SPEC	MODEL #	DESCRIPTION	PRICE
 PWR-R-W	PWR-R-B	Round Power Spec with Black Faceplate	116
	PWR-R-W	Round Power Spec with White Faceplate	116
 PWR-SQ-W	PWR-SQ-B	Square Power Spec with Black Faceplate	116
	PWR-SQ-W	Square Power Spec with Faceplate	116

GENERAL INFORMATION

- Includes one simplex receptable
- 12' cord
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

USB SPEC	MODEL #	DESCRIPTION	PRICE
 USBC-R-W	USBC-R-B	Round Data Spec with Black Faceplate	243
	USBC-R-W	Round Data Spec with White Faceplate	243
 USBC-SQ-W	USBC-SQ-B	Square Data Spec with Black Faceplate	243
	USBC-SQ-W	Square Data Spec with White Faceplate	243

GENERAL INFORMATION

- Includes one charging USB-A+C
- 6' cord
- Not available on 24"-wide tables

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)



POWER AND DATA OPTIONS

SINGLE INFEED OPTION	MODEL #	DESCRIPTION	PRICE
	SI-H	Single In-Feed Option, Hard-wired	553
	SI-C	Single In-Feed Option, Corded (Plug-in)	668

GENERAL INFORMATION

- Tables 72" -120" in length include 2 duplex receptacles with the modular power system
- Tables 132" in length include 3 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option


LOCATION CODES	TECH NODE	POWER SPEC	USB SPEC	LOCATION	QUANTITY OF UNITS TO ORDER
Please Note: 24"-wide tables not available with table top power options	TN-1	SP-1	SP-1	One at center	1
	TN-2	SP-2	SP-2	One at each end*	2
		SP-3	SP-3	One at center and one at each end	3
		SP-4	SP-4	Four equally spaced	4

*TN-2 only offered on tables 84" and longer




POWER AND DATA OPTIONS

HARDWIRE INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S3
(Includes Power Rails, Hardwire Infeed and Modular Power Components)	TE-RAIL-1-H	1	2	1,331	1	1,331
	TE-RAIL-2-H	2	4	2,114	2	2,114
	TE-RAIL-3-H	3	6	2,895	3	2,895
	TE-RAIL-4-H	4	8	3,677	4	3,677
	TE-RAIL-5-H	5	10	4,459	5	4,459
	TE-RAIL-6-H	6	12	5,239	6	5,239
	TE-RAIL-7-H	7	14	6,019	7	6,019
	TE-RAIL-8-H	8	16	6,800	8	6,800



-S2



-S3

GENERAL INFORMATION


- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

CORDED INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S3
(Includes Power Rails, Corded Infeed and Modular Power Components)	TE-RAIL-1-C	1	2	1,448	1	1,448
	TE-RAIL-2-C	2	4	2,232	2	2,232
	TE-RAIL-3-C	3	6	3,012	3	3,012
	TE-RAIL-4-C	4	8	3,792	4	3,792
	TE-RAIL-5-C	5	10	4,573	5	4,573
	TE-RAIL-6-C	6	12	5,357	6	5,357
	TE-RAIL-7-C	7	14	6,138	7	6,138
	TE-RAIL-8-C	8	16	6,918	8	6,918



-S2



-S3

GENERAL INFORMATION


- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

DATA RAIL	MODEL #	DESCRIPTION	PRICE
	TE-RAIL-DATA	Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate	604



TE-RAIL-DATA

GENERAL INFORMATION

- Data Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



POWER AND DATA OPTIONS

FIELD-WIRED	MODEL #	DESCRIPTION	(2) SIMPLEX -S2	(1) SIMPLEX / (1) CHARGING USB -S3
-------------	---------	-------------	--------------------	---------------------------------------



-S2



-S3

GENERAL INFORMATION

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TW-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish

AV CONNECTORS AND MOUNTING PLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	74
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	259
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	203
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	203
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	166
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	223
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	315
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	315
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	315
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	352
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	92
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	223
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	389
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	259

GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each TE-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black

CHARGING TRAC	MODEL #	TOTAL BRACKETS	# OF USB PORTS	PRICE
	TRAC-2	2	4	2,019
	TRAC-4	4	8	3,406



GENERAL INFORMATION

- Plug-in Infeed only
- Field Installed
- 15 amp


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Metal Finish



FREESTANDING POWER OPTION

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	CHARGING USB-A+C	PRICE
	ZONE-DATA	(2) Simplex receptacles, (2) Open data ports	2	2	-	341
	ZONE-USB-C	(2) Simplex receptacles, (1) Charging USB-A+C, (1) Open data port	2	1	1	408

ZONE-USB-C



ZONE-DATA



ZONE-USB-C

GENERAL INFORMATION

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,800 net will be assessed a \$450 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$1,975 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of \$500 and capped at \$1975.
- For approved non-standard laminate with a standard ABS edge, the upcharge is \$175 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Blanco	M44	G44
Char	M50	G50
Rift Cut Oak		
Carbon	M03	G03
Flat Cut Oak		
Dune	M05	G05
Portobello	M7413	G7413
Flaky Oak		
Sahara	M61	G61
Cherry		
Cognac	M21	G21
Auburn	M93	G93
Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Maple		
Natural Maple	M60	G60
Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Euro Birch Linea	M09	G09
Silver Birch Linea	M10	G10
Paldao		
Thicket	M75	G75
Paldao	M76	G76
Canyon	M77	G77

PLANK

Plank offers dramatic variations in veneer leaf color, length, and natural characteristics; it simulates randomly matched veneers

	Matte	Gloss
Plank Walnut		
Clear Coat	M38	G38

NOVAWRAP

Only available on Tesano

White	NW-30
-------	-------

METAL FINISHES

Available on metal trim pieces for Tesano table and Tech Node

Metal

Black Anodized*	MBA
Clear Anodized	CA

*Up-Charge applies.

Available on Power Rail and Foot Rail

Powder Coat

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

Metal

Polished Chrome*	PC
------------------	----

*Finish option available on Foot Rail only. Up-Charge applies.



GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

Wood Grain Laminates

Formica White Ash	8841-58
Formica Natural Ash	8843-58
Formica Aged Ash	8844-58
Formica Weathered Ash	8842-58
Formica Oiled Legno	8846-58
Formica Bleached Legno	8845-58
Formica Blackened Legno	8848-58
Formica Pecan Woodline	5883-58
Formica Chestnut Woodline	5884-58
Formica Urban Planked Oak	9312-58
Formica Thermo Walnut	6402-58
Formica Smoky Brown Pear	5488-58
Formica Espresso Pear	5489-58
Formica White Knotty Maple	7410-58
Formica Sand Maple	9237-58
Formica Planked Coffee Oak	7413-58



UPHOLSTERY FABRICS

Applies to Benches

Nucraft is pleased to have partnered with KnollTextiles, Spinneybeck, and UltraFabrics to offer a concise selection of standard upholstery fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

Knoll Felt* | K1207 | Grade C

Ivory	1
Apple	3
Canary	5
Poppy	7
Cadet	11
Mocha	15
Pewter	17
Tar	20

Knoll Hopsack* | K1206 | Grade C

Buff	1
Stucco	2
Lime	4
Magenta	9
Red	10
Admiral	11
Putty	13
Black	16

Knoll Hourglass* | K1523 | Grade A

Gull	2
Sandbar	3
Flax	5
Beeswax	6
Sizzle	9
Tart	11
Bluebird	13
Spring	16
Bark	21
Misty	24
Alley	27

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics from some of the biggest names in the textile industry have been graded into this price list. For a current list of graded-in manufacturers and additional information on our graded-in fabrics program, please go to www.nucraft.com. All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

NET PRICE PER YARD	NUCRAFT GRADE
\$0 - \$20.00	A
\$20.01 - \$35.00	B
\$35.01 - \$50.00	C
\$50.01 - \$65.00	D
\$65.01 - \$80.00	E
\$80.01 - \$95.00	F
\$95.01 - \$110.00	G
\$110.01 - \$125.00	H



COM SPECIFICATIONS

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric
For 48" wide fabrics allow 15% additional fabric
For 45" wide fabrics allow 20% additional fabric
For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric
15" to 19" repeat allow 20% additional fabric
20" to 27" repeat allow 25% additional fabric
28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

The fabric should be sent to the following address:

Nucraft Furniture Company
5151 West River Drive
Comstock Park, MI 49321
Attn: Order Processing

FIRE RESISTANCE

Nucraft will only work with textiles that meet the ACT Voluntary Performance Guidelines:

- Nucraft fabric tack panels incorporate fabrics that meet the ASTM E 84 standard US flammability test for wrapped panels.
- Nucraft upholstery fabrics for benches and cushions must meet one or more of the following flammability tests; NFPA 260, NFPA 701, or CAL 117.
- All COM fabrics must meet the required flammability standards per fabric application.
- Nucraft reserves the right to decline any fabrics that do not meet ACT standard flammability requirements.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.